

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY PRODUCT CONTROL SECTION 11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599 www.miamidade.gov/economy

Innovative Sheet Metals LLC 3213 81st Court East Bradenton, FL. 34211

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami-Dade County and other areas, where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: PAC-150 24 ga. (min) x 12in thru 20in Wide Steel Panel over Plywood

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of pages 1 through 5. The submitted documentation was reviewed by Rafael Macedo.





07/10/25

NOA-No.: 25-0516.05 Expiration Date: 07/10/30 Approval Date: 07/10/25 Page 1 of 5

ROOFING SYSTEM APPROVAL:

Category:	Roofing
Sub-Category:	Metal, Panels (Non-Structural)
<u>Material:</u>	Steel
Deck Type:	Wood
Maximum Design Pressure	–136.75 psf

TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT:

Product	Dimensions	Test <u>Specifications</u>	Product Description
PAC-150 1.5" Steel Panel	Length: various Height: 1-1/2" Width: 12" - 20" (coverage) Min. Thickness 24 ga Min. Yield Strength: 55 ksi.	TAS 110	Corrosion resistant, galvalume, preformed, standing seam. Coated, prefinished panels.
PAC-150 Fixed Clip	Length: 2" Height: 1.625" Width: 0.875" Min. Thickness 24 ga.	TAS 110	Corrosion resistant, Min. 24 ga. steel clip or Min. 24 ga. stainless steel clip.
PAC-150 Sliding Clip	Top: 2" Overall Height: 1.63" Base: 0.75" x 5" Min. Top Thickness 24 ga. Min. Base Thickness 22 ga.	TAS 110	Corrosion resistant, Min.24 / Min. 22 ga. steel clip or 24/22 ga. stainless steel clip. Clip shall be secured with min. of 2 screws in the outer holes of the base.

EVIDENCE SUBMITTED:

Test Agency	<u>Test Identifier</u>	Test Name/Report	Date
Valspar	433X515	ASTM B 117	
	433B173	ASTM G 23	
Fenestration Testing	13-852	TAS 100	06/11/13
Architectural Testing	C8009.01-450-18	TAS 125	06/17/13
	F1797.01-450-18	TAS 125	10/12/15
Intertek ATI	J6884.02.01-450-44 R1	ASTM E2140	12/19/19
	C8009.01-450-18 R1	TAS 125/ASTM E8	06/06/22

APPROVED ASSEMBLIES:

 PAC-150 24 ga. (min) x 12" thru 20" Wide Steel Panels over Plywood Wood, Non-insulated New Construction ¹⁹/₃₂" or greater plywood or wood plank, or for re-roofing ¹⁵/₃₂" or greater plywood. 1": 12" or greater See Table A below In accordance with applicable Building Code, but in no case shall it be less than 8d annula ring shank nails spaced 6" o.c. In reroofing, where the deck is less than ¹⁹/₃₂" thick (Minimun ¹⁵/₃₂") The above attachment method must be in addition to existing attachment. Minimum underlayment shall be an ASTM D 226 Type II installed with a minimum 4" side lap and 6" end-laps. Underlayment shall be fastened with corrosion resistant tin-caps and 11 gauge 1 ¹/₄" annular ring-shank nails, spaced 6" o.c. at all laps and two staggered rows 12 o.c. in the field of the roll or any approved underlayment having a current NOA.
 New Construction ¹⁹/₃₂" or greater plywood or wood plank, or for re-roofing ¹⁵/₃₂" or greater plywood. 1": 12" or greater See Table A below In accordance with applicable Building Code, but in no case shall it be less than 8d annula ring shank nails spaced 6" o.c. In reroofing, where the deck is less than ¹⁹/₃₂" thick (Minimum ¹⁵/₃₂") The above attachment method must be in addition to existing attachment. Minimum underlayment shall be an ASTM D 226 Type II installed with a minimum 4" side lap and 6" end-laps. Underlayment shall be fastened with corrosion resistant tin-caps and 12 gauge 1 ¹/₄" annular ring-shank nails, spaced 6" o.c. at all laps and two staggered rows 12 o.c. in the field of the roll or any approved underlayment having a current NOA.
 plywood. 1": 12" or greater See Table A below In accordance with applicable Building Code, but in no case shall it be less than 8d annula ring shank nails spaced 6" o.c. In reroofing, where the deck is less than ¹⁹/₃₂" thick (Minimum ¹⁵/₃₂") The above attachment method must be in addition to existing attachment. Minimum underlayment shall be an ASTM D 226 Type II installed with a minimum 4" side lap and 6" end-laps. Underlayment shall be fastened with corrosion resistant tin-caps and 12 gauge 1 ¹/₄" annular ring-shank nails, spaced 6" o.c. at all laps and two staggered rows 12 o.c. in the field of the roll or any approved underlayment having a current NOA.
See Table A below In accordance with applicable Building Code, but in no case shall it be less than 8d annula ring shank nails spaced 6" o.c. In reroofing, where the deck is less than ¹⁹ / ₃₂ " thick (Minimum ¹⁵ / ₃₂ ") The above attachment method must be in addition to existing attachment. Minimum underlayment shall be an ASTM D 226 Type II installed with a minimum 4" side lap and 6" end-laps. Underlayment shall be fastened with corrosion resistant tin-caps and 12 gauge 1 ¹ / ₄ " annular ring-shank nails, spaced 6" o.c. at all laps and two staggered rows 12 o.c. in the field of the roll or any approved underlayment having a current NOA.
In accordance with applicable Building Code, but in no case shall it be less than 8d annular ring shank nails spaced 6" o.c. In reroofing, where the deck is less than $^{19}/_{32}$ " thick (Minimum $^{15}/_{32}$ ") The above attachment method must be in addition to existing attachment. Minimum underlayment shall be an ASTM D 226 Type II installed with a minimum 4" side lap and 6" end-laps. Underlayment shall be fastened with corrosion resistant tin-caps and 11 gauge 1 ¹ / ₄ " annular ring-shank nails, spaced 6" o.c. at all laps and two staggered rows 12 o.c. in the field of the roll or any approved underlayment having a current NOA.
ring shank nails spaced 6" o.c. In reroofing, where the deck is less than ¹⁹ / ₃₂ " thick (Minimum ¹⁵ / ₃₂ ") The above attachment method must be in addition to existing attachment. Minimum underlayment shall be an ASTM D 226 Type II installed with a minimum 4" side lap and 6" end-laps. Underlayment shall be fastened with corrosion resistant tin-caps and 12 gauge 1 ¹ / ₄ " annular ring-shank nails, spaced 6" o.c. at all laps and two staggered rows 12 o.c. in the field of the roll or any approved underlayment having a current NOA.
lap and 6" end-laps. Underlayment shall be fastened with corrosion resistant tin-caps and 12 gauge 1 ¹ / ₄ " annular ring-shank nails, spaced 6" o.c. at all laps and two staggered rows 12 o.c. in the field of the roll or any approved underlayment having a current NOA.
Any approved fire barrier having a current NOA. Refer to a current fire directory listing fo
fire ratings of this roofing system assembly as well as the location of the fire barrier within the assembly. See Limitation # 1.
Valley construction shall be in compliance with Roofing Application Standard RAS 133 and with the current published installation instructions and details in PAC Contractor Association's Installation Manual.
Install the "PAC-150 1.5 Steel Panel " including flashing penetrations, valleys, end laps and accessories in compliance "PAC Contractors Association's" current, published installation instructions and in compliance with the minimum requirements detailed in Roofing Application Standard RAS 133.
Panels shall be secured along the male rib with approved clips (PAC-150 Fixed Clip or PAC 150 Sliding Clip) and two corrosion resistant #10 x 1 $\frac{1}{2}$ " pancake head screws of sufficien length to penetrate through the sheathing a minimum of $\frac{3}{16}$ ". When using the PAC-150 Sliding Clip, screws must be installed in the outer holes of the base. The panel clips wer placed at a spacing listed in Table A below. The female rib of panel is installed over the mal

TABLE A						
MAXIMUM DESIGN PRESSURES						
Roof Areas	Field	Field	Perimeter and Corner ¹	Perimeter and Corner ¹		
Maximum Design Pressures	-71 psf	–69.25 psf	–114.25 psf	–136.75 psf		
Maximum Clip Spacing	36" o.c.	24" o.c.	6" o.c.	12" o.c.		
Panel Seam	180° degrees	90° or 180° degrees	90° or 180° degrees	180° degrees		
1. Extrapolation shall not be allowed						



NOA-No.: 25-0516.05 Expiration Date: 07/10/30 Approval Date: 07/10/25 Page 3 of 5


LIMITATIONS

- 1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire ratings of this product.
- 2. The maximum designed pressure listed herein shall be applicable to all roof pressure zones (i.e., field, perimeters, and corners). Neither rational analysis, nor extrapolation shall be permitted for enhanced fastening at enhanced pressure zones (i.e., perimeters, extended corners and corners).
- **3.** Panels may be rolls formed in continuous lengths from eave to ridge. Maximum lengths shall be as described in Roofing Application Standard RAS 133.
- 4. All panels shall be permanently labeled with the manufacturer's name and/or logo, city, state, and the following statement: "Miami-Dade County Product Control Approved" **or** with the Miami-Dade County Product Control Seal as seen below. All clips shall be permanently labeled with the manufacturer's name and/or logo, and/or model.



- 5. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 61G20-3 of the Florida Administrative Code.
- 6. Panels may be shop or jobsite roll formed with machine model #('s) <u>SSQ2U-10830924</u>, <u>QUAD-21101408</u> and <u>RF-0009</u> from PAC Contractors Association.






PAC-150 SLIDING CLIP (MIN. 2 SCREWS IN THE OUTER HOLES OF BASE)



PAC-150 FIXED CLIP

90° SINGLE LOCK



180° DOUBLE LOCK

END OF THIS ACCEPTANCE

NOA-No.: 25-0516.05 Expiration Date: 07/10/30 Approval Date: 07/10/25 Page 5 of 5

