



MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING

BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

PRODUCT CONTROL NOTICE OF ACCEPTANCE

NT Dor-O-Matic Inc.
7350 W. Wilson Avenue
Harwood Heights IL 60656

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT SECTION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

Your application for Product Approval of:

Series "Astro-Slide" Automatic Aluminum Sliding Glass Door - Impact

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This approval shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at anytime from a jobsite or manufacturer's plant for quality control testing.

If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

Acceptance No.: 00-0128.06

Expires: 03/13/2003

Raul Rodriguez
Chief Product Control Division

THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL CONDITIONS

BUILDING CODE & PRODUCT REVIEW COMMITTEE

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

Approved: 05/05/2000

1 of 3



NT Dor-O-Matic, Inc.

ACCEPTANCE No.: 00-0128.06

APPROVED : MAY 05 2000

EXPIRES : March 13, 2003

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

1. SCOPE

- 1.1 This **renews** the Notice of Acceptance No. 96-0723.01 which was issued on March 13, 1997. It approves an automatic aluminum sliding glass door, as described in Section 2 of this Notice of Acceptance, designed to comply with the South Florida Building Code (SFBC), 1994 Edition for Miami-Dade County, for the locations where the pressure requirements, as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated in the approved drawings.

2. PRODUCT DESCRIPTION

- 2.1 The Series "Astro-Slide" Automatic Aluminum Sliding Glass Door - Impact Resistant and its components shall be constructed in strict compliance with the following documents: Drawing No **821000051**, titled "Astro-Slide" Hurricane Door Unit, Sheets 1 and 2 of 2 dated 2/14/96, w/revision F dated 3/27/00, bearing the Miami-Dade County Product Control approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division. These documents shall hereinafter be referred to as the approved drawings.

3. LIMITATIONS

- 3.1 This approval applies to single unit applications only, as shown in approved drawings.
3.2 Unit shall be installed only at locations protected by a canopy or overhang such that the angle between the edge of canopy or overhang to sill is less than 45 degrees. Unless unit is installed in non-habitable areas where the unit and the area are designed to accept water infiltration.
3.3 Automatic door operator must bear UL label.

4. INSTALLATION


- 4.1 The automatic door and its components shall be installed in strict compliance with the approved drawings.
4.2 Hurricane protection system (shutters): the installation of this unit **will not require** a hurricane protection system.

5. LABELING

- 5.1 Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".

6. BUILDING PERMIT REQUIREMENTS

- 6.1 Application for building permit shall be accompanied by copies of the following:
6.1.1 This Notice of Acceptance
6.1.2 Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance, clearly marked to show the components selected for the proposed installation.
6.1.3 Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.


Manuel Perez, P.E. Product Control Examiner
Product Control Division

NT Dor-O-Matic, Inc.


ACCEPTANCE No.: 00-0128.06

APPROVED : MAY 05 2000

EXPIRES : March 13, 2003



NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
 - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
 - b) The product is no longer the same product (identical) as the one originally approved;
 - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
 - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
 - a) Unsatisfactory performance of this product or process.
 - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purpose.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.



Manuel Perez, P.E. Product Control Examiner
Product Control Division

END OF THIS ACCEPTANCE



SHEET 1 OF 2

DOR-O-MATIC® PRODUCTS CORP. 6800 INDUSTRIAL LOOP GREENDALE, WI. 53129		DATE 02/14/96		DATE 02/14/96	
TITLE ASTRO-SLIDE HURRICANE DOOR UNIT		DRAWN BY T. THAO		CHECKED BY Jc	
MATERIAL FINISH		DATE 02/14/96		DATE 02/14/96	
REV. LETTER F		DRAWING NO. B 8211000051		REV. LETTER F	
3/1/96 INITIAL RELEASE		REV. LETTER F		REV. LETTER F	
TOLERANCES: UNLESS OTHERWISE SPECIFIED ARE AS FOLLOWS:		DECIMAL: ±.005		FRACTIONAL: ±1/32	
		ANGULAR: ±1/2°		ALL MACHINED SURFACES 125/	
		NOTE: MUST BE FREE OF BURRS & SHARP EDGES.			
AMc	TT	TT	TT	TT	MADE BY
UPDATE DRAWING TO LATEST STD.	ADDED SCREW AND ADDED DIMENSION TO CENTER OF LOCKS	REVISED SCREW INFORMATION, #MS1851S-350 WAS #MS1853A-350	ADDED SCREW INFORMATION, BUCK & GLASS SPEC. & NOTE	ADDED SCREW INFORMATION, PART NUMBERS, AND DOW NOTE.	WAS (3)REQ., ADDED 3 POINT LOCKING AND SANTOPRENE SEAL
3/27/00	2/20/97	6/3/96	5/28/96	5/22/96	5/9/96
F 00104					
REV. E.C.N. NO.	DATE	DATE	DATE	DATE	DATE

ITEM NO.	DRAWING NUMBER	DESCRIPTION	OVERALL LENGTH	QTY.	COLOR
100	B 8211000041	GROOVED JAMB TUBE	7'-6"	1	US28
105	B 8211000040	GROOVED JAMB TUBE	7'-6"	1	US28
120	B 8211000030	SNAP #N COVER STRIP FOR GROOVED JAMB TUBE	89 7/8"	2	US28
125	B 8211000028	SPACER	42 7/16"	2	US28
130	B 8211000034	2" THRESHOLD	42 7/16"	2	US28
135	B 8211000035	6" THRESHOLD	79 5/8"	1	US28
140	B 8211000036	SIDE GUIDE	42"	2	US28
150	B 8211000003	LOOSE PARTS BOARD OUTSIDE SLIDE L/H DBL.		1	US28
155	B 8211000004	LOOSE PARTS BOARD OUTSIDE SLIDE R/H DBL./SGL.		1	US28
200	B 8211000002	R/H DOOR LOCK STILE	80 13/16"	1	US28
205	B 8211000001	L/H DOOR LOCK STILE	80 13/16"	1	US28
210	B 8211000006	R/H DOOR STILE SIDE PAIR & SGL. (OUTSIDE SLIDE)	80 13/16"	1	US28
215	B 8211000007	L/H DOOR STILE SIDE PAIR & SGL. (OUTSIDE SLIDE)	80 13/16"	1	US28
220	B 8211000017	R/H FIXED PANEL LOCK STILE, SGL. & BI-PART WITH SIDE GUIDE, WITHOUT HOOK SLOT, PREP FOR PENCIL SAFETY BEAM	82 5/16"	1	US28
225	B 8211000018	L/H FIXED PANEL LOCK STILE, SGL. & BI-PART WITH SIDE GUIDE, WITHOUT HOOK SLOT, PREP FOR PENCIL SAFETY BEAM	82 5/16"	1	US28
230	B 8211000015	R/H STILE PANEL FIXED PIVOT SIDE, SGL. & DBL.	82 5/16"	1	US28
235	B 8211000016	L/H STILE PANEL FIXED PIVOT SIDE, SGL. & DBL.	82 5/16"	1	US28
240	B 8211000044	ASTRAGAL	81 3/16"	2	US28
300	B 8211000033	R/H DOOR TOP RAIL	38 1/16"	1	US28
305	B 8211000032	L/H DOOR TOP RAIL	38 1/16"	1	US28
310	B 8211000038	PANEL TOP RAIL	38 1/16"	2	US28
320	B 8211000039	DOOR BOTTOM RAIL	38 1/16"	2	US28
325	B 8211000037	PANEL BOTTOM RAIL	38 1/16"	2	US28
330	B 8211000045	SWEEP ASSEMBLY	39 13/16"	2	US28
350	B 8211000029	DOOR ROD 3/8"	39 1/2"	4	PLATED
355	B 8211000029	PANEL ROD 3/8"	39 1/2"	4	PLATED
400	B 8211000012	R/H CARRIER MACHINING	41 3/4"	1	US28
405	B 8211000013	L/H CARRIER MACHINING	41 3/4"	1	US28
500	B 8211000055	GLASS STOP HORIZONTAL	36.813	4	US28
510	B 8211000055	GLASS STOP HORIZONTAL	36.813	4	US28
520	B 8211000054	GLASS STOP VERTICAL	72.313	8	US28
540	B 8211000027	GLASS SUPPORT ANGLE HORIZONTAL	37 19/32"	8	US28
550	B 8211000027	GLASS SUPPORT ANGLE HORIZONTAL	37 19/32"	8	US28
560	B 8211000026	GLASS SUPPORT ANGLE VERTICAL	72.313	4	US28
570	B 8211000026	GLASS SUPPORT ANGLE VERTICAL	72.313	4	US28
600	B 8211000031	HEADER - MACH. DWG.	164 1/2"	1	US28
605	B 8211000042	SWING COVER	164 7/16"	1	US28
610	B 8211000043	SLIDE COVER	80 7/16"	1	US28
615	B 8211000050	TRACK MACHINING	164 1/2"	1	US28
XXX	B 8211000009	INTERLOCKING STRIP EXTRUSION	160 1/2"	1	MILL
XXX	B 8211000010	L/H PIVOT ASSEMBLY		1	MILL
XXX	B 8211000011	R/H PIVOT ASSEMBLY		1	MILL
XXX	B 8211000014	CARRIER END CAP & WEATHER STRIP ASSEMBLY	1.688	2	BLACK
XXX	B 8211000019	ANTI-JAR BRACKET	24"	2	PLATED
XXX	B 8211000020	SUPPORT PLATE	30"	1	MILL
XXX	B 8211000021	ROD LOCKING BLOCK IN CARRIER	1.250	2	MILL
XXX	B 8211000022	SHIM FOR UNDER ANTI-JAR BRACKET	24"	8	
XXX	B 8211000024	GUIDE BLOCK	1.375	4	MILL
XXX	B 8211000025	SUPPORT PLATE	30"	1	PLATED
XXX	B 8211000046	BRACKET ASS'Y.-PANEL TOP RAIL HINGE STILE END		2	MILL
XXX	B 8211000047	MOUNTING BLOCK FOR PANELS	1.750	3	MILL
XXX	B 8211000048	ANTI-JAR WHEEL INSTALLATION INSTRUCTIONS		4	
XXX	B 8211000049	DOOR LOCK STILE STICKER LABEL	1.750	4	
XXX	B 8211000061	AMESBURY WEATHERSEAL	56 FT.	1	
XXX	B 8211000062	SANTOPRENE SEAL	14 FT.	1	
XXX	B 8211000051	HURRICANE DOORS		1	
XXX	B 8211000052	BILL OF THE MATERIAL		1	

APPROVED AS COMPLYING WITH
 SOUTH FLORIDA BUILDING CODE
 DATE: 05/20/96
 BY: [Signature]
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 00-0128-06

REV. NO.	DATE	DESCRIPTION	MADE BY	TOLERANCES: UNLESS OTHERWISE SPECIFIED ARE AS FOLLOWS. DECIMAL: ±.005 FRACTIONAL: ±1/2" ANGULAR: ±1/2° ALL MACHINED SURFACES 125/ NOTE: MUST BE FREE OF BURRS & SHARP EDGES.	HEAT TREAT	REV. LETTER	DRAWING NO.
F						F	B 8211000051
A	5/9/96	39 13/16" WAS 41 1/2"					
B	5/22/96	ADDED 8211000061, AND 8211000062					
C	3/27/00	UPDATE DRAWING TO LATEST STD.					
D							
E							
<p>DOR-O-MATIC® PRODUCTS CORP. 6800 INDUSTRIAL LOOP GREENDALE, WI. 53219</p> <p>TITLE: BILL OF THE MATERIAL FOR WIND TEST</p> <p>DATE: 02/15/96</p> <p>DATE: 02/15/96</p>							
<p>△ SHEET 2 OF 2</p>							