



MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING

**BUILDING CODE COMPLIANCE OFFICE**  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908

**PRODUCT CONTROL NOTICE OF ACCEPTANCE**

**Dade Metals Corporation**  
200 N.W. 22 Street  
Miami FL 33127-4811

**CONTRACTOR LICENSING SECTION**  
(305) 375-2527 FAX (305) 375-2558

**CONTRACTOR ENFORCEMENT SECTION**  
(305) 375-2966 FAX (305) 375-2908

**PRODUCT CONTROL DIVISION**  
(305) 375-2902 FAX (305) 372-6339

Your application for Product Approval of:

***Series 3000 Aluminum Fixed Window - Impact Resistant***

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This approval shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at anytime from a jobsite or manufacturer's plant for quality control testing.

If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

**Acceptance No.:** 00-0224.04

**Expires:** 08/28/2003

Raul Rodriguez  
Chief Product Control Division

**THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL CONDITIONS**

**BUILDING CODE & PRODUCT REVIEW COMMITTEE**

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.

Director  
Miami-Dade County  
Building Code Compliance Office

**Approved:** 06/29/2000

1 of 3



Dade Metals Corporation.

ACCEPTANCE No.: 00-0224.04

APPROVED : JUN 29 2000

EXPIRES : August 28, 2003

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

**1. SCOPE**

**1.1** This revises and renews the Notice of Acceptance No. 97-1024.01 that was issued on February 4, 1998. It approves an aluminum fixed window, as described in Section 2 of this Notice of Acceptance, designed to comply with the South Florida Building Code (SFBC), 1994 Edition for Miami-Dade County. For the locations where the pressure requirements, as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated in the approved drawings.

**2. PRODUCT DESCRIPTION**

**2.1** The **Series 3000 Aluminum Fixed Window – Impact Resistant**, and its components shall be constructed in strict compliance with the following documents: Drawing No **W00-03**, titled “Series-3000 Aluminum Fixed Window Impact Resistant,” Sheets 1 and 3 of 3, dated 01/27/00, prepared by Al-Farooq Corporation signed and sealed by Humayoun Farooq, P.E. They bear the Miami-Dade County Product Control approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division. These documents shall hereinafter be referred to as the approved drawings.

**3. LIMITATIONS**

**3.1** This approval applies to single unit applications, as shown approved drawings.

**4. INSTALLATION**

**4.1** The aluminum fixed window and its components shall be installed in strict compliance with the approved drawings.

**4.2** Hurricane protection system (shutters): The installation of this unit **will not require** a hurricane protective system.

**5. LABELING**

**5.1** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".


**6. BUILDING PERMIT REQUIREMENTS**

**6.1** Application for building permit shall be accompanied by copies of the following:

**6.1.1** This Notice of Acceptance

**6.1.2** Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance, clearly marked to show the components selected for the proposed installation.

**6.1.3** Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.

  
Manuel Perez, P.E. Product Control Examiner  
Product Control Division

**Dade Metals Corporation.**


ACCEPTANCE No.: 00-0224.04

APPROVED : JUN 29 2000

EXPIRES : August 28, 2003

**NOTICE OF ACCEPTANCE: STANDARD CONDITIONS**


1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
  - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
  - b) The product is no longer the same product (identical) as the one originally approved;
  - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
  - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
  - a) Unsatisfactory performance of this product or process.
  - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purpose.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.

  
Manuel Perez, P. E., Product Control Examiner  
Product Control Division

**END OF THIS ACCEPTANCE**



DESIGN LOAD CAPACITY - PSF LARGE MISSILE IMPACT RESISTANT WINDOWS, SHUTTERS NOT REQD.					
WINDOW DIMS.		1/4"-ANN. GLASS DUPONT 475 FILM, .045 T.		1/4" LEXAN	
WIDTH	LENGTH	EXT.(+)	INT.(-)	EXT.(+)	INT.(-)
24"	36"	62.0	62.0	66.0	66.0
30"		62.0	62.0	66.0	66.0
36"		62.0	62.0	66.0	66.0
42"		62.0	62.0	66.0	66.0
48"		62.0	62.0	66.0	66.0
54"		62.0	62.0	66.0	66.0
60"	59.6	62.0	66.0	66.0	
24"	42"	62.0	62.0	66.0	66.0
30"		62.0	62.0	66.0	66.0
36"		62.0	62.0	66.0	66.0
42"		62.0	62.0	66.0	66.0
48"		62.0	62.0	66.0	66.0
54"		58.6	62.0	66.0	66.0
60"	55.1	58.7	66.0	66.0	
24"	48"	62.0	62.0	66.0	66.0
30"		62.0	62.0	66.0	66.0
36"		62.0	62.0	66.0	66.0
42"		62.0	62.0	66.0	66.0
48"		62.0	62.0	66.0	66.0
54"		56.4	60.1	66.0	66.0
60"	52.2	55.6	66.0	66.0	
24"	54"	62.0	62.0	66.0	66.0
30"		62.0	62.0	66.0	66.0
36"		62.0	62.0	66.0	66.0
42"		58.6	62.0	66.0	66.0
48"		56.4	60.1	66.0	66.0
54"		55.7	59.3	58.7	58.7
60"	50.6	54.0	58.7	58.7	
24"	60"	62.0	62.0	66.0	66.0
30"		62.0	62.0	66.0	66.0
36"		59.6	62.0	66.0	66.0
42"		55.1	58.7	66.0	66.0
48"		52.2	55.6	66.0	66.0
54"		50.6	54.0	58.7	58.7
60"	49.1	49.1	52.8	52.8	
24"	66"	62.0	62.0	66.0	66.0
30"		62.0	62.0	66.0	66.0
36"		57.4	61.2	66.0	66.0
42"		52.5	56.0	66.0	66.0
48"		49.2	52.5	66.0	66.0
54"		47.1	49.7	58.7	58.7
60"	-	-	52.8	52.8	
24"	72"	62.0	62.0	66.0	66.0
30"		62.0	62.0	66.0	66.0
36"		55.7	59.3	66.0	66.0
42"		50.5	53.9	66.0	66.0
48"		47.0	50.1	66.0	66.0
54"		-	-	58.7	58.7
60"	-	-	52.8	52.8	

DESIGN LOAD CAPACITY - PSF LARGE MISSILE IMPACT RESISTANT WINDOWS, SHUTTERS NOT REQD.					
WINDOW DIMS.		1/4"-ANN. GLASS DUPONT 475 FILM, .045 T.		1/4" LEXAN	
WIDTH	LENGTH	EXT.(+)	INT.(-)	EXT.(+)	INT.(-)
24"	78"	62.0	62.0	66.0	66.0
30"		62.0	62.0	66.0	66.0
36"		54.3	57.9	66.0	66.0
42"		49.0	52.2	66.0	66.0
48"		-	-	66.0	66.0
54"		-	-	58.7	58.7
24"	84"	62.0	62.0	66.0	66.0
30"		61.0	62.0	66.0	66.0
36"		53.1	56.6	66.0	66.0
42"		47.7	50.6	66.0	66.0
48"		-	-	66.0	66.0
54"		-	-	58.7	58.7
24"	90"	62.0	62.0	66.0	66.0
30"		60.1	62.0	66.0	66.0
36"		52.2	55.6	66.0	66.0
42"		-	-	66.0	66.0
48"		-	-	66.0	66.0
54"		-	-	58.7	58.7
24"	96"	62.0	62.0	66.0	66.0
30"		59.4	62.0	66.0	66.0
36"		51.4	52.3	66.0	66.0
42"		-	-	66.0	66.0
48"		-	-	66.0	66.0
54"		-	-	58.7	58.7



NOTE:  
WIDTH AND LENGTH DIMENSIONS CAN BE ORIENTED VERTICALLY OR HORIZONTALLY AS SHOWN ABOVE.

- NOTES:
- THIS STRUCTURE IS DESIGNED AS PER THE SOUTH FLORIDA BUILDING CODE 1994 EDITION FOR DADE COUNTY. ALSO FOR WIND LOADS AS PER ASCE 7-88 USING CORRESPONDING LOADS.
  - WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
  - ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.



TYPICAL ELEVATIONS  
TESTED UNITS

Engr: DR. HUMAYOUN FAROOQ  
STRUCTURES  
FLA. PE # 18557  
MAY 15 2000

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE June 29, 2000  
BY *Manuel Perez*  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 00-0224-04

**AL-FAROOQ CORPORATION**  
ENGINEERS, PLANNERS & PRODUCT DESIGN  
1235 SW 87 AVE  
MIAMI, FLORIDA 33174  
TEL. (305) 264-8100 FAX. (305) 262-6978  
COMP-ANL\W00-03DM


---

**DADE METALS CORPORATION**  
200 N.W. 22 ND STREET  
MIAMI, FL 33127-4811  
TEL (305) 573-8810 FAX. (305) 573-0663

revisions:  
no date by description

date: 01-27-00  
scale: 1/2" = 1"  
dr. by: HAMID  
chk. by:

drawing no.  
**W00-03**  
sheet 1 of 3



WOOD BUCKS NOT BY DADE METALS CORP, MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.


**TYPICAL ANCHORS:** SEE ELEV. FOR SPACING

THRU 1BY WOOD BUCKS INTO MASONRY OR DIRECTLY INTO MASONRY  
 3/16" TAPCONS (BY ELCO OR EQUIV. ANCHOR HOLDING CURRENT N.O.A.)  
 1-1/4" MIN. MASONRY EMBED.


INTO 2BY WOOD BUCKS OR WOOD STRUCTURE  
 #12 SMS OR  
 3/16" TAPCONS  
 1-3/8" MIN. WOOD PENETRATION

**SEALANTS:**


FRAME CORNERS, INSTALLATION SCREWS, GLAZING BEAD ENDS AND PERIMETER OF FRAME TO SUBFRAME SEALED WITH WHITE/ALUM COLORED SCHNEE-MOREHEAD ACRYL-R SEALANT.



#12 SMS  
 SEE ELEV. FOR SPACING



SEE MULLION APPROVALS FOR MULLION TYPE AND SIZE



**GLAZING OPTIONS**

Engr: DR. HUMAYOUN FAROOQ  
 STRUCTURES  
 FLA. PE # 16557  
 MAY 15 2000

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE  
 DATE *June 29, 2000*  
 BY *M. Hamid*  
 PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE  
 ACCEPTANCE NO. *00-0224.04*

**afc**

**AL-FAROOQ CORPORATION**  
 ENGINEERS, PLANNERS & PRODUCT DESIGN  
 1235 SW 87 AVE  
 MIAMI, FLORIDA 33174  
 TEL. (305) 264-8100 FAX. (305) 262-6978  
 COMP-ANL\W00-03DM

---

SERIES-3000 ALUMINUM FIXED WINDOW  
**DADE METALS CORPORATION**  
 200 N.W. 22 ND STREET  
 MIAMI, FL 33127-4811  
 TEL (305) 573-8810 FAX. (305) 573-0663


no	date	description

revisions: no date by description


date: 01-27-00  
 scale: 1/2" = 1"  
 dr. by: HAMID  
 chk. by:

drawing no.  
**W00-03**


sheet 2 of 3




SUB FRAME




WINDOW FRAME



GLAZING BEAD




FALSE MUNTIN



MITERED JOINT CONSTRUCTION  
FRAME CORNERS SPOT WELDED

MATERIALS LIST					
ITEM NO.	PART NUMBER	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPLIER/REMARKS
1	D-3000-2	4	WINDOW FRAME	ALUMINUM	6063-T5
2	D-3000-1	4	SUB FRAME	ALUMINUM	6063-T5
3	D-3000-3A	4	GLAZING STOP	ALUMINUM	6063-T5
4	SEG-526	AS REQD.	FALSE MUNTIN (OPTIONAL)	ALUMINUM	6063-T5
5	701-29Y	AS REQD.	DOUBLE SIDED GLAZING TAPE	-	1/8" X 3/8"
6	2000	AS REQD.	GLAZING COMPOUND	SILICONE	GE-SILLPROOF
6A	899	AS REQD.	GLAZING COMPOUND	SILICONE	DOW CORNING
7	ACRYL-R	AS REQD.	SEALANT	-	SCHNEE-MOREHEAD
8	#12 X 1-1/4"	AS REQD.	GLAZING STOP SCREWS F.H. SMS	CRS	AT 6" FROM ENDS & 12" O.C.



WINDOW WIDTH  
EXTERIOR

Engr: DR. HUMAYOUN FAROOQ  
STRUCTURES  
FLA. PE # 16557

MAY 15 2000

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE June 29, 2000  
BY Manuel Ruiz  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 00-0224-04

**AL-FAROOQ CORPORATION**  
ENGINEERS, PLANNERS & PRODUCT DESIGN  
1235 SW 87 AVE  
MIAMI, FLORIDA 33174  
TEL. (305) 264-8100 FAX. (305) 262-6978

SERIES-3000 ALUMINUM FIXED WINDOW  
**DADE METALS CORPORATION**  
200 N.W. 22 ND STREET  
MIAMI, FL 33127-4811  
TEL (305) 573-8810 FAX. (305) 573-0663

revisions:	no	date	by	description

date: 01-27-00  
scale: 1/2" = 1"  
dr. by: HAMID  
chk. by:

drawing no.  
**W00-03**  
sheet 3 of 3