MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING

BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

CertainTeed Corporation (TX)
3000 West Commerce Street
Dallas ,TX 75212

Your application for Notice of Acceptance (NOA) of:
Millenium and Restoration Vinyl Siding
under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

ACCEPTANCE NO.: 00-0327.02
EXPIRES: 08/01/2002

Raul Rodriguez
Chief Product Control Division

THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 08/16/2001

CertainTeed Corporation.

ACCEPTANCE NO: 00-0327.02

APPROVED: AUG 16 2001

EXPIRES: 08/01/2002

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

1. SCOPE

1.1 This revises the Notice of Acceptance No. 98-0702.03 that was issued on 02/18/2000. It approves vinyl siding as described in Section 2 of this Notice of Acceptance (N.O.A.) designed to comply with the South Florida Building Code 1994 Edition for Miami-Dade County (SFBC). It is approved for the location where the pressure requirements, as determined by the SFBC Chapter 23 do not exceed the design pressure rating values indicated in the approved drawing.

2. PRODUCT DESCRIPTION

2.1 The **CertainTeed Vinyl Siding** and its components shall be constructed in strict compliance with the following documents: Drawing No 00-01, sheets 1 & 2 of 2, titled "Vinyl Siding and Soffit." prepared by Al-Farooq Corporation. dated 01/17/00 with last revision on 07/31/01. They bear the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division. These documents shall herein after be referred to as the Approved Drawing.

3. LIMITATIONS

3.1 This system is to be installed in front of a 5/8" (5ply) plywood supported by 16" o.c. studs or concrete block wall as shown on the approved drawings.

4. INSTALLATION

4.1 The CertainTeed Vinyl Siding and its components shall be installed in strict compliance with the approved drawing.

4.2 The installation of this product will not require Hurricane Protection System.

5. LABELING

5.1 Each component shall bear a permanent label with the manufacturer's logo, city, state and the following statement "Miami-Dade County Product Control Approved".

6. BUILDING PERMIT REQUIREMENTS

6.1 Application for Building Permit shall be accompanied by copies of the following:

6.1.1. This Notice of Acceptance.

6.1.2. Duplicate copies of the approved drawings, as identified in Section 2 of this N.O.A. clearly marked to show the components selected for the proposed installation.

6.1.3 Any other document required by the Building Official or the SFBC in order to properly evaluate the installation of this system.

Candido Font PE, Senior Product Control Examiner
Product Control Division

CertainTeed Corporation.

ACCEPTANCE NO: 00-0327.02

APPROVED: AUG 16 2001

EXPIRES: 08/01/2002

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED
(For File ONLY. Not part of NOA)

A DRAWING

1. Drawing prepared by Al-Farooq Corporation, titled "Vinyl Siding and Soffit", drawing No. 00-01, dated 01/17/00, with last revision on 07/13/01, signed and sealed by H. Farooq, PE.

B TEST

	Laboratory Report	Test	Date	Signature
1	ATI-16969-1	PA 202 & 203	04/22/96	A. N. Reeves, PE.
2	ATI-16969-2	PA 202 & 203	04/22/96	A. N. Reeves, PE.
3	ATI-16969-3	PA 202 & 203	04/22/96	A. N. Reeves, PE.
4	ATI 16969-4	PA 202 & 203	04/22/96	A. N. Reeves, PE.
5	ATI 16969-5	PA 202 & 203	04/22/96	A. N. Reeves, PE
6	ATI 16969-6	PA 202 & 203	04/22/96	A. N. Reeves, PE.
7	ATI 16969-7	PA 202 & 203	04/22/96	A. N. Reeves, PE.
8	ATI 16969-8	PA 202 & 203	04/22/96	A. N. Reeves, PE.
9	ATI 02-30529.01	PA 202 & 203	04/30/98	A. N. Reeves, PE.
10	ATI 02-30528.01	PA 202 & 203	04/30/98	A. N. Reeves, PE.
11	RADCO-855	ASTM D3679	AUG/88	R. F. Tucker, PE.

C CALCULATION

1 Calculations prepared by Al-Farooq Corporation, sheets 1 through 10, dated 05/29/96, signed and sealed by H. Farooq, PE.

D MATERIAL CERTIFICATION
N/A

1 Code Compliance letter issued by Al-Farooq Corporation, dated 06/29/98, signed and sealed by H. Farooq, PE.
2 No financial interest letter issued by Al-Farooq Corporation, dated 06/29/98, signed by H. Farooq, PE and notarized by R. de la Guardia.

Candido Font PE, Senior Product Control Examiner
Product Control Division

CertainTeed Corporation.

ACCEPTANCE NO.: 00-0327.02

APPROVED: AUG 16 2001

EXPIRES: 08/01/2002

NOTICE OF ACCEPTANCE STANDARD CONDITIONS

1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test-supporting data, engineering documents, are no older than eight (8) years.

2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.

3. Renewals of Acceptance will not be considered if:
   a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
   b) The product is no longer the same product (identical) as the one originally approved;
   c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
   d) The engineer who originally prepared, signed and sealed the required documentation initially submitted is no longer practicing the engineering profession.

4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.

5. Any of the following shall also be grounds for removal of this Acceptance:
   a) Unsatisfactory performance of this product or process.
   b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purpose.

6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.

8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.

9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.

Candido Font PE, Senior Product Control Examiner
Product Control Division

END OF THIS ACCEPTANCE

Single 8" Clapboard Siding

Code	Name	Thickness (in.)	Trade Name	PSF
ADA8V	American Classic	0.042	Ashland Davis	-60
172	Mainstreet	0.042	CertainTeed	-60
BHBVN	VinalSide Estate	0.044	Wolverine	-60
S8CL	VinalSide Estate	0.044	Wolverine	-60



Single 6.5" Beaded Clapboard Siding

Code	Name	Thickness(in.)	Trade Name	Psf
150	Distinctive	0.044	CertainTeed	-60
ADAB65	American Classic	0.044	Ashland Davis	-60
D6B	Destinations	0.044	Wolverine	-60

Double 5 Clapboard Siding

Code	Name	Thickness(in.)	Trade Name	PSF
ADA55VN	Premium SeriesII	0.042	Ashland Davis	-60
ALD5	American Legend	0.042	Wolverine	-60
ALPD5	Easy Care	0.040	Ashland Davis	-60
ED5	Encore	0.040	Wolverine	-60
194	Monogram	0.044	CertainTeed	-46.7*
AD55BC	Select	0.044	Ashland Davis	-60
BRSD5	Benchmark	0.042	Wolverine	-60
175	Mainstreet	0.042	CertainTeed	-60
IEA	Hamilton Park	0.042	CertainTeed	-60



Double 4.5" Clapboard Siding

Code	Name	Thickness(in.)	Trade Name	PSF
ADEPD45	Easy Care	0.038	Ashland Davis	-40
D45HP	Restoration HP	0.055	Wolverine	-40
WD45DL	Encore	0.042	Wolverine	-40



Double 4.5" Shiplap Siding

Code	Name	Thickness(in)	Trade Name	PSF
ADA45DLN	Prem. SeriesII	0.042	Ashland Davis	-40
AL45DL	American Legend	0.042	Wolverine	-40
ADPD45DL	Easy Care	0.040	Ashland Davis	-40
EDL45	Encore	0.040	Wolverine	-40
1CO	Meridian	0.042	CertainTeed	-40
BRSDL45	Benchmark	0.042	Wolverine	-40
161	Hamilton Park	0.040	CertainTeed	-40



Double 4" Clapboard Siding

Code	Name	Thickness(in)	Trade Name	PSF
D4COX	Weatherstone	0.038	Wolverine	-60
1A2	Valuetech	0.038	CertainTeed	-60
ADA44VN	Premium SeriesII	0.042	Ashland Davis	-60
ALD4	American Legend	0.042	Wolverine	-60
ADPD4N	Easy Care	0.040	Ashland Davis	-60
ED4	Encore	0.040	Wolverine	-60
AD44BC	Select	0.044	Ashland Davis	-60
BRSD4	Benchmark	0.042	Wolverine	-60
174	Mainstreet	0.042	CertainTeed	-60
159	Hamilton Park	0.040	CertainTeed	-60
190	Monogram	0.044	CertainTeed	-60



Triple 3" Clapboard Siding

Code	name	Thickness(in)	Trade Name	PSF
ET3	Encore	0.040	Wolverine	-46.7*
T3VS	Vinalside Classic	0.044	Wolverine	-46.7*
ADT3V	Premium Series42	0.042	Ashland Davis	-46.7*
1T1	Mainstreet	0.042	CertainTeed	-46.7*
169	Hamilton Park	0.040	CertainTeed	-46.7*
DT3	Destinations	0.042	Wolverine	



Double 5" Shiplap (Dutchlap) Siding

Code	Name	Thickness(in)	Trade Name	PSF
1A3	Value Tech	0.038	CertainTeed	-60
WS5DL	Weatherstone	0.038	Wolverine	-60
196	Monogram	0.044	CertainTeed	-60
1E2	Mainstreet	0.047	CertainTeed	-60

Double 4" Shiplap (Dutchlap) Siding

171	Mainstreet	0.042	CertainTeed	-60



12" Wide Triple 4" Soffit

Code	Name	Thickness(in)	Trade Name	PSF
ADFUS12	Universal	0.040	Ashland Davis	+200;-40
ADSUS12	Universal	0.040	Ashland Davis	+200;-40
ADUS12	Universal	0.040	Ashland Davis	+200;-40
FUS12	Universal	0.040	Wolverine	+200;-40
SUS12	Universal	0.040	Wolverine	+200;-40
US12	Universal	0.040	Wolverine	+200;-40
114	Certavent	0.040	CertainTeed	+200;-40
115	Certavent	0.040	CertainTeed	+200;-40
116	Certavent	0.040	CertainTeed	+200;-40



APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE AUG 16 2001
BY
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 00-0327.02

10" Wide Double 5" Soffit

Code	Name	Thickness(in)	Trade Name	PSF
177	Ironmax	0.046	CertainTeed	+200;-53.3
178	Ironmax	0.046	CertainTeed	+200;-53.3
PSD5S	Perimeter	0.046	Wolverine	+200;-53.3
PSD5SPV	Perimeter	0.046	Wolverine	+200;-53.3
IE5	Meridian	0.042	CertainTeed	+200;-53.3
IE6	Meridian	0.042	CertainTeed	+200;-53.3
COXLV	CO-X	0.042	Wolverine	+200;-53.3
COXSV	CO-X	0.042	Wolverine	+200;-53.3



Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557

JUL 23 2001

AL-FAROOQ CORPORATION
ENGINEERS, PLANNERS & PRODUCT DESIGN
1235 SW 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978

CERTEED\00-01CT

VINYL SIDINGS AND SOFFITS

CERTAINTEED VINYL BUILDING PRODUCTS
803 BELDEN ROAD
JACKSON, MICHIGAN 49203
TEL. (517) 780-3124 FAX (517) 780-3156

revisions:			
no	date	by	description
A	07.13.01		REV. PER BCCO COMMENTS

date: 01-17-00
scale: NONE
dr. by: -
chk. by:

drawing no. 00-01





DETAIL A

Double4" Siding

Code	Name	Thickness(in)	Trade Name	PSF
FMD4	Millennium	0.044	Wolverine	−126.6* Ⓐ

(1) NAIL HEM CONSISTS OF A FLEXIBLE MESH THAT RUNS LENGTH OF SIDING



Single 7" Siding

Code	Name	Thickness(in)	Trade Name	PSF
RSHG	Restoration Shingle	0.060	Wolverine	−60* Ⓐ



INSTALLATION OVER PLYWOOD FRAME



INSTALLATION OVER CONCRETE BLOCK

General Notes:

1) Vinyl Siding and soffit covered under this approval shall be manufactured from a foumulation PVC powder compound meeting the specification of ASTM D3679.
2) CertainTeed siding and soffit shall only be permitted over 5/8" (5ply) plywood sheathing supported by studs and/or joists at 16"oc. and over concrete block walls.
3) The maximum design pressure of each model is listed on the tables.
4) Walls and underside of eaves to receive siding and soffit shall be checked for structural adequacy; cracks and defects shall be eliminated and the walls shall be waterproofed with the equivalent of 15 pound felt as described in section 2704.6(b).
5) Sheathing, studs, joists, rafters and concrete block walls where vinyl siding and soffit will be installed shall be designed by the architect or engineer of record complying with the South Florida Building Code and tghe minimum requirements of note #2.

Installation Notes:

1) Nails and tap-cons shall include a zinc coated steel washer; 1/4"i.d., 9/16" o.d. and 0.05" thick. Models marked with (*) shall have 8d nails with 3/8" head without washers.
2) Installation shall comply with this notice of acceptance, the manufacturer's instructions and the requirements of the South Florida Building Code.

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE
DATE AUG 16 2001
BY
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 00-0327.02
JUL 23 2001

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557

AL-FAROOQ CORPORATION
ENGINEERS, PLANNERS & PRODUCT DESIGN
1235 SW 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978

CERTEED\00-01CT

VINYL SIDINGS AND SOFFITS

CERTAINTEED VINYL BUILDING PRODUCTS
803 BELDEN ROAD
JACKSON, MICHIGAN 49203
TEL. (517) 780-3124 FAX (517) 780-3156

revisions:			
no	date	by	description

date: 01-17-00
scale: NONE
dr. by: -
chk. by:

drawing no. 00-01