



BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Merchant & Evans, Inc.
100 Connecticut Drive
Burlington ,NJ 08016

Your application for Notice of Acceptance (NOA) of:

Zip-Rib Aluminum Structural Standing Seam Roof Panel

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

ACCEPTANCE NO.: 00-1127.04
EXPIRES: 04/30/2006

Raul Rodriguez
Chief Product Control Division

**THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL
CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE**

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 02/15/2001

Merchant & Evans, Inc.

ACCEPTANCE No. : 00-1127.04

APPROVED : 02/15/2001

EXPIRES : 04/30/2006

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

1. SCOPE

This renews the Notice of Acceptance No. 97-0711.02, which was issued on April 30, 1998. It approves a Zib-Rib Aluminum Structural Standing Seam Roof Panel, as described in Section 2 of this Notice of Acceptance, designed to comply with the South Florida Building Code, 1994 Edition for Miami-Dade County, for the locations where the pressure requirements as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated on the approved drawings.

2. PRODUCT DESCRIPTION

This Zib-Rib Aluminum Structural Standing Seam Roof Panel and its components shall be constructed in strict compliance with the following documents: Drawing No. A, titled "Dade County Test Drawings", prepared by Merchant & Evans, Inc., sheets 1 through 11 of 11, dated January 7, 1997, revision #3 dated April 2, 1998, bearing the Miami-Dade County Product Control Approval and Renewal stamps with the Notice of Acceptance numbers and approval dates by the Miami-Dade County Product Control Division. These documents shall hereinafter be referred to as the approved drawings.

3. LIMITATIONS

The maximum allowable pressure, maximum panel's span and maximum spacing between panel clips are to meet all the allowable specifications specified on the approved drawings. This "Zib-Rib Aluminum Structural Standing Seam Roof Panel" can not act as a diaphragm. All permanent set components must be protected against corrosion, contamination and damage at all times.

4. INSTALLATION

This "Zib-Rib Aluminum Structural Standing Seam Roof Panels" and its components shall be installed in strict compliance with the approved drawings.

5. LABELING

Each panel shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved".

6. BUILDING PERMIT REQUIREMENTS

6.1 Application for building permit shall be accompanied by copies of the following:

6.1.1 This Notice of Acceptance.

6.1.2 Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance, clearly marked to show the components selected for the proposed installation.

6.1.3 Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.



Helmy A. Makar, P.E.- Product Control Examiner
Product Control Division

Merchant & Evans, Inc.

ACCEPTANCE No. : 00-1127.04


APPROVED : 02/15/2001

EXPIRES : 04/30/2006


NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documents, including test-supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
 - a. There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes.
 - b. The product is no longer the same product (identical) as the one originally approved.
 - c. If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product.
 - d. The engineer, who originally prepared, signed and sealed the required documentation initially submitted, is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
 - a. Unsatisfactory performance of this product or process.
 - b. Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purposes.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer needs not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.

END OF THIS ACCEPTANCE



Helmy A. Makar, P.E.- Product Control Examiner
Product Control Division



UL 580 TEST SPECIMEN
PLAN VIEW

NOTE: SEE SECTION DETAILS FOR MORE INFORMATION. PENCIL RIBS NOT SHOWN. SEALING METHOD NOT SHOWN AND TOP CHAMBER NOT SHOWN FOR CLARITY.

Maximum Design Uplift = -104 psf Pressure

NOTE: Title block revised 4-2-98 Per Metro-Dade to all pages.

PRODUCT RENEWED
ACCEPTANCE NO. 00-1127.04
EXPIRATION DATE 04/30/2006
By *William H. Wade*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE
DATE APRIL 30 1998
By *William H. Wade*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 97-0711.02

Richard Boyette
4/3/98
RICHARD BOYETTE
FL Civil PE #42485
4031 Coconut Blvd
Royal Palm Bch FL 33411
(561) 790-5766 Voice / Fax

CUSTOM-FORM



MERCHANT & EVANS INCORPORATED

Suppliers of architectural products since 1866
CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033

3	REVISION PER DADG 4-2-98	
TITLE: DADE CO. TEST DWGS		
DATE: 1/7/97		PAGE: 1 OF 11
DRW. BY: CHRIS BOROWSKI		
#	REVISION	DATE
1	FORMAT REVISION	10/1/97
2	REVISIONS PER TRADE 3-9-98 LETTER	2-10-98
	UL 580 TEST	DWG.
	PLAN VIEW	A

GENERAL SPECIFICATIONS ON OTHER COMPONENTS


ICE & WATER SHIELD: 40 mils x 3'0" wide cold applied self adhering membrane composed of a high strength polyethylene film coated on one side with a thick layer of adhesive consisting of rubberized asphalt conforming to ASTM D3767, ASTM D412, ASTM D412, ASTM D1970, ASTM D903, ASTM D96, ASTM D461.

GYP SUM CORE BOARD: 1/2" x 4' x 8' non structural, fiberglass-faced, silicone treated, non-combustible, moisture resistant gypsum core panel.

RIGID INSULATION: 1 1/2" polyisocyanurate, fire resistant, thermally efficient, with standard facing material and consisting of a modified urethane foam.

METAL DECK: 1 1/2" x 22 GA, TYPE B, 33 KSI, GALVANIZED PER ASTM A525 16" o.c.

PANEL CLIP FASTENER: #14 Diameter HD Heavy Duty Fastener (Tru-Fast); Metro-Dade Approved.



SECTION "A - A"
N. T. S.

MAXIMUM DESIGN UPLIFT PRESSURE = +104 PSF

C:\Com\TESTING\Gadeco-5.VCD 10/1/1997

TITLE: DADE CO. TEST DWGS		
DATE: 1/7/97	PAGE: 2 OF 11	
DRW. BY: CHRIS BOROWSKI		
#	REVISION	DATE
1	FORMAT REVISION	10/1/97
2	REVISIONS FOR DADE 3-9-98 LETTER	3-10-98
	U.L. 580 TEST	DWG
	CROSS SECTION "A-A"	A

CUSTOM-FORM


MERCHANT & EVANS INCORPORATED

Suppliers of architectural products since 1866
 CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
 BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033

PRODUCT RENEWED
 ACCEPTANCE No. 00-1127.04
 EXPIRATION DATE 04/30/2006
 By *Helmy A. M...*
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE APRIL 30 1998
 BY *Helmy A. M...*
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 97-0711.02


Richard Boyette
 4/3/98
RICHARD BOYETTE
 FL Civil PE #42485
 4031 Coconut Blvd
 Royal Palm Bch FL 33411
 (561) 790-5766 Voice / Fax



SECTION "B - B"
N. T. S.

C:\Core\TESTING\Datadco-8.vcd 10/1/1997

TITLE: DADE CO. TEST DWGS	
DATE: 1/7/97	PAGE 3 OF 11
DRW. BY: CHRIS BOROWSKI	
#	REVISION
1	FORMAT REVISION
2	REIN. SCREWS PER DWG 3-9-78 LETTER
	UL 580 TEST
	CROSS SECTION "B-B"
	DATE
	10/1/97
	3-0-98
	DWB
	A



CUSTOM-FORM

MERCHANT & EVANS INCORPORATED

Suppliers of architectural products since 1866
 CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
 BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033


PRODUCT RENEWED

ACCEPTANCE No. 00-1127.04
 EXPIRATION DATE 04/30/2006
 By Richard A. Boyette
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE APRIL 30 1998
 BY Richard A. Boyette
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 97-0711.02

Richard Boyette
 4/3/98
RICHARD BOYETTE
 FL Civil PE #42485
 4081 Coconut Blvd
 Royal Palm Bch FL 33411
 (561) 790-5766 Voice / Fax

MATERIAL: .040" Aluminum
3004 H36



ZIP-RIB[®]
ROOFING & SIDING
Western Regional Hdqtrs
12771 BOX SPRINGS BLVD.
RIVERSIDE CA 92507

BASIC PROFILE: 16" ZIP-RIB			
Date: 8/3/83	By: RCS		
Half Size		Tolerances & Dims Added	10/8/83
		REVISIONS	Date

TOLERANCES (Unless Noted):

Fractions	± 1/32"
0.0	± .015"
0.00	± .010
0.000	± .005
Angles	± 5°

PRODUCT RENEWED
ACCEPTANCE No. 00-1127.04
EXPIRATION DATE 04/30/2006
By: *Helmut A. M...*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE APRIL 30 1998
By: *Helmut A. M...*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE No. 97-0711.02

CUSTOM-FORM
MERCHANT & EVANS INCORPORATED
Suppliers of architectural products since 1866
CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033


TITLE: DADE CO. TEST DWGS

DATE: 1/7/97	PAGE: 4 OF 11	
DRW. BY: CHRIS BOROWSKI		
#	REVISION	DATE
1	FORMAT REVISION	10/1/97
2	REVISIONS PER DADE § 9-17b LETTER 2-10-97	
	UL 580 TEST	DWB.
	PANEL PROFILE	A


Richard Boyette
4/3/98
RICHARD BOYETTE
FL Civil PE #42486
4031 Coconut Blvd
Royal Palm Beach FL 33411
(561) 780-8768 Voice / Fax

TOLERANCES: (EXCEPT AS SHOWN)

.XXX ± .005
 .XX ± .010
 .X ± .015
 FRACTIONAL ± 1/32
 ANGULAR ± 2°



END VIEW
 TYPE 301 STAINLESS STEEL 1/2 HARD



SECTION "A-A"

NOTE: TOE ACTS TO LIMIT THERMAL MOVEMENT OF CLIP TO ABOUT .625" LESS THAN BASE HOOK LENGTH.

FILE, TAG, OFFSET, HEIGHT, TOLERANCES	DATE	BY
REVISIONS	DATE	BY
PART 2080 HOOK		
DATE: 11-4-82	DWN BY: RJR	
SCALE: FULL	CKD BY: RLS	
SHT 1 OF 1		

PRODUCT RENEWED

ACCEPTANCE No. 00-1127/04

EXPIRATION DATE 04/30/2006

By *Helmut A. Meyer*
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE APRIL 30 1998
 BY *Helmut A. Meyer*
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 97-0711.02


TITLE: DADE CO. TEST DWGS	
DATE: 1/7/97	PAGE: 5 OF 11
DRW. BY: CHRIS BOROWSKI	
#	REVISION
1	FORMAT REVISION
2	REVISIONS PER DAWG 3-10-95 LETTER 3-10-95
	DATE
	0/1/97
	DLW6
	CL 580 TEST
	CLIP HOOK SECTIONS A

CUSTOM-FORM

MERCHANT & EVANS INCORPORATED

Suppliers of architectural products since 1866
 CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
 BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033


Richard Boyette
 4/3/98
 RICHARD BOYETTE
 FL CIVIL PE #42485
 4031 Coconut Blvd
 Royal Palm Bch FL 33411
 (561) 790-5766 Voice / Fax




SECTION BB THRU ZR-2080-B
18 GA. GALVANIZED STEEL

TOLERANCES: (EXCEPT AS SHOWN)

- .XXX ± .005
- .XX ± .010
- .X ± .015
- FRACTIONAL ± 1/32"
- ANGULAR ± 2°



FRONT VIEW




TOP VIEW

B	MATERIAL	AAT	5-24-70
A	TYPE, HOLE DIA, TABS, LEG, SLOT	GDM	6-9-88
NO	REVISION	BY	DWG
PART # ZR-2080-B		DATE: 11-4-82	DWBY: RJR
		SCALE: FULL	CKD BY: RCS
		SHT 1 of 1	

PRODUCT RENEWED
 ACCEPTANCE No. 00-1127.04
 EXPIRATION DATE 04/30/2004
 By: *Helmut A. Mahr*
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE APRIL 30 1998
 BY: *Helmut A. Mahr*
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 97-0711.02

TITLE: DADE CO. TEST DWGS	
DATE: 1/7/97	PAGE: 6 OF 11
DRW. BY: CHRIS BOROWSKI	
#	REVISION
1	FORMAT REVISION
2	REVISION PER DADE 3-9-98 LETTER
	DATE
	0/1/97
	3-10-98
	UL 580 TEST
	CLIP BASE C/111115
	Emb. A




CUSTOM-FORM

MERCHANT & EVANS INCORPORATED

Suppliers of architectural products since 1866
 CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
 BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033

Richard Boyette
 4/3/98
RICHARD BOYETTE
 FL Civil PE #42486
 4031 Coconut Pk.
 Royal Palm Bch FL 33411
 (561) 790-5766 Voice / Fax



- NOTES:
1. MATL: 6061-T4 ©
 2. INSIDE RADII 1/16"
OUTSIDE RADII 1/8"
EXCEPT AS NOTED
 3. STD. COMMERCIAL TOL.
 4. CIRCLE 3 1/2"
 5. EST. WT/FT .84 lb.
 6. EST. AREA .702 IN²
 7. EST. PART WT .20 LB. (Alum wt) ©
 8. COAT WITH NYLON .008-.010 THICK
POLYMER COAT. NCA 77-2170
FLUIDIZED BED COATING
Note Coating vendor must be qualified to
insure that process does not anneal clips.
Minimum Webster hardness 11 after
coating.

KAISER ALUMINUM & CHEMICAL SALES INC. SANTA ANA, CALIFORNIA PRODUCT DEVELOPMENT	
C 4/13/97 Coating added	S
C 4/13/97 Wt. loss 2.5%	S
B 4/13/97 P/N ADDED	AL
A 7/27/97 GROOVE ADDED	AL, B
ZIP RIB-COATED GABLE CLIP P/N 2002 COMMINS 3/24/97 81520 -039/ALCS B 1-1	


PRODUCT RENEWED
 ACCEPTANCE No. 06-1127.04
 EXPIRATION DATE 04/30/2006
 By Helmut A. Meyer
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE APRIL 30 1998
 BY Helmut A. Meyer
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 97-0711.02

TITLE: DADE CO. TEST DWGS	
DATE: 1/7/97	PAGE: 7 OF 11
DRW. BY: CHRIS BOROWSKI	
#	REVISION
1	FORMAT REVISION
	DATE
	10/1/97
	(AL 580 TEST)
	#2002 CLIP SECTIONS
	DWG.
	A

CUSTOM-FORM
MERCHANT & EVANS INCORPORATED
 Suppliers of architectural products since 1866
 CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
 BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033

Richard Boyette
 4/3/97
RICHARD BOYETTE
 FL Civil PE #42485
 4081 Coconut Bl.
 Royal Palm Bch FL 3348
 (561) 790-5766 Voice / Fax



PA 100 TEST SPECIMEN

N. T. S.

SEE DETAILS FOR MORE INFORMATION.

PRODUCT RENEWED

ACCEPTANCE No. 00-1127.04

EXPIRATION DATE 04/30/2004

By Helmut A. Meyer
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE

SOUTH FLORIDA BUILDING CODE

DATE APRIL 30 1998

BY Richard Boyette
 PRODUCT CONTROL DIVISION

BUILDING CODE COMPLIANCE OFFICE

ACCEPTANCE NO. 97-0711.02

TITLE: DADE CO. TEST DWGS	
DATE: 1/7/97	PAGE: 0 OF 11
DRW. BY: CHRIS BOROWSKI	
#	REVISION
1	FORMAT REVISION
	DATE
	01/1/97
	dwg. b.
	PA 100 TEST
	SPECIMEN ISOMETRIC
	A


CUSTOM-FORM

MERCHANT & EVANS INCORPORATED


Suppliers of architectural products since 1866

CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
 BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033

Richard Boyette
 4/3/98
 RICHARD BOYETTE
 FL Civil PE #42485
 4031 Coconut Blvd
 Royal Palm Bch FL 33411
 (561) 790-5766 Voice / Fax



DETAIL @ 3' - 1'-0" (A)



DETAIL @ 3' - 1'-0" (B)

PRODUCT RENEWED

ACCEPTANCE No. 06-1127.04

EXPIRATION DATE 04/30/2006

By Helmy A. M...
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE APRIL 30 1998
 BY Helmy A. M...
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 97-0711.02


TITLE: DADE CO. TEST DWGS	
DATE: 1/7/97	PAGE 9 OF 11
DRW. BY: CHRIS BOROWSKI	
#	REVISION
1	FORMAT REVISION
	DATE
	10/1/97
	PA 100 TEST
	EAVE/RIDGE DETAIL
	dwg.
	A

CUSTOM-FORM

MERCHANT & EVANS INCORPORATED

Suppliers of architectural products since 1866
 CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
 BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033

Richard Boyette
 4/31/98
RICHARD BOYETTE
 FL Civil PE #42485
 4031 Coconut Blvd
 Royal Palm Bch FL 33411
 (561) 790-5766 Voice / Fax



DETAIL @ 3' = 1'-0" 

PRODUCT RENEWED
 ACCEPTANCE No. 00-1127.04
 EXPIRATION DATE 04/30/2006
 By Helmy A. Maher
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

C:\CORE\TESTING\G\daedoc03.vcd 10/1/1997

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE APRIL 30 1998
 BY Richard Boyette
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE No. 97-0711.02


TITLE: DADE CO. TEST DWGS	
DATE: 1/7/97	PAGE 10 OF 11
DRW. BY: CHRIS BOROWSKI	
#	REVISION
1	FORMAT REVISION
	DATE
	10/1/97
	PA 100 TEST
	VALLEY DETAIL
	A

CUSTOM-FORM

MERCHANT & EVANS INCORPORATED

Suppliers of architectural products since 1866
 CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
 BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033

Richard Boyette
 4/3/98
RICHARD BOYETTE
 FL Civil PE #42485
 4031 Coconut Blvd
 Royal Palm Bch FL 33411
 (561) 790-5766 Voice / Fax



.040 ALUM. GABLE FLASHING WITH
4\"/>

START LAYOUT OF PANELS WITH
ZIPPED FEMALE LEG INSERTED
INTO GABLE CLIP. FIELD CUT AND
DEND UP PANEL TO SUIT CONDITION
AT OPPOSITE END, IF REQUIRED.

#14 x 1 1/2\"/>

3/4\"/>

ICE AND WATER SHIELD

2002 GABLE CLIP @ 2'-0\"/>

.040 ALUM. CONTINUOUS HOLD CLIP.

DETAIL @ 3' = 1'-0" D

PRODUCT RENEWED

ACCEPTANCE No. 00-1127.04

EXPIRATION DATE 04/30/2006

By Herling A. Mark

PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE

C:\Core\TESTING\Datecode4.vcd 10/17/997

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE

DATE APRIL 30 1998


By Herling A. Mark

PRODUCT CONTROL DIVISION

BUILDING CODE COMPLIANCE OFFICE

ACCEPTANCE No. 97-0711.02

TITLE: DADE - CO. TEST DWGS	
DATE: 1/7/97	PAGE # OF #
DRW. BY: CHRIS BOROWSKI	
#	REVISION
1	FORMAT REVISION
	DATE
	10/1/97
	PA 100 TEST
	DWG
	GABLE DETAIL
	A



CUSTOM-FORM

MERCHANT & EVANS INCORPORATED

Suppliers of architectural products since 1866
CROSS ROADS INDUSTRIAL COMMUNITY 100 CONNECTICUT DRIVE
BURLINGTON, NEW JERSEY 08016 - PHONE (609) 387-3033

Richard Boyette
4318 Boyette

RICHARD BOYETTE
FL Civil PE #42485
4031 Coconut Blvd
Royal Palm Bch FL 33411
(561) 790-5766 Voice / Fax