



BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Golden Pharos USA Inc.
700 Atlantis Rd., Bldg. 101
Melbourne ,FL 32904

Your application for Notice of Acceptance (NOA) of:

Series F1501 Outswing Single Lite Wood French Door Slab

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

Raul Rodriguez
Chief Product Control Division

ACCEPTANCE NO.: 01-0201.02
EXPIRES: 02/22/2004

THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL
CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 02/22/2001

Golden Pharos USA Inc.

ACCEPTANCE No. : 01-0201.02

APPROVED : FEB 2 2 2001

EXPIRES : FEB 2 2 2004

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

1. SCOPE

1.1 This approves a **component** consisting of a door slab, as described in Section 2 of this Notice of Acceptance, designed to comply with the South Florida Building Code (SFBC), 1994 Edition for Miami-Dade County, for the locations where the pressure requirements, as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated in the approved drawings.

2. PRODUCT DESCRIPTION

2.1 The **Series F1501 Outswing Single Lite Wood French Door Slab** shall be constructed in strict compliance with the following documents: **Drawing** titled "**FLBMDA #95-0004 F1501 One Lite Non-Insulated Door**", dated 14 July 1998 and last revised on 9-12-99 and 1-15-01, Sheets B1 through B5 of 5, prepared by manufacturer, bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division. These documents shall hereinafter be referred to as the approved drawings.

3. LIMITATIONS

3.1 This component is approved as equal alternate to the Series 1501 Outswing Single Lites Wood French Door, per NWWDA I. S. 6-91, to be used, interchangeably only, in outswing door systems with approvals under the auspices of FLBMDA's (FBMA) system: 95-004(a).

3.2 Single door units shall include all components described in the active leaf of system approval.

3.3 This unit shall be limited to the same Design Pressure as the original system: +48.3 psf; -58.5 psf.

4. INSTALLATION

4.1 The wood out--+

4.2 +-swinging door **slab** component shall be installed in strict compliance with the approved drawings.

4.2 Hurricane protection system (shutters): Installation of this product **will require** a hurricane protection system.

5. LABELING

5.1 Each door system shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved". It shall be located in a visible place inside the frame jamb.

5.2 The door slab itself shall also bear a permanent label, at the door inside edge, issued by FBMA (FLBMDA) with the manufacturer's name or logo, city and state.

6. BUILDING PERMIT REQUIREMENTS

6.1 Application for building permit shall be accompanied by copies of the following:

6.1.1 This Notice of Acceptance.

6.1.2 Door system's Notice of Acceptance.

6.1.3 Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance, clearly marked to show the components selected for the proposed installation.

6.1.4 Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.

Ishaq I. Chanda
Ishaq I. Chanda, P.E., Product Control Examiner
Product Control Division

Golden Pharos USA Inc.

ACCEPTANCE No. : 01-0201.02

APPROVED : FEB 22 2001

EXPIRES : FEB 22 2004

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documents, including test-supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approval", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
 - a. There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes.
 - b. The product is no longer the same product (identical) as the one originally approved.
 - c. If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product.
 - d. The engineer who originally prepared, signed and sealed the required documentation initially submitted, is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
 - a. Unsatisfactory performance of this product or process.
 - b. Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purposes.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.

END OF THIS ACCEPTANCE

Ishaq I. Chanda
Ishaq I. Chanda, P.E., Product Control Examiner
Product Control Division

Golden Pharos USA Inc.

ACCEPTANCE No. : 01-0201.02

APPROVED : FEB 2 2 2001

EXPIRES : FEB 2 2 2004

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

(For File ONLY. Not part of NOA.)

A. DRAWINGS

1. Manufacturer's parts and sections drawings.
2. **Drawing** titled "**FLBMDA #95-0004 F1501 One Lite Non-Insulated Door**", dated 14 July 1998 and last revised on 9-12-99 and 1-15-01, Sheets B1 through B5 of 5, prepared by manufacturer

B. TESTS

1. Test reports per FBMA in file No. 95-0004.
2. This approval is based on Comparative Inspection Report for model 1501, Report No. CTLA-335W, dated September 18, 1998 issued by Certified Testing Laboratories, signed and sealed by Ramesh Patel, P. E.
3. This approval is based on Comparative Inspection Report for model 1501, Report No. CTLA-335W-R, dated October 18, 1999 issued by Certified Testing Laboratories, signed and sealed by Ramesh Patel, P. E.

C. CALCULATIONS

1. None

D. MATERIAL CERTIFICATIONS

1. None

E. STATEMENTS

1. Release letter issued by Florida Building Materials Association, Inc., dated 10-06-98, certifying this product to meet the criteria of product tested and approved, and allowing Golden Pharos, to use the test results approved under Dade County Approval No. 95-0004, signed by Mr. William B. Carson.
2. Acknowledgment letter by Golden Pharos USA Inc., dated 12-09-1998, signed by Michael F. Pomroy, VP Marketing.

F. OTHER





1. This file # 01-0201.02 has been created to bring old file number (#98-1229.04) to current file numbers. The old file # 98-1229.04, which was never approved, has been closed.

Ishaq I. Chanda
Ishaq I. Chanda, P.E., Product Control Examiner
Product Control Division

Golden Pharos USA, Inc.

700 Atlantis Road , Unit 101, Bldg. A. • Melbourne, Fla. 32904
 Phone (407)676-1615 • Fax (407)676-6551

Design Pressure: +48.3psf-58.5psf



Section Drawings
 Not to Scale

Not to Scale F-1501

One Lite Non-Insulated Glass
 36"x96"x1 3/4"

Wood Species

- Vertical Grain Douglas Fir (Pseudotsuga Taxfolia)
- American Red Oak (Quercus Rubis)
- Nyatoh (Sapotaceae)
- Meranti Bakau (Shorea Uliginosa)
- Okoume (Aucoumea Klaineana Pierre)

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE 02-22-01
 BY Ishaq I. Zhand
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 01-0201.01

Revision: 3/30/99: Added design pressure; Reduced to 81/2"x11" format
 Revision: 4/15/99: Design pressure corrected to +48.3psf-59.9psf
 Revision: 9/12/99: Added 3rd Dowel to top rail

Prepared: 14 July 1998

Project:

Golden Pharos USA, Inc.

700 Atlantis Road ; Unit 101, Bldg. A. • Melbourne, Fla. 32904
Phone (407)676-1615 • Fax (407)676-6551

Design Pressure:+48.3psf-58.5psf

BILL OF MATERIALS

PRODUCT TYPE AND SERIES

Golden Pharos USA, Inc.

F-1501 One Lite Single Glazed French Door
Vertical Grain Douglas Fir
Veneer Construction

M-1501 Meranti Veneer Construction

N-1501 Nyatoh Veneer Construction

R-1501 Red Oak Veneer Construction

P-1501 Okoume Veneer Construction

CONFIGURATION:

Single Slab Door

Dimensions: 1 3/4" X 36" X 96"

CORNER CONSTRUCTION:

Top Rail: 1 3/4" X 6 1/2" X 27 5/8"
Three (3) 5/8" X 5" Dowels at each end.
2 7/8" Penetration into the rail.

Bottom Rail: 1 3/4" X 9 11/16" X 27 5/8"
Four (4) 5/8" X 5" Dowels at each end.
2 7/8" Penetration into the rail.

Stiles: 1 3/4" X 4 1/2" X 96"

Glass Sizes: One (1) 3/16" (5mm) X 27 9/16" (700mm) X 80 3/8" (2042mm)

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE 02-22-01
BY Ishaq I. Chauda
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 01-0201-01

Drawings Not to Scale

Revision:3/30/99: Added design pressure; Reduced to 8 1/2"x11" format

Revision:4/15/99: Design pressure corrected to +48.3psf-59.9psf


Revision:9/12/99: Added 3rd Dowel to top rail

Prepared: 14 July 1998

Project:

FLBMDA #95-0004 F1501 One Lite Non-Insulated Door (5 Pages: B1-B5)

Page No:
B2



APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE 02-22-01
 BY Isaac I. Lhanda
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 01-0201.02


3/4" x 3/16" wide crown staples (3" on center)
 3/16" (5mm) Tempered Safety Glass

**TOP RAIL DETAIL
 For Doors 80" Tall**

Drawings Not to Scale



Revision: 3/30/99: Added design pressure; Reduced to 81/2"x11" format
 Revision: 4/15/99: Design pressure corrected to +48.3psf-59.9psf
 Revision: 9/12/99: Added 3rd Dowel to top rail
 Revision: 1/15/01: Added Top Rail Title to drawing

Prepared: 14 July 1998



Veneer Construction
(Typical)

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE 02-22-01
 BY Ishaq I. Chanda
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 01-0201-02



Drawings Not to Scale

- Revision: 3/30/99: Added design pressure; Reduced to 8 1/2"x11" format
- Revision: 4/15/99: Design pressure corrected to +48.3psf-59.9psf
- Revision: 9/12/99: Added 3rd Dowel to top rail
- Revision: 1/15/01: Changed glass to 3/16" (5mm)


Prepared: 14 July 1998

Golden Pharos USA, Inc.


700 Atlantis Road , Unit 101, Bldg. A. • Melbourne, Fla. 32904
Phone (407)676-1615 • Fax (407)676-6551

Design Pressure: +48.3psf-58.5psf


Type B: 1518 Family




144




118




2055



2170



2175



2100

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE 02-22-01
BY Isaac I. Zhandu
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 01-0201-01

Drawings Not to Scale

Revision:3/30/99: Added design pressure; Reduced to 81/2"x11" format
Revision:4/15/99: Design pressure corrected to +48.3psf-59.9psf
Revision:9/12/99: Added 3rd Dowel to top rail

Prepared: 14 July 1998

Project:

FLBMDA #95-0004

F1501

One Lite Non-Insulated Door

(5 Pages: B1-B5)

Page No:

B5