



**BUILDING CODE COMPLIANCE OFFICE**  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908

**CONTRACTOR LICENSING SECTION**  
(305) 375-2527 FAX (305) 375-2558

**CONTRACTOR ENFORCEMENT DIVISION**  
(305) 375-2966 FAX (305) 375-2908

**PRODUCT CONTROL DIVISION**  
(305) 375-2902 FAX (305) 372-6339

**PRODUCT CONTROL NOTICE OF ACCEPTANCE**

**Besam Automated Entrance Systems, Inc.**  
**84 Twin Rivers Drive**  
**Hightstown ,NJ 08520-5213**

Your application for Notice of Acceptance (NOA) of:

**Series "Power-Glide AMD-2 Windbreaker LT" Aluminum Automatic Sliding Door System**

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

**ACCEPTANCE NO.: 01-0221.04**  
**EXPIRES: 06/11/2006**

Raul Rodriguez  
Chief Product Control Division

**THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL  
CONDITIONS  
BUILDING CODE & PRODUCT REVIEW COMMITTEE**

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.  
Director  
Miami-Dade County  
Building Code Compliance Office

**APPROVED: 05/10/2001**

**Besam Automated Entrance Systems, Inc.**

**ACCEPTANCE No.:** 01-0221.04

**APPROVED** : MAY 10 2001

**EXPIRES** : June 11, 2006

**NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS**

**1. SCOPE**

**1.1** This **renews** the Notice of Acceptance No. 97-0903.08, which was issued on June 11, 1998. It approves an aluminum automatic sliding door, as described in Section 2 of this Notice of Acceptance, designed to comply with the South Florida Building Code (SFBC), 1994 Edition for Miami-Dade County, for the locations where the pressure requirements, as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated in the approved drawings.

**2. PRODUCT DESCRIPTION**

**2.1** The **Power-Glide AMD-2 Series – Windbreaker LT. - Aluminum Automatic Bi-Parting Sliding Door System– with Fixed Sidelite (O-SX-SX-O) or with Full Breakout Sidelite (SO-SX-SX-SO)**, and its components shall be constructed in strict compliance with the following documents: Drawing No. **WBLT19711** for Fixed Sidelite, Sheets 1 through 6 of 6 and **WBLT29711** for Full Breakout Sidelite, Sheets 1 through 6 of 6; both titled “Windbreaker LT, Door System”, prepared by manufacturer, and both dated 04/30/98, with Rev. A dated 5/98, signed and sealed by Wm. M. Meyers, bearing the Miami-Dade County Product Control approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division. These documents shall hereinafter be referred to as the approved drawings.

**3. LIMITATIONS**

**3.1** This approval applies to single unit applications only, as shown in approved drawings.  
**3.2** Unit shall be installed only at locations protected by a canopy or overhang such that the angle between the edge of canopy or overhang to sill is less than 45 degrees. Unless unit is installed in non-habitable areas where the unit and the area are designed to accept water infiltration.

**4. INSTALLATION**


**4.1** The aluminum automatic sliding glass door and its components shall be installed in strict compliance with the approved drawings.  
**4.2** Hurricane protection system (shutters): the installation of this unit **will require** a hurricane protection system.

**5. LABELING**

**5.1** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".

**6. BUILDING PERMIT REQUIREMENTS**

**6.1** Application for building permit shall be accompanied by copies of the following:  
**6.1.1** This Notice of Acceptance  
**6.1.2** Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance, clearly marked to show the components selected for the proposed installation.  
**6.1.3** Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.

  
Manuel Perez, P.E. Product Control Examiner  
Product Control Division

**Besam Automated Entrance Systems, Inc.**


**ACCEPTANCE No.:** 01-0221.04

**APPROVED** : MAY 10 2001


**EXPIRES** : June 11, 2006

**NOTICE OF ACCEPTANCE: STANDARD CONDITIONS**


1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
  - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
  - b) The product is no longer the same product (identical) as the one originally approved;
  - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
  - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
  - a) Unsatisfactory performance of this product or process.
  - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purpose.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.

  
\_\_\_\_\_  
Manuel Perez, P. E., Product Control Examiner  
Product Control Division


**END OF THIS ACCEPTANCE**




EXTERIOR ELEVATION (N.T.S.)



EXTERIOR ELEVATION (SCALE 1:2)



SIDE ELEVATION (SCALE 1:2)



PLAN VIEW (SCALE 1:2)

**PRODUCT RENEWED**

ACCEPTANCE No. *01-0221.04*

EXPIRATION DATE *6-11-06*

By *Maurice Perry*  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE

*MMA May*  
*5/12/98*  
*Skim*  
*19755*  
DWG. # WBLT19711 (REV. A, 5/98)  
WINDBREAKER LT. DOOR SYSTEM  
DPR +/- 50 PSF  
SHT. 1 OF 6 REV. A.  
04-30-98

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE *JUNE 11 1998*  
BY *Maurice Perry*  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. *97-0903.08*




81 TWIN RIVERS DRIVE  
 HIGHTSTOWN, NJ 08520-5212  
 TELEPHONE: 609-443-5800.  
 TELEFAX: 609-443-3440.

**POWER-GLIDE AMD-2**  
 WINDBREAKER LT. DOOR SYSTEM  
 FIXED SIDELITE BI-PARTING SLIDING DOOR.

TYPICAL WET GLAZING CROSS SECTION

INTERIOR



**PRODUCT RENEWED**

ACCEPTANCE No. 01-0221.04

EXPIRATION DATE 6-11-06


By Manuel Perez  
 PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE

7	RUBBER GLASS SETTING BLOCK.	1/4x1/4x2"
6	GLASS GUTTER EXTR.	DIE# 33211
5	1/4" TEMPERED GLASS.	
4	WET GLAZE G.P. SILICON	
3	GLASS STOP EXTR.	DIE# 33212
2	#10x2" FH SCREW SELF TAPPING.	ST. STEEL.
1	#10x1" FH SCREW SELF TAPPING.	ST. STEEL
ITEM #	DESCRIPTION	REMARKS

*Manuel Perez*  
 5/12/98 Skect.  
 18753

APPROVED AS COMPLYING WITH THE  
 SOUTH FLORIDA BUILDING CODE  
 DATE JUNE 11 1998  
 BY Manuel Perez  
 PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE  
 ACCEPTANCE No. 97-0903.08

DWG. # WBL19711 (REV. A. 5/98)  
 WINDBREAKER LT. DOOR SYSTEM  
 SHT. 2 OF 6  
 TYP. WET GLAZING SECTION  
 11-07-97



**PRODUCT RENEWED**


ACCEPTANCE No. 01-0221.04

EXPIRATION DATE 6-11-06

By Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE

21	4	GLASS BLOCK	TPR367	1/4"x1/4"x2"
20	12	STOP SCREW - ST. STL.		#10x2" FHST.
19	12	GUTTER SCREW - ST. STL.		#10x1" FHST.
18	1	BREAK-OUT SWITCH ASSY.	B28250	REF. INSTALL DVG.
17	4	CLIP (DOOR RAIL)	B28290	
16	2	CONTAINMENT EXTR. (TIE ROD)	32664	DIE DVG.
15	1	ROLLER GUIDE SLIDE TRACK	4934XA	DIE DVG.
14	2	GLASS STOP EXTR. (VERT.)	33212	DIE DVG.
13	4	STL. WASHER	A28072	
12	4	3/8 FLANGED NUT		3/8-16TPI.
11	2	TENSION (TIE) ROD 3/8"		3/8-16TPI. STL.
10	3	WEATHERBRUSH PILE		7934-6001-1
09	1	VERTICAL (NOSE) RAIL 2 1/8"	H27064A	DIE DVG.
08	2	GLASS STOP EXTR. (VERT.)	33211	DIE DVG.
07	1	VERTICAL (HEEL) RAIL 2 1/4"	27066C	DIE DVG.
06	3	DELTA MTG. CLIP	A28349	
05	1	BOTTOM RAIL 7"	H32711-B	DIE DVG.
04	2	GLASS STOP EXTR. (HORIZ.)	33212	DIE DVG.
03	2	HORIZ. RAIL CLIP	A28283	
02	2	GLASS GUTTER EXTR. (HORIZ.)	33211	DIE DVG.
01	1	TOP RAIL 3 13/16"	H32710	DIE DVG.


ITEM#	QTY.	DESCRIPTION	DWG.#	REMARKS
<p><i>Manuel Perez</i> 5/12/98 Street 18755</p>				
<p>APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE DATE <u>JUNE 11</u> 19<u>98</u> BY <u>Manuel Perez</u> PRODUCT CONTROL DIVISION BUILDING CODE COMPLIANCE OFFICE ACCEPTANCE NO. <u>97-0903.08</u></p>				
<p>DWG. # <u>WBL19711 (REV. A, 5/98)</u> WINDBREAKER LT. DOOR SYSTEM SHT. 3 OF 6 SIDELITE LHS. 11-07-97</p>				




SEE LOCK RAIL  
PREP. DWG. B28819.

LOCK C/L


40 3/4"



VIEW "D"




SECTION "C-C"



SECTION "A-A"

SECTION "B-B"



**PRODUCT RENEWED**

ACCEPTANCE No. 01-0221-04

EXPIRATION DATE 6-11-06

By Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE






HORIZONTAL PREP FOR GUIDE AND BALLCATCH  
VIEW "E"

23	1	3-POINT LOCK SYSTEM	A/R	4015/4016 COMBO
22	4	GLASS BLOCK	TPR567	1/4"x1/4"x2"
21	12	STOP SCREW - ST.STL.		#10x2" FHST.
20	12	GUTTER SCREW - ST.STL.		#10x1" FHST.
19	4	CLIP (DOOR RAIL)	B28290	
18	1	PSA (PANIC ARM) ASSY.	A2-B31437	
17	1	CONTAINMENT EXTR. (TIE ROD)	32664	DIE DWG.
16	1	DOOR SWEEP KIT	B28375	
15	2	GLASS STOP EXTR. (VERT.)	33212	DIE DWG.
14	1	ROLLER GUIDE ASSY.	A28078	
13	4	STL. WASHER	A28072	
12	4	3/8 FLANGED NUT		3/8-16TPI.
11	2	TENSION (TIE) ROD 3/8"		3/8-16TPI. STL.
10	3	WEATHERBRUSH PILE		7934-6001-1
09	1	VERTICAL (NOSE) RAIL 2 1/8"	H27064A	DIE DWG.
08	2	GLASS STOP EXTR. (VERT.)	33211	DIE DWG.
07	1	VERTICAL (HEEL) RAIL 2 1/4"	27066C	DIE DWG.
06	1	BALLCATCH LATCHPLATE	831616	
05	1	BOTTOM RAIL 7"	H32711-B	DIE DWG.
04	2	GLASS STOP EXTR. (HORIZ.)	33212	DIE DWG.
03	2	HORIZ. RAIL CLIP	A28283	
02	2	GLASS GUTTER EXTR. (HORIZ.)	33211	DIE DWG.
01	1	TOP RAIL 2 1/2"	H2979	DIE DWG.
ITEM#	QTY.	DESCRIPTION	DWG.#	REMARKS

*Manuel Perez*  
571275 Street  
18755

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE JUNE 11, 1998  
BY Manuel Perez  
PRODUCT CONTROL DIV.S ON  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 97-0903.08

DWG. # WBL19711 (REV. A, 5/98)  
WINDBREAKER LT. DOOR SYSTEM  
SHT. 4 OF 6 REV. A.  
ACTIVE LEAF LHS.  
04-30-98







**PRODUCT RENEWED**  
ACCEPTANCE No. 01-0221.04  
EXPIRATION DATE 6-11-06  
By Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE

23	2	2-POINT LOCK SYSTEM	A/R	MS1850/1870 COMBO
22	4	GLASS BLOCK	TPR567	1/4"x1/4"x2"
21	12	STOP SCREW - ST.STL.		#10x2" FHST.
20	12	GUTTER SCREW - ST.STL.		#10x1" FHST.
19	4	CLIP (DOOR RAIL)	B28290	
18	1	PSA (PANIC ARM) ASSY.	A2-831437	
17	1	CONTAINMENT EXTR. (TIE ROD)	32664	DIE DVG.
16	1	DOOR SWEEP KIT	B28375	
15	2	GLASS STOP EXTR. (VERT.)	33212	DIE DVG.
14	1	ROLLER GUIDE ASSY.	A28078	
13	4	STL. WASHER	A28072	
12	4	3/8 FLANGED NUT		3/8-16TPI.
11	2	TENSION (TIE) ROD 3/8"		3/8-16TPI. STL.
10	3	WEATHERBRUSH PILE		7934-6001-1
09	1	VERTICAL (NOSE) RAIL 2 1/8"	H27064A	DIE DVG.
08	2	GLASS GUTTER EXTR. (VERT.)	33211	DIE DVG.
07	1	VERTICAL (HEEL) RAIL 2 1/4"	27066C	DIE DVG.
06	1	BALLCATCH LATCHPLATE	831616	
05	1	BOTTOM RAIL 7"	H32711-B	DIE DVG.
04	2	GLASS STOP EXTR. (HORIZ.)	33212	DIE DVG.
03	2	HORIZ. RAIL CLIP	A28283	
02	2	GLASS GUTTER EXTR. (HORIZ.)	33211	DIE DVG.
01	1	TOP RAIL 2 1/2"	H2979	DIE DVG.
ITEM#	QTY.	DESCRIPTION	DWG.#	REMARKS


*Manuel Perez*  
371248 Street  
18755

DWG. # WBL19711 (REV. A, 5/98)  
WINDBREAKER LT. DOOR SYSTEM  
SHT. 5 OF 6 REV. A.  
ACTIVE LEAF RHS.  
04-30-98

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE JUNE 11 1998  
BY Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 97-0903.08



**PRODUCT RENEWED**  
ACCEPTANCE No. 01-0221.04  
EXPIRATION DATE 6-11-06  
By Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE



21	4	GLASS BLOCK	TPR367	1/4"x1/4"x2"
20	12	STOP SCREW - ST. STL.		#10x2" FHST.
19	12	GUTTER SCREW - ST. STL.		#10x1" FHST.
18	1	BREAK-OUT SWITCH ASSY.	B28250	REF. INSTALL DWG.
17	4	CLIP (DOOR RAIL)	B28290	
16	2	CONTAINMENT EXTR. (TIE ROD)	32664	DIE DWG.
15	1	ROLLER GUIDE SLIDE TRACK	4934XA	DIE DWG.
14	2	GLASS STOP EXTR. (VERT.)	33212	DIE DWG.
13	4	STL. WASHER	A28072	
12	4	3/8" FLANGED NUT		3/8-16TPI.
11	2	TENSION (TIE) ROD 3/8"		3/8-16TPI. STL.
10	3	WEATHERBRUSH PILE		7934-6001-1
09	1	VERTICAL (NOSE) RAIL 2 1/8"	H27064A	DIE DWG.
08	2	GLASS GUTTER EXTR. (VERT.)	33211	DIE DWG.
07	1	VERTICAL (HEEL) RAIL 2 1/4"	27066C	DIE DWG.
06	3	DELTA MTG. CLIP	A28349	
05	1	BOTTOM RAIL 7"	H32711-B	DIE DWG.
04	2	GLASS STOP EXTR. (HORIZ.)	33212	DIE DWG.
03	2	HORIZ. RAIL CLIP	A28283	
02	2	GLASS GUTTER EXTR. (HORIZ.)	33211	DIE DWG.
01	1	TOP RAIL 3 13/16"	H32710	DIE DWG.
ITEM#	QTY.	DESCRIPTION	DWG.#	REMARKS

*Manuel Perez*  
571248 Street  
16785


APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE JUNE 11, 1998  
BY Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 97-0903.08

DWG. # WBLT19711 (REV. A, 5/98)  
WINDBREAKER LT. DOOR SYSTEM  
SHT. 6 OF 6  
SIDELITE RHS.  
11-07-97




81 TWIN RIVERS DRIVE  
 HIGHTSTOWN, NJ 08520-5212  
 TELEPHONE: 609-443-5800.  
 TELEFAX: 609-443-3440.


**POWER-GLIDE AMD-2**  
 WINDBREAKER LT. DOOR SYSTEM  
 FULL BREAKOUT BI-PARTING SLIDING DOOR.




EXTERIOR ELEVATION (N.T.S.)



INTERIOR ELEVATION (SCALE 1/2)



SIDE ELEVATION (SCALE 1/2)



PLAN VIEW (SCALE 1/2)


**PRODUCT RENEWED**  
 ACCEPTANCE No. 01-0221.04  
 EXPIRATION DATE 6-11-06  
 By Manuel Perez  
 PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE

*Manuel Perez*  
 5/12/98 Skind  
 19765  
 DWG. # WBLT29711 (REV. A 5/98)  
 WINDBREAKER LT. DOOR SYSTEM  
 DPR +/- 50 PSF  
 SHT. 1 OF 6 REV. A.  
 04-30-98

APPROVED AS COMPLYING WITH THE  
 SOUTH FLORIDA BUILDING CODE  
 DATE JUNE 11, 1998  
 BY Manuel Perez  
 PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE  
 ACCEPTANCE No. 97-0903.08

TYPICAL WET GLAZING CROSS SECTION

INTERIOR



EXTERIOR

**PRODUCT RENEWED**

ACCEPTANCE No. 01-0221.04

EXPIRATION DATE 6-11-06





By Mannell Perry  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE

7	RUBBER GLASS SETTING BLOCK.	1/4x1/4x2"
6	GLASS GUTTER EXTR.	DIE# 33211
5	1/4" TEMPERED GLASS.	
4	WET GLAZE G.P. SILICON	
3	GLASS STOP EXTR.	DIE# 33212
2	#10x2" FH SCREW SELF TAPPING.	ST. STEEL.
1	#10x1" FH SCREW SELF TAPPING.	ST. STEEL
ITEM #	DESCRIPTION	REMARKS

*Wm Mannell Perry*  
5/12/98 Street  
16755

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE JUNE 11 1998  
BY Mannell Perry  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 97-0903.08

DWG. # VBLT29711 (REV. A. 5/98)  
WINDBREAKER LT. DOOR SYSTEM  
SHT. 2 OF 6  
TYP. WET GLAZING SECTION  
11-24-97




**PRODUCT RENEWED**

ACCEPTANCE No. 01-0221.04

EXPIRATION DATE 6-11-06

By Manuel P...  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE


PREP FOR BALL CATCH AND INTERLOCKS  
VIEW "E"




ITEM#	QTY.	DESCRIPTION	DWG.#	REMARKS
23	2	FLUSH BOLT ASSY	A/R	A/R 1870 SERIES
22	1	H.D. SECURITY HINGE SET	B28647	REF. INSTALL DWG.
21	4	GLASS BLOCK	TPR367	1/4"x1/4"x2"
20	12	STOP SCREW - ST. STL.		#10x2" FHST.
19	12	GUTTER SCREW - ST. STL.		#10x1" FHST.
18	1	BREAK-OUT MAGNET ASSY.	A29036	
17	4	CLIP (DOOR RAIL)	B28290	
16	2	CONTAINMENT EXTR. (TIE ROD)	32664	DIE DWG.
15	1	DOOR SWEEP KIT	B28375	
14	2	GLASS STOP EXTR. (VERT.)	33212	DIE DWG.
13	4	STL. WASHER	A28072	
12	4	3/8 FLANGED NUT		3/8-16TPI.
11	2	TENSION (TIE) ROD 3/8"		3/8-16TPI. STL.
10	2	WEATHERBRUSH PILE		7934-6001-1
09	1	VERTICAL (HEEL) RAIL 2 1/8"	H27065	DIE DWG.
08	2	GLASS GUTTER EXTR. (VERT.)	33211	DIE DWG.
07	1	VERTICAL (NOSE) RAIL 2 1/4"	27066C	DIE DWG.
06	1	BALLCATCH ASSEMBLY	A3 831166	DOOR PORTION
05	1	BOTTOM RAIL 7"	H32711-B	DIE DWG.
04	2	GLASS STOP EXTR. (HORIZ.)	33212	DIE DWG.
03	2	HORIZ. RAIL CLIP	A28283	
02	2	GLASS GUTTER EXTR. (HORIZ.)	33211	DIE DWG.
01	1	TOP RAIL 3 13/16"	H32710	DIE DWG.

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE JUNE 11 1998  
BY Manuel P...  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 97-0903.08


DWG. # WBL29711 (REV. A, 5/98)  
WINDBREAKER LT. DOOR SYSTEM  
SHT. 3 OF 6 REV. A.  
SIDELITE LHS.  
04-30-98




SEE LOCK RAIL  
PREP. DWG. B28819.




SECTION 'A-A'




SECTION 'B-B'



VIEW 'D'



SECTION 'C-C'










**PRODUCT RENEWED**  
ACCEPTANCE No. 01-0221.04  
EXPIRATION DATE 6-11-06  
By Mmanuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE

HORIZONTAL PREP FOR GUIDE AND BALLCATCH  
VIEW 'E'

24	2	INTERLOCK V/SHIM KIT	A4-830468	
23	1	3-POINT LOCK SYSTEM	A/R	4015/4016 COMBO
22	4	GLASS BLOCK	TPR567	1/4"x1/4"x2"
21	12	STOP SCREW - ST.STL.		#10x2" FHST.
20	12	GUTTER SCREW - ST.STL.		#10x1" FHST.
19	4	CLIP (DOOR RAIL)	B28290	
18	1	PSA (PANIC ARM) ASSY.	A2-831437	
17	1	CONTAINMENT EXTR. (TIE ROD)	32664	DIE DWG.
16	1	DOOR SWEEP KIT	B28375	
15	2	GLASS STOP EXTR. (VERT.)	33212	DIE DWG.
14	1	PIN GUIDE ASSY.	B28237	
13	4	STL. WASHER	A28072	
12	4	3/8 FLANGED NUT		3/8-16TPI.
11	2	TENSION (TIE) ROD 3/8"		3/8-16TPI. STL.
10	3	WEATHERBRUSH PILE		7934-6001-1
09	1	VERTICAL (NOSE) RAIL 2 1/8"	H27064A	DIE DWG.
08	2	GLASS GUTTER EXTR. (VERT.)	33211	DIE DWG.
07	1	VERTICAL (HEEL) RAIL 2 1/4"	27066C	DIE DWG.
06	1	BALLCATCH LATCHPLATE	831616	
05	1	BOTTOM RAIL 7"	H32711-B	DIE DWG.
04	2	GLASS STOP EXTR. (HORIZ.)	33212	DIE DWG.
03	2	HORIZ. RAIL CLIP	A28283	
02	2	GLASS GUTTER EXTR. (HORIZ.)	33211	DIE DWG.
01	1	TOP RAIL 2 1/2"	H2979	DIE DWG.

ITEM#	QTY.	DESCRIPTION	DWG.#	REMARKS
<p><i>Mmanuel Perez</i> 5/12/05 Sknd. 14755</p>				
<p>DWG. # VBLT29711 (REV. A, 5/98) WINDBREAKER LT. DOOR SYSTEM SHT. 4 OF 6 REV. A. ACTIVE LEAF LHS. 04-30-98</p>				
<p>APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE DATE <u>JUNE 11, 1998</u> BY <u>Mmanuel Perez</u> PRODUCT CONTROL DIVISION BUILDING CODE COMPLIANCE OFFICE ACCEPTANCE NO. <u>97-0903.08</u></p>				



**PRODUCT RENEWED**  
ACCEPTANCE No. 01-0221.04  
EXPIRATION DATE 6-11-06  
By Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE



HORIZONTAL PREP FOR GUIDE AND BALLCATCH  
VIEW 'E'

24	2	INTERLOCK W/SHIM KIT	A4-830468	
23	2	2-POINT LOCK SYSTEM	A/R	MS1850/1870 COMBO
22	4	GLASS BLOCK	TPR567	1/4"x1/4"x2"
21	12	STOP SCREW - ST.STL.		#10x2" FHST.
20	12	GUTTER SCREW - ST.STL.		#10x1" FHST.
19	4	CLIP (DOOR RAIL)	B28290	
18	1	PSA (PANIC ARM) ASSY.	A2-831437	
17	1	CONTAINMENT EXTR. (TIE ROD)	32664	DIE DWG.
16	1	DOOR SWEEP KIT	B28375	
15	2	GLASS STOP EXTR. (VERT.)	33212	DIE DWG.
14	1	PIN GUIDE ASSY.	B28237	
13	4	STL. WASHER	A28072	
12	4	3/8 FLANGED NUT		3/8-16TPI.
11	2	TENSION (TIE) ROD 3/8"		3/8-16TPI. STL.
10	3	WEATHERBRUSH PILE		7934-6001-1
09	1	VERTICAL (NOSE) RAIL 2 1/8"	H27064A	DIE DWG.
08	2	GLASS GUTTER EXTR. (VERT.)	33211	DIE DWG.
07	1	VERTICAL (HEEL) RAIL 2 1/4"	27066C	DIE DWG.
06	1	BALLCATCH LATCHPLATE	831616	
05	1	BOTTOM RAIL 7"	H32711-B	DIE DWG.
04	2	GLASS STOP EXTR. (HORIZ.)	33212	DIE DWG.
03	2	HORIZ. RAIL CLIP	A28283	
02	2	GLASS GUTTER EXTR. (HORIZ.)	33211	DIE DWG.
01	1	TOP RAIL 2 1/2"	H2979	DIE DWG.
ITEM#	QTY.	DESCRIPTION	DWG.#	REMARKS

*Manuel Perez*  
5/14/98  
18755

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE JUNE 11, 1998  
BY Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 97-0903.08

DWG. # VBLT29711 (REV. A, 5/98)  
WINDBREAKER LT. DOOR SYSTEM  
SHT. 5 OF 6 REV. A.  
ACTIVE LEAF RHS.  
04-30-98



**PRODUCT RENEWED**  
ACCEPTANCE No. 01-0221-04  
EXPIRATION DATE 6-11-06  
By Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE

PREP FOR BALL CATCH AND INTERLOCKS  
VIEW 'E'

ITEM#	QTY.	DESCRIPTION	DWG.#	REMARKS
23	2	FLUSH BOLT ASSY	A/R	A/R 1870 SERIES
22	1	H.I. SECURITY HINGE SET	B28647	REF. INSTALL DWG.
21	4	GLASS BLOCK	TPR567	1/4"x1/4"x2"
20	12	STOP SCREW - ST. STL.		#10x2" FHST.
19	12	GUTTER SCREW - ST. STL.		#10x1" FHST.
18	1	BREAK-OUT MAGNET ASSY.	A29036	
17	4	CLIP (DOOR RAIL)	B28290	
16	2	CONTAINMENT EXTR. (TIE ROD)	32664	DIE DWG.
15	1	DOOR SWEEP KIT	B28375	
14	2	GLASS STOP EXTR. (VERT.)	33212	DIE DWG.
13	4	STL. WASHER	A28072	
12	4	3/8 FLANGED NUT		3/8-16TPI.
11	2	TENSION (TIE) ROD 3/8"		3/8-16TPI, STL.
10	2	WEATHERBRUSH PILE		7934-6001-1
09	1	VERTICAL (HEEL) RAIL 2 1/8"	H27065	DIE DWG.
08	2	GLASS GUTTER EXTR. (VERT.)	33211	DIE DWG.
07	1	VERTICAL (NOSE) RAIL 2 1/4"	27066C	DIE DWG.
06	1	BALLCATCH ASSEMBLY	A3 831166	DOOR PORTION
05	1	BOTTOM RAIL 7"	H32711-B	DIE DWG.
04	2	GLASS STOP EXTR. (HORIZ.)	33212	DIE DWG.
03	2	HORIZ. RAIL CLIP	A28283	
02	2	GLASS GUTTER EXTR. (HORIZ.)	33211	DIE DWG.
01	1	TOP RAIL 3 13/16"	H32710	DIE DWG.

*Manuel Perez*  
5/12/98 STUCC.  
18755

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE JUNE 11 1998  
BY Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 97-0903.08

DWG. # VBLT29711 (REV. A, 5/98)  
WINDBREAKER LT. DOOR SYSTEM  
SHT. 6 OF 6 REV. A.  
SIDELITE RHS.  
04-30-98