



BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Sargent & Greenleaf, Inc.
One Security Drive
Nicholasville ,KY 40356

Your application for Notice of Acceptance (NOA) of:

Arm-A-Dor (Panic Exit Hardware for Exit Doors)

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

ACCEPTANCE NO.: 01-0606.06

EXPIRES: 11/06/2005

Raul Rodriguez
Chief Product Control Division

**THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL
CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE**

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 11/21/2001

APPROVED: November 22, 2001

EXPIRES: November 6, 2005

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

1. SCOPE

1.1 This renews Notice of Acceptance (NOA) No. **96-1127.02**, which was issued on November 6, 1997. It renews the approval of a component consisting of a surface mounted panic device for use interchangeably with a locking hardware approved in a Dade County approved single outswing commercial steel door system, as described in Section 2 of this NOA, designed to comply with the South Florida Building Code (SFBC), 1994 Edition for Miami-Dade County, for the locations where the pressure requirements, as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated in the approved drawings.

2. PRODUCT DESCRIPTION

2.1 The Series **"Arm-A-Dor" Panic Exit Hardware for Exit Doors** and its components shall be constructed in strict compliance with the following document: Drawing No. **A100-INS**, Sheets 1 through 2 of 2, titled **"ARM-A-DOR Panic Device,"** prepared by manufacturer, dated 9/30/97, signed and sealed by Warren W. Schaefer, P.E., bearing the Miami-Dade County Product Control renewal stamp with the NOA number and expiration date by the Miami-Dade County Product Control Division. This document shall hereinafter be referred to as the approved drawings.

3. LIMITATIONS

- 3.1 This panic exit device is approved to be used as an equal alternate to latch lock and/or dead bolt assemblies, and to be installed only in single outswing door applications of approved commercial steel door systems.
- 3.2 This unit shall be limited to the following maximum Design Pressures: **+85 PSF; -85 PSF** Or the Design Pressure Rating of the Commercial Steel Door assembly into which it is to be installed.
- 3.3 This unit shall be installed in a commercial steel door panel no wider than 48" and higher than 84".
- 3.4 A 1/8" max. gap will be permitted between the door slab and the frame lock jamb.

4. INSTALLATION


4.1 The extruded aluminum Roll-Up Shutter and its component shall be installed in strict compliance with the approved drawing.

5. LABELING

5.1 Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".

6. BUILDING PERMIT REQUIREMENTS

- 6.1 Application for building permit shall be accompanied by copies of the following:
 - 6.1.1 This Notice of Acceptance
 - 6.1.2 Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance, clearly marked to show the components selected for the proposed installation.
 - 6.1.3 Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.



Raul Rodriguez, Chief
Product Control Division


APPROVED: November 22, 2001

EXPIRES: November 6, 2005

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS


1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
 - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
 - b) The product is no longer the same product (identical) as the one originally approved;
 - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
 - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
 - a) Unsatisfactory performance of this product or process.
 - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purpose.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.

END OF THIS ACCEPTANCE



Raul Rodriguez, Chief
Product Control Division

Sym	ECO	Revision
—		QAT 9/30/97



48.00 WIDTH UNIT SHOWN

Standard Parts

Item	Qty	Description	Item	Qty	Description
NA	2	9-volt alkaline battery	15	1	Strike plate
1	1	Lock assembly	16	1	Release bracket (Auto Units Only)
2	1	Tailpiece	17	5	Self-tapping screw (#10 x 3/4" lg)
3	1	Extension rod (Auto Units Only)	NA	1	Drill template
4	8	Thread-forming screw (#6 x 3/8" lg)	19	2	End cap (for push bar)
5	1	End cap (for tailpiece)	20	8	Screw (#6 x 3/4" lg)
6	4	Door bracket (3 1/2" x 2")	21	1	Emergency label
7	2	Hex head bolt (3/8" x 2 1/2" lg)	22	1	Extension collar
8	8	Flat washer (3/8")	23	2	Split lock washer (3/8")
9	4	Star lock washer (3/8")	24	5	Star lock washer (#10)
10	6	Hex nut (3/8"-16)	25	4	Door spacer
11	2	Support sleeve (1 1/4" lg)	26	4	Door bracket (1 1/2" x 2")
12	4	Carriage bolt (3/8" x 2 1/2" lg)	27	4	Carriage bolt (3/8" x 3 1/2" lg)
13	4	Support tube (1 1/8" lg)	28	4	Cap (gray)
14	4	Bolt washer			

Model Number	Description
A101-001	Automatic Lock Assembly
A102-001	Manual Lock Assembly
A101-002	Automatic Lock Assembly with Alarm
A102-002	Manual Lock Assembly with Alarm

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE
 DATE NOVEMBER 6, 1997
 BY Warren W. Schaefer
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 96-1127.02

PRODUCT RENEWED

ACCEPTANCE No. 01-0606.06
 EXPIRATION DATE November 6, 2005
 By Warren W. Schaefer
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

Warren W. Schaefer
10/1/97
 Warren W. Schaefer
 Structural Engineer
 P.E. #44135

Sargent & Greenleaf, Inc.
 1 Security Drive, Nicholasville, Kentucky 40356

ARM-A-DOR Panic Device
 Installation Drawing





Dwg. Comp. 9/30/97

A100-INS
 Sht 1 of 2

B

BUILDING 40 5253 523045

Sym	ECO	Revision
-		0274 9/30/97



FOR DOOR JAMB WIDTH ABOVE 40.00, USE EXTENSION COLLAR AS SHOWN

ELEVATION (FRONT) VIEW

CROSS SECTION (TOP) VIEW

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE
 DATE NOVEMBER 6, 1997
 BY Mannell
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 96-1127.02

BRUNING 40 5253 523045

PRODUCT RENEWED

ACCEPTANCE No. 01-0606-06

EXPIRATION DATE November 6, 2005

By [Signature]
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

[Signature]
10/1/97

Warren W. Schaefer
 Structural Engineer
 P.E. #44135



Sargent & Greenleaf, Inc.

1 Security Drive, Nicholasville, Kentucky 40356

ARM-A-DOR Panic Device
 Installation Drawing

Dwg.
 Comp.
9/30/97

A100-INS
 Sht 2 of 2

B