



**BUILDING CODE COMPLIANCE OFFICE**  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908

**CONTRACTOR LICENSING SECTION**  
(305) 375-2527 FAX (305) 375-2558

**CONTRACTOR ENFORCEMENT DIVISION**  
(305) 375-2966 FAX (305) 375-2908

**PRODUCT CONTROL DIVISION**  
(305) 375-2902 FAX (305) 372-6339

**PRODUCT CONTROL NOTICE OF ACCEPTANCE**

**K.D. Windows, Inc.**  
**3705 Shares Place**  
**Riviera Beach ,FL 33404**

Your application for Notice of Acceptance (NOA) of:

**Full Light Aluminum Outswing Entrance Door**

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

**ACCEPTANCE NO.: 01-0619.02**  
**EXPIRES: 06/22/2004**

Raul Rodriguez  
Chief Product Control Division

**THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL  
CONDITIONS  
BUILDING CODE & PRODUCT REVIEW COMMITTEE**

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.  
Director  
Miami-Dade County  
Building Code Compliance Office

**APPROVED: 10/18/2001**



**KD Windows**

**ACCEPTANCE:** 01-0619.02

**APPROVED:** October 18, 2001

**EXPIRES:** June 22, 2004

**NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS**

**1. SCOPE**

1.1 This renews Notice of Acceptance # 98-1013.02 (NOA), which was issued to American Window Corporation on November 5, 1998, for the approval of a "Full Lite Aluminum Out Swinging Entrance Door", as described in Section 2 of this NOA designed to comply with the South Florida Building Code (SFBC), 1994 Edition for Miami-Dade County, for the locations where the pressure requirements, as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated in the approved drawings.

**2. PRODUCT DESCRIPTION**

2.1 The Full Lite Aluminum Out Swinging Entrance Door and its components shall be constructed in strict compliance with the following documents: Drawing prepared by the manufacturer, titled "Series 650 Outswing Entrance Door" Sheets 1 through 3 of 3, bearing the Miami-Dade County Product Control renewal stamp with the NOA number and expiration date by the Miami-Dade County Product Control Division. These documents shall hereinafter be referred to as the approved drawings.

**3. LIMITATIONS**

3.1 This approval applies to single unit application of pair of doors and single operable door. Single door unit shall include all components described in the active leaf of this approval.

**4. INSTALLATION**

4.1 The Full Lite Aluminum Out Swinging Entrance Door and its components shall be installed in strict compliance with the approved drawings.

4.2 The Installation of this unit **will require** the installation of an approved hurricane protection system.

**5. LABELING**

5.1 Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".

**6. BUILDING PERMIT REQUIREMENTS**

6.1 Application for building permit shall be accompanied by copies of the following:

6.1.1 This NOA

6.1.2 Copies of the approved drawings, as identified in Section 2 of this NOA, clearly marked to show the components selected for the proposed installation.

6.1.3 Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.

  
\_\_\_\_\_  
Raul Rodriguez, Chief  
Product Control Division

**KD Windows**

**ACCEPTANCE:** 01-0619.02

**APPROVED:** October 18, 2001

**EXPIRES:** June 22, 2004

**NOTICE OF ACCEPTANCE: STANDARD CONDITIONS**

1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documents, including test-supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approval", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
  - a. There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes.
  - b. The product is no longer the same product (identical) as the one originally approved.
  - c. If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product.
  - d. The engineer who originally prepared, signed and sealed the required documentation initially submitted, is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
  - a. Unsatisfactory performance of this product or process.
  - b. Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purposes.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2, 2a, 2b and this last page 3.

**END OF THIS ACCEPTANCE**








  
Raul Rodriguez, Chief  
Product Control Division





ITEM	PART #	MATERIAL	QTY.	DESCRIPTION	LOCATION
1	AW-652	ALUM.	1	HEAD	DOOR FRAME TOP
2	AW-659	ALUM.	2	TOP/BOTTOM STILE	DOOR PANEL TOP/BOTTOM
3	AW-654	ALUM.	1	SILL	DOOR FRAME BOTTOM
4	AW-653	ALUM.	2	JAMB	DOOR FRAME SIDES
5	AW-657	ALUM.	1	ADAPTER (ASTRAGAL)	ACTIVE PANEL JAMB STILE
6	AW-651	ALUM.	2	SIDE STILE	DOOR PANEL SIDES
7	AW-658	ALUM.	6 (3/LEAF)	FRAME JAMBS/PANEL JAMB STILES	
8	KWIKSET	-	1 SET	STANDARD LOCK ASSEMBLY	PANEL LOCK JAMB STILE (ACTIVE LEAF)
9	SF-5508	-	4 (2) LEAF	10" LONG FLUSH BOLT	TOP/BOTTOM EACH PANEL JAMB STILE
10	-	VINYL	(1) STRIP	BULB TYPE WEATHERSTRIP	FRAME HEAD, SILL, JAMBS, ADAPTER
11	-	VINYL	AS REQ'D	GLAZING CHANNEL	TOP, BOTTOM AND SIDE PANEL STILES
12	-	GLASS	2	3/16" THICK TEMPERED	DOOR PANELS
13	-	STEEL	5	#6 X 1/2" LG. FH. SMS.	ASTRAGAL
14	-	STEEL	8	#10 X 1 3/4" LG. PH. SMS.	PANELS BUTT JOINTS
15	-	STEEL	8	#10 X 2" LG. PH.P.H. SMS.	FRAME BUTT JOINTS

BILL OF MATERIALS



PRODUCT RENEWED  
ACCEPTANCE NO. 01-0619.02  
EXPIRATION DATE June 22, 2004  
BUILDING CODE COMPLIANCE OFFICE  
PRODUCT CONTROL DIVISION

SERIES 650 ALUMINUM  
OUTSWING ENTRANCE DOOR



3705 SHARES PLACE  
RIVIERA BEACH, FL 33404  
PHONE: (561)-845-1401

NOTE:  
NO WINDOWS RESERVES THE RIGHT TO REVISE  
DETAILS SHOWN HERE. AT SUCH TIME AS REVISIONS  
WILL RESULT IN ENGINEERING OR ECONOMIC  
IMPROVEMENTS.  
THESE DRAWINGS ARE GRAPHIC REPRESENTATION OF  
A DESIGN CONCEPT.

NO. DATE REVISION

DATE: 08/04/2000

SCALE: AS SHOWN

DWG. BY: R.P.

CHK. BY:

DWG. No.:

SHEET 3 OF 3