



BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Coverpol
8410 N.W. 93rd Stree
Medley ,FL 33166

Your application for Notice of Acceptance (NOA) of:

Coverpol Roof Coatings and Cements

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

Raul Rodriguez
Chief Product Control Division

ACCEPTANCE NO.: 01-0802.04
EXPIRES: 10/04/2006

**THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL
CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE**

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 10/04/2001

ROOFING ASSEMBLY APPROVAL

Category: Roofing
Sub-Category: Roof Coating & Cements

Approval Date: **October 04, 2001**Expiration Date: **October 04, 2006**Fire Classification: See General Limitation #1**1. SCOPE**

New roof coatings and cements products, used on existing or new roof assemblies as manufactured Coverpol Asphalt & Roofing Supplies, Inc., and as described in Section 3 of this Notice of Acceptance, which is designed to comply with the South Florida Building Code, 1994 Edition for Miami-Dade County.

2. LIMITATIONS

- 2.1 Fire classification is not part of this acceptance, refer to a current Approved Roofing Materials Directory for fire ratings of this product.
- 2.2 Coverpol products shall not be applied in inclement weather conditions.
- 2.3 All products listed herein shall have an unannounced follow-up quality control program from an approved listing agency. Follow up test results shall be made available to BCCO upon request.
- 2.4 All approved products listed herein shall be labeled in compliance with PA 121.
- 2.5 Change in materials, use, or manufacture of any of the products listed herein shall be cause for termination of this Notice of Acceptance.
- 2.6 This maintenance coating system shall not be applied over, prepared roofing; i.e., fiber-cement shingles, quarry slate, cement or clay roof tile, asphaltic shingles, metal shingles, wood shingles or shakes.
- 2.7 Coverpol products shall be used as a roof maintenance coating system in accordance with applicable Building Code. Coverpol products are not approved to be used as a repair or recover system.

3. INSTALLATION

- 3.1 Coverpol products shall be installed in accordance with manufacturer's Product Data Sheet.
- 3.2 Substrates: Smooth surface asphaltic BUR; Smooth and granule surface, modified bitumen cap sheet and metal roofing.
- 3.3 Physical Properties of Components

Trade name: **Plastic Roof Cement-Asbestos Free**

Specifications: ASTM D 4586

Description: Multi-purpose trowel grade asphalt based mastic used in the construction of new fiber glass or organic built-up roofing or re-roofing construction to tie off edge strips, gravel guards, etc. It may also be used for repairs in conjunction with reinforcing mesh.

Container Size: 3, 5 gallons and quart tubes. Note all cautions on container label.

Systems Approvals: Methods of application and quantities shall comply specific Roof Assembly, Product Control Notice of Acceptance

Trade name: **Wet & Dry Cement**

Specifications: ASTM D 4586

Description: Multi-purpose trowel grade asphalt based mastic containing additives to enhance bonding to wet surfaces. Used in the construction of new fiber glass or organic built-up roofing or re-roofing construction to tie off edge strips, gravel guards, etc. It may also be used for repairs in conjunction with reinforcing mesh.

Container Size: 3, 5 gallons and quart tubes. Note all cautions on container label.

Systems Approvals: Methods of application and quantities shall comply specific Roof Assembly, Product Control Notice of Acceptance

Trade name: **Liquid Roof Coating**

Specifications: ASTM D 4479

Description: A brush grade asphalt based coating used to protect or prolong the life of asphalt roofing. Application rate depends on condition of surface.

Container Size: 3, 55 gallons and quart tubes. Note all cautions on container label.

Systems Approvals: Methods of application and quantities shall comply specific Roof Assembly, Product Control Notice of Acceptance

Trade name: **Modified Bitumen Adhesive**

Specifications: ASTM D 4586

Description: A brush, squeegee or spray grade SBS modified asphalt adhesive for use in adhering SBS modified bitumen roofing membranes. Apply evenly at a rate of 1 to 1 ½ gallons per 100 sq. ft. Application rates in excess of stated may cause membrane softening, blistering or granule loss. Not for use with APP modified bitumen membranes or membranes having a plastic backing.

Container Size: 3, 5 gallons and quart tubes. Note all cautions on container label.

Systems Approvals: Methods of application and quantities shall comply specific Roof Assembly, Product Control Notice of Acceptance



Trade name: **Cold Process Lap Cement**

Specifications: ASTM D 3019 Type III

Description: A brush grade asphalt based multipurpose adhesive for cold applied built-up roofing construction.

Container Size: 3, 5 gallons and quart tubes. Note all cautions on container label.

Systems Approvals: Methods of application and quantities shall comply specific Roof Assembly, Product Control Notice of Acceptance

Trade name: **Ready Mix Primer**

Specifications: ASTM D 41

Description: A brush or spray grade asphalt based material used to prepare concrete, masonry, metal, build-up roofs and other surfaces to receive hot or cold asphalt materials used to adhere roof membranes. Application rate varies depending on condition of surface.

Container Size: 3, 5 gallons and quart tubes. Note all cautions on container label.

Systems Approvals: Methods of application and quantities shall comply specific Roof Assembly, Product Control Notice of Acceptance

Trade name: **Flashing Cement**

Specifications: ASTM D 4586

Description: Multi-purpose trowel grade asphalt based mastic used in the construction of new fiber glass or organic built-up roofing or re-roofing construction to tie off edge strips, gravel guards, etc. It may also be used for repairs in conjunction with reinforcing mesh.

Container Size: 3, 5 gallons and quart tubes. Note all cautions on container label.

Systems Approvals: Methods of application and quantities shall comply specific Roof Assembly, Product Control Notice of Acceptance




Trade name: **Modified Bitumen Flashing Cement**
Specifications: ASTM D 4586
Description: A smooth trowel grade modified asphalt based mastic used in the construction of new fiber glass or organic built-up roofing or re-roofing construction to tie off edge strips, gravel guards, etc. It may also be used for repairs in conjunction with reinforcing mesh.
Container Size: 3, 5 gallons and quart tubes. Note all cautions on container label.
Systems Approvals: Methods of application and quantities shall comply specific Roof Assembly, Product Control Notice of Acceptance

Trade name: **Fibred Aluminum Roof Coating**
Specifications: ASTM D 2824 Type III
Description: A brush or spray grade asphalt fibred surfacing coating containing aluminum pigment to provide weathering protection over built-up, modified bitumen, or metal roof systems. Over modified bitumen apply in accordance with membrane manufacturer instructions. Apply at the rate of 1 to 2 gallons per 100 sq. ft.
Container Size: 3, 5 gallons and quart tubes. Note all cautions on container label.
Systems Approvals: Methods of application and quantities shall comply specific Roof Assembly, Product Control Notice of Acceptance

Trade name: **Non-Fibrated Aluminum Roof Coating**
Specifications: ASTM D 2824 Type I
Description: A non-fibred brush or spray grade asphalt surfacing coating containing aluminum pigment to provide weathering protection over asphalt or metal roofing systems. Apply at the rate of 1 gallon per 100 sq. ft.
Container Size: 3, 5 gallons and quart tubes. Note all cautions on container label.
Systems Approvals: Methods of application and quantities shall comply specific Roof Assembly, Product Control Notice of Acceptance

4. BUILDING PERMIT REQUIREMENTS

- 4.1 Application for building permit shall be accompanied by copies of the following:
 - 4.1.1 This Notice of Acceptance.
 - 4.1.2 Any other documents required by the Building Official or applicable Building Code in order to properly evaluate the installation of this system



Frank Zuloaga, RRC
Roofing Product Control Examiner

NOTICE OF ACCEPTANCE STANDARD CONDITIONS

- 1 Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
- 2 Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
- 3 Renewals of Acceptance will not be considered if:
 - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
 - b) The product is no longer the same product (identical) as the one originally approved;
 - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
 - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted, is no longer practicing the engineering profession.
- 4 Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
- 5 Any of the following shall also be grounds for removal of this Acceptance:
 - a) Unsatisfactory performance of this product or process;
 - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purposes.
- 6 The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
- 7 A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all times. The copies need not be resealed by the engineer.
- 8 Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
- 9 This Acceptance contains pages 1 through 6.

END OF THIS ACCEPTANCE



Frank Zuloaga, RRC
Roofing Product Control Examiner

A. TESTS:

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name / Report</u>	<u>Date</u>
Underwriter Laboratories, Inc.	01NK16820	Classification	06/06/01
PRI Asphalt Technologies	COV-04-02-10	ASTM D 4479	04/19/99
PRI Asphalt Technologies	COV-04-02-02	ASTM D 4586	04/19/99
PRI Asphalt Technologies	COV-04-02-03	ASTM D 3019	04/19/99
PRI Asphalt Technologies	COV-04-02-04	ASTM D 4586	04/19/99
PRI Asphalt Technologies	COV-04-02-06	ASTM D 4479	04/19/99
PRI Asphalt Technologies	COV-04-02-07	ASTM D 4586	04/19/99
PRI Asphalt Technologies	COV-05-02-01	ASTM D 41	05/07/99
PRI Asphalt Technologies	COV-07-02-01	ASTM D 2824	06/24/99
PRI Asphalt Technologies	COV-013-02-01	ASTM D 2824	07/05/01
PRI Asphalt Technologies	COV-014-02-01	ASTM D 4586	07/05/01

E-1



Frank Zuloaga, RRC
Roofing Product Control Examiner