



BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Arch Aluminum & Glass Company
10200 N.W. 67th Street
Tamarac, FL 33321

Your application for Notice of Acceptance (NOA) of:

Narrow Stile Door

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

ACCEPTANCE NO.: 01-0910.09
EXPIRES: 12/28/2006

Raul Rodriguez
Chief Product Control Division

**THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL
CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE**

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 01/03/2002

APPROVED: January 3, 2002

EXPIRES: December 28, 2006

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

1. SCOPE

1.1 This **renews** Notice of Acceptance (NOA) No. **98-1026.03**, which was issued on October 7, 1999. It renews the approval of an aluminum storefront door, as described in Section 2 of this NOA, designed to comply with the South Florida Building Code (SFBC), 1994 Edition for Miami-Dade County, for the locations where the pressure requirements, as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated in the approved drawings.

2. PRODUCT DESCRIPTION

2.1 The **Series "Narrow Stile" Aluminum Outswing Storefront Doors** and its components shall be constructed in strict compliance with the following document: Drawing No **NS 100-NOA**, Sheets 1 through 4 of 4, titled "Arch Narrow Stile Door with Frame, 1/4" Tempered Glass and 1 Point Lock", prepared by manufacturer, dated 12/14/98, signed and sealed by William Cook, P.E., bearing the Miami-Dade County Product Control renewal stamp with the NOA number and expiration date by the Miami-Dade County Product Control Division. This document shall hereinafter be referred to as the approved drawings.

3. LIMITATIONS

3.1 This approval applies to single unit applications of pair of doors and single door only, as shown in approved drawings. Single door units shall include all components described in the active leaf of this approval.

3.2 Unit shall be installed only at locations protected by a canopy or overhang such that the angle between the edge of canopy or overhang to sill is less than 45 degrees. Unless unit is installed in non-habitable areas where the unit and the area are designed to accept water infiltration.

4. INSTALLATION

4.1 The aluminum storefront door and its components shall be installed in strict compliance with the approved drawings.

4.2 Hurricane protection system (shutters): the installation of this unit **will require** a hurricane protection system.

5. LABELING

5.1 Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".

6. BUILDING PERMIT REQUIREMENTS

6.1 Application for building permit shall be accompanied by copies of the following:

6.1.1 This Notice of Acceptance

6.1.2 Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance, clearly marked to show the components selected for the proposed installation.

6.1.3 Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.



Raul Rodriguez, Chief
Product Control Division


APPROVED: January 3, 2002

EXPIRES: December 28, 2006


NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
 - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
 - b) The product is no longer the same product (identical) as the one originally approved;
 - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
 - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
 - a) Unsatisfactory performance of this product or process.
 - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purpose.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.

END OF THIS ACCEPTANCE



Raul Rodriguez, Chief
Product Control Division



PRODUCT RENEWED
 ACCEPTANCE No. 01-0910.09
 EXPIRATION DATE ~~December 28, 2006~~
 By *[Signature]*
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE JANUARY 7 1999
 BY *[Signature]*
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 98-1026.03

Aluminum & Glass
 10200 N.W. 67th Street
 Tamarac, FL 33321
 Phone: 800-432-8132 Fax: 954-724-9293

SIGNING ENGINEER
 NAME: William D. Cook PE.
 DISCIPLINE: Structural Engineer
 REGISTRATION NO.: 43904
 A. L. Bromley PE., Inc.
 2004 NE 49th St.
 Ft Lauderdale, FL.


[Signature]
 12/14/98

DRAWING DESCRIPTION
 ARCH NARROW STILE
 DOOR WITH FRAME
 1/4" TEMPERED
 GLASS, AND
 1 POINT LOCK
 FTL LAB# 1254
 REPORT# 11
 FILE# 95-105

DRAWN BY: ANC	DATE: 12/14/98
REVISION	DATE
DRAWING NO. NS 100-NOA	SHEET NO. 1 OF 4

DESIGN PRESSURE= -62.1 / +62.1 PSF
 ON TESTED DOOR 72" X 84" PAIR

DRAWING NO. NS 100-NOA	SHEET NO. 1 OF 4	SHEET NO. 1 OF 4
---------------------------	---------------------	---------------------



LEGEND		
ITEM#	PART#	DESCRIPTION
1	AGA 4	TOP RAIL 2 1/2" X 1 3/4" 6063-T5 .094 WALL
2	AGA 113	GLASS STOP 13/16" X 9/16" 6063-T5 .050 WALL
3	AGA 114	GLASS STOP 13/16" X 9/16" 6063-T5 .050 WALL
4	H 64	NEOPRENE GASKET
5	AGA 5	BOTTOM RAIL 3 1/2" X 1 3/4" 6063-T5 .094 WALL
6	1040	4" SADDLE THRESHOLD 6063-T5 .188 WALL
7	4510	DOOR STOP 1/2" X 1" 6063-T5 .062 WALL
8	4501	HEADER TUBE SCREW SPLINE ATTACHED 1 3/4" X 4 1/2" 6063-T5 .081 WALL
9	H-74	NEOPRENE BULB WEATHER STRIP
10	4008	INSERT FLAT FILLER; 6063-T5; .078 WALL

PRODUCT RENEWED
 ACCEPTANCE No. 61-0910.09
 EXPIRATION DATE December 28, 2006
 By [Signature]
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE January 7, 1999
 BY [Signature]
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 98-1026-03

ALL CORNER CONSTRUCTION
 ON FRAME ARE SCREW SPLINE
 ATTACHED WITH #8 PHSMS (2) PER
 JOINT

ALL CORNER CONSTRUCTION ON
 DOORS ARE THRU BOLTED WITH
 3/8" ROUND ROD WITH HEX NUTS

Aluminum & Glass
 10200 N.W. 67th Street
 Tamarac, FL 33321
 Phone: 800-432-8132 Fax: 954-724-9293

SIGNING ENGINEER
 NAME: William D. Cook PE.
 DISCIPLINE: Structural Engineer
 REGISTRATION NO.: 43904
 A. L. Bromley PE., Inc.
 2004 NE 49th St.
 Ft Lauderdale, Fl.


[Signature]
12/14/98

DRAWING DESCRIPTION ARCH NARROW STILE DOOR WITH FRAME 1/4" TEMPERED GLASS, AND 1 POINT LOCK	DRAWN BY: ANC	DATE: 12/14/98
	REVISION	DATE
FTL LAB# 1254 REPORT# 11 FILE# 95-105	DRAWING NO. NS 100-NOA	SHEET NO. 2 OF 4

DRAWING NO. NS 100-NOA	SHEET NO. 2 OF 4	L	SHEET NO. 2 OF 4	R
---------------------------	---------------------	---	---------------------	---

LEGEND		
ITEM#	PART#	DESCRIPTION
20	4500	OPEN BACK JAMB 1 3/4" X 4 1/2" 6063-T5 .090 WALL
21	4510	DOOR STOP 1/2" X 1" 6063-T5 .062 WALL
22	H 74	NEOPRENE WEATHER STRIP
23	AGA 121	HINGE STILE 3 1/2" X 1 3/4" 6063-T5 .090 WALL
24	AGA 113	GLASS STOP 13/16" X 9/16" 6063-T5 .050 WALL
25	AGA 114	GLASS STOP 13/16" X 9/16" 6063-T5 .050 WALL
26	AGA 144	ACTIVE STILE 2 1/2" X 1 3/4" 6063-T5 .091 WALL
27	AGA 149	INACTIVE LEAF 2 1/2" X 1 3/4" 6063-T5 .090 WALL
28	TR 36	3/8"-16 THRU BOLT WITH NUTS
29	H 26	TOP AND BOTTOM OFFSET PIVOT SET
30	S-PILE	SCHLEGEL WEATHER STRIP PILE

SEE FASTENER SCHEDULE ON
SHT 4 OF 4 FOR FASTENER
TYPE INTO SUBSTRATE TYPE



PRODUCT RENEWED

ACCEPTANCE No. 61-0910.09
 EXPIRATION DATE December 28, 2006
 By [Signature]
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
 DATE January 7, 1997
 BY [Signature]
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 98-1026-03

Aluminum & Glass
 10200 N.W. 67th Street
 Tamarac, FL 33321
 Phone: 800-432-8132 Fax: 954-724-9293

SIGNING ENGINEER
 NAME: William D. Cook PE.
 DISCIPLINE: Structural Engineer
 REGISTRATION NO.: 43904
 A. L. Bromley PE., Inc.
 2004 NE 49th St.
 Ft Lauderdale, Fl.

[Signature]
12/14/98

DRAWING DESCRIPTION	DRAWN BY:	DATE:
ARCH NARROW STILE DOOR WITH FRAME 1/4" TEMPERED GLASS, AND 1 POINT LOCK	ANC	12/14/98
	REVISION	DATE
FTL LAB# 1254 REPORT# 11 FILE# 95-105	DRAWING NO.	SHEET NO.
	NS 100-NOA	3 OF 4

DRAWING NO. NS 100-NOA	SHEET NO. 3 OF 4	SHEET NO. L	SHEET NO. 3 OF 4	SHEET NO. R
---------------------------	---------------------	----------------	---------------------	----------------

