



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**A & P Custom Window Mfg. Inc.
1390 A Hammondville Road
Pompano Beach, FL 33069**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Series "3000" Aluminum Fixed Window

APPROVAL DOCUMENT: Drawing No. 01-001, titled "Fixed Windows", dated 10-13-01 and last revised on 06-10-02, sheets 1 through 2 of 2, prepared by manufacturer, bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.




INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA # 01-1113.01 and, consists of this page 1 as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P. E.**



**NOA No 01-1113.01
Expiration Date: August 08, 2007
Approval Date: August 08, 2002
Page 1**



D.L.O. = DAYLIGHT OPENING

DESIGN PRESSURE RATING 72" X 96" W/ 1/4" CLEAR TEMP GLASS	
POSITIVE	60 PSF
NEGATIVE	60 PSF

ANCHORAGE:
#10 X 2" FLAT HEAD PHILLIPS SMS

DESIGN PRESSURE RATING 38" X 76" W/ 1/4" ANNEALED GLASS	
POSITIVE	37.6 PSF
NEGATIVE	37.6 PSF

MIAMI DADE COUNTY APPROVED SHUTTERS ARE REQUIRED FOR INSTALLATION OF THESE UNITS
WOOD BUCKS BY OTHERS MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER
THEM TO THE SUPPORTING STRUCTURE.
MAXIMUM SHIM SPACING IS 1/4"

Approved as complying with the
Florida Building Code
Date August 08, 2002
NOA# 01-113-01
Miami Dade Product Control
Division
By Ishag I. Lhande

REVISIONS



06/06/02
AS PER COMMENTS
BY MIAMI DADE
06/10/02 BY C.T.A.

K. VENKATESAN, M.S., P.E.
P.O. BOX 772052
CORAL SPRINGS, FL 33077-2052
TEL (954) 753-7324
FAX (954) 753-5983

FIXED WINDOWS
SERIES 3000
A & P CUSTOM WINDOW MFG., INC.
1390A HAMMONDVILLE ROAD
POMPANO BEACH, FL 33069
TEL (954) 973-2899
FAX: (954) 973-2900


DATE: 10/13/01
SCALE: 25":1"
DRWN BY: MIR
CHECKED BY: KV
JOB NO.
DRW #: 01-001
SHEET 1 OF 2

ITEM NUMBER	DESCRIPTION	REMARKS
1	FRAME HEAD (AP-100)	ALUMINUM
1	FRAME JAMB (AP-100)	ALUMINUM
1	FRAME SILL (AP-100)	ALUMINUM
2	GLAZING BEAD (AP-101)	ALUMINUM
3	GE 1000 WHITE SILICONE	
4	GE 1000 STRUCTURAL TRANSLUENT SILICONE	
5	INSTALLATION SCREWS # 10 X 2" FLAT HEAD PHILLIPS SMS	
6	REB R 333 BUTYL RUBBER CAULKING	
7	SCHNEE MORE HEAD SILICONE (SCREW SEALANT)	
8	ASSEMBLY SCREWS # 8 X 5/8" PAN HEAD PHILLIPS SMS	
9	1/4" GLASS (TEMPERED OR ANNEALED)	SEE ELEVATION FOR GLASS TYPE & THICKNESS




HORIZONTAL SECTION
SCALE: 1/2":1"

D. L. O. = DAYLIGHT OPENING



VERTICAL SECTION
SCALE: 1/2":1"



CORNER ASSEMBLY
SCALE: FULL

SPECIFICATIONS:

GENERAL:
1-7/8" X 2" FRAME, FIXED LITE UNIT
MANUFACTURED BY A & P CUSTOM WINDOW MFG., INC.

CONSTRUCTION:
ALL WINDOW MEMBERS ARE EXTRUDED 6063-T52 ALUMINUM
FRAME JOINTS SHALL BE EITHER WELDED OR FASTENED
WITH SCREWS. ALL JOINTS ARE SEALED TO FORM
A WEATHERTIGHT JOINT.

GLAZING BEAD:
EXTRUDED ALUMINUM CHANNEL, SILICONED IN PLACE.

FINISH:
MILL FINISH, WHITE OR BRONZE PAINT ANODIZE

Approved as complying with the
Florida Building Code
Date August 28, 2002
NOA# 01-113-01
Miami Dade Product Control
Division
By Ishag J. Chanda

REVISIONS
06/06/02
AS PER COMMENTS BY
MIAMI- DADE
6/10/02 BY C.T.A.

K. VENKATESAN, M.S., P.E.
P.O. BOX 772052
CORAL SPRINGS, FL 33077-2052
TEL (954) 753-7324
FAX (954) 753-5983

FIXED WINDOWS
SERIES 3000
A & P CUSTOM WINDOW MFG., INC.
1390A HAMMONDVILLE ROAD
POMPANO BEACH, FL 33069
TEL (954) 973-2899
FAX: (954) 973-2900

DATE: 09/29/01
SCALE: AS NOTED
DRWN BY: MIR
CHECKED BY: KV
JOB NO.
DRW #: 01-001
SHEET 2 OF 2