



BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Golden Planet Holdings Int., Inc.
20533 Biscayne Blvd., Suite N144
North Miami, FL 33180

Your application for Notice of Acceptance (NOA) of:

Gold Plan

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

Raul Rodriguez
Chief Product Control Division

ACCEPTANCE NO.: 02-0109.11
EXPIRES: 01/11/2007

**THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL
CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE**

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 02/07/2002

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

1. SCOPE

- 1.1** This renews the Notice of Acceptance No. 98-1211.07 that was issued on 02/25/99. It approves an Insulated Concrete Form described in Section 2 of this Notice of Acceptance designed to comply with the South Florida Building Code, 1994 Edition for Miami-Dade County (SFBC) and the specifications for rigid cellular polystyrene thermal insulation ASTM C-578.

2. PRODUCT DESCRIPTION

- 2.1** The **Goldplan Insulated Concrete Form** shall be fabricated in strict compliance with the following document: Drawing No. GPS 1-99, titled "Isometric View & Technical Data", prepared by Golden Planet Florida, Inc., Sheet 1 of 1, dated 01/08/99, revised on 01/25/99, signed and sealed by Gershon D. Klieger, PE. bearing the Miami Dade County Product Control approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division. These documents shall herein after be referred to as the approved drawings.

3. LIMITATIONS

- 3.1** This insulation system may be used within fire rated assemblies that have been tested in accordance with ASTM E-119 or if protected by an approved automatic fire extinguishing system

4. INSTALLATION

- 4.1** This insulation system shall be installed in strict compliance with the approved drawing.

5. LABELING

- 5.1** Each block shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement "Dade County Product Control Approved".

6. BUILDING PERMIT REQUIREMENTS

- 6.1** Application for Building Permit shall be accompanied by copies of the following:
- 6.1.1** This Notice of Acceptance
 - 6.1.2** Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance
 - 6.1.3** Any other document required by the Building Official or the SFBC in order to properly evaluate the installation of this system



Candido Font, PE, Sr. Product Control Examiner
Product Control Division

Golden Planet Florida, Inc.

ACCEPTANCE NO: 02-0109.11

APPROVED: FEB 07 2002

EXPIRES: 01/11/2007

NOTICE OF ACCEPTANCE STANDARD CONDITIONS


1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
 - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
 - b) The product is no longer the same product (identical) as the one originally approved;
 - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
 - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
 - a) Unsatisfactory performance of this product or process.
 - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purpose.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.



Candido Font, PE, Sr. Product Control Examiner
Product Control Division

END OF THIS ACCEPTANCE

"GOLDPLAN"® - E.P.S. BUILDING SYSTEM



ISOMETRIC VIEW

DESCRIPTION:

GOLDEN PLANET SYSTEM ARE INSULATED CONCRETE FORM BLOCKS MADE OF EXPANDED POLYSTYRENE ("EPS") USED TO BUILD REINFORCED CONCRETE WALLS. AFTER THE CONCRETE HAS HARDENED, THE FORMS STAY IN PLACE TO INSULATE THE WALLS. THE SYSTEM, AS CONCRETE FORM, SHALL COMPLY WITH A.C.I. 347 AND THE CONCRETE WALLS SHALL COMPLY WITH A.C.I. 318. THE PROPERTIES OF THE "EPS" ARE LISTED HEREIN.

PROPERTIES	RESULTS	TEST
Density	1.50 pcf	ASTM C-303
Compressive Strength	22 psi @ 10% def	ASTM D-1621
Flexural Strength Vertical	49 psi	ASTM C-203
Flexural Strength Horizontal	51 psi	ASTM C-203
Water Absorption	55% by weight	ASTM C-272
Dimension stability by Volume at 14 Days	-0.49%	ASTM D-2126
Flame Spread Index	4	ASTM E-84
Smoke Index	250	ASTM E-84
Thermal Conductivity	0.26 BTU in/h ft ² °F	ASTM C-518
Self Ignition Temperature	440°C=824°F	ASTM D-1929
Water Vapor Transmission	2.7 Perms	ASTM E-96

Only EPS insulation without pigmentation is approved under this Notice of Acceptance

PRODUCT RENEWED

ACCEPTANCE No. 02-0109.11

EXPIRATION DATE 01/11/2007

BY [Signature]
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE

FOR OFFICIAL USE
APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE February 25 1999
[Signature]
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 98-1211-07

MANUFACTURER:
GOLDEN PLANET FLORIDA, INC.
20533 Biscayne Blvd., Ste N-144, Aventura FL 33180
PHONE: (305) 692-8658

TITLE: ISOMETRIC VIEW & TECHNICAL DATA

GPS-1-99	1	JAN-8-1999	JAN-25-1999
DRAWING NUMBER	SHEET NUMBER	DRAWING DATE	REVISION DATE

ENGINEER: G.D. KLIEGER, INC. [Signature]
Gershon D. Klieger, PE Structural FL PE #36109