



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Air Master Awning
Carr. #2 Interior KM. 56.7
Barceloneta, P.R. 00617**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Series "Continental Line" Outswing Aluminum Casement Window

APPROVAL DOCUMENT: Drawing No. 1083, titled "Outswing Casement Impact Window (Continental Line)", sheets 1 through 2 of 2, prepared by W.W. Schaefer Engineering & Consulting, P.A., dated 12/28/01, signed and sealed by Warren Schaefer, P.E., bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.





INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of this page 1 as well as approval document mentioned above.






The submitted documentation was reviewed by **Theodore Berman, P.E.**



**NOA No 02-0514.01
Expiration Date: October 24, 2007
Approval Date: October 24, 2002
Page 1**



ITEM #	PART	ITEM DESCRIPTION	MANUFACTURER/NOTES
PARTS			
1	3819	HEAD & SILL JAMB	6063-T5 ALUMINUM
2	3818	SIDE JAMB	6063-T5 ALUMINUM
3	3985	SASH	6063-T5 ALUMINUM
4	3845	SASH CORNER KEY	6063-T5 ALUMINUM
5	3835	SASH HANDLE	6063-T5 ALUMINUM
HARDWARE			
6	-	S.S. 4-BAR FRICTION HINGE	ANDERBERG 401 SERIES
7	-	LOCKING HANDLE	AS REQUIRED TO OPERATE LOCKS
8	-	LOCK KEEPERS (LOCK PIN PLATES)	HARDWARE TECH #RZ5388
9	-	LOCKS	HARDWARE TECH #ATKB14
SEALS & SEALANTS			
10	223	VINYL FRAME WEATHERSTRIP (ALL SIDES)	SOUTHERN PLASTICS BULB SEAL
MISCELLANEOUS FASTENERS			
11	-	NO. 10-32 X 3/4" PH S.S. SCREW	2 PER KEEPER
12	-	NO. 6 X 5/8" FH S.S. SCREW	QTY AS REQ'D FOR LOCK BAR LENGTH
13	-	#10 SLOTTED OR #8 P.H. X 1/2" S.S. SMS	6 TOTAL PER HINGE
14	-	5/8" X 0.11" CONT. HINGE BACKER BAR	6063-T5 ALUMINUM



5 SASH HANDLE
HANDLE IS NON-STRUCTURAL & MAY BE SUBSTITUTED WITH SIMILAR

Approved as complying with the Florida Building Code
Date 10/24/02
NOA# 02-0514-01
Miami Dade Product Control Division
By *Glenn Bernan*

DRAWN BY: W.W.S.	CHECKED BY: W.W.S.
PLOT: 1=2	DATE: 12/28/01
DATE	
BY	
REVISION DESCRIPTION	
NO.	
DRAWING TITLE OUTSWING CASEMENT IMPACT WINDOW (CONTINENTAL LINE)	
CONSULTANTS W. W. SCHAEFER ENGINEERING & CONSULTING, P.A. 600 SANDREE DRIVE, SUITE 203B PALM BEACH GARDENS, FL 33403 PHONE: 561-775-9902 FAX: 561-775-4903	
MANUFACTURER AIR MASTER AWNING CARR. #2 INTERIOR, KM. 56.7 BARCELONETA, P.R. 00617 787-846-2110	
CERTIFICATION	APR 22 2002
DRAWING NO.	1083
SHEET NO.	2 OF 2