



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Variform Inc.
303 W Major
Kearney, MO 64060**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Vinyl Siding & Soffit

APPROVAL DOCUMENT: Drawing No. 1150001A, 2A, 3A, 4A & 5A, titled "Vinyl Siding Soffit", sheets 1 through 5, prepared, by Variform Inc, dated 01/1999, with no revisions, signed and sealed R. Boyette, PE, bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA # 99-0825.05 and, consists of this page 1 as well as approval document mentioned above. The submitted documentation was reviewed by **Candido Font, PE.**



**NOA No 02-0610.02
Expiration Date: October 31, 2007
Approval Date: November 7, 2002
Page 1**

Variform, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

(For File ONLY. Not part of NOA)

A. DRAWINGS

See NOA 99-0825.05

1. Drawing prepared by Variform, Inc, titled "Vinyl Siding Soffit", drawing No.1150001A, 2A, 3A, 4A & 5A, dated 01/1999, with no revisions, signed and sealed by R. Boyette, PE.

B. TESTS

See NOA 99-0825.05

Laboratory Report	Test	Date	Signature
1. ATI-17925	PA 202 & 203	09/12/96	A.N. Reeves, PE
2. ATI 17929	PA 202 & 203	09/12/96	A.N. Reeves, PE
3. ATI 17926	PA 202 & 203	09/12/96	A.N. Reeves, PE
4. ATI 17931	PA 202 & 203	09/12/96	A.N. Reeves, PE
5. ATI 17930	PA 202 & 203	09/12/96	A.N. Reeves, PE
6. ATI 17927	PA 202 & 203	09/12/96	A.N. Reeves, PE
7. RADCO-C4009	ASTM D3679	May/99	R. F. Tucker, PE

C. CALCULATIONS

N/A

D. MATERIAL CERTIFICATIONS

N/A



F. OTHER

See 99-0825.05


1. Code Compliance letter issued by R. Boyette, dated 10/23/98, signed and sealed by R. Boyette, PE.



Candido F. Font, PE
Product Control Division
NOA No 02-0610.02
Expiration Date: October 31, 2007
Approval Date: November 7, 2002



TYPICAL INSTALLATION
VINYL SIDING/SOFFIT



NAME	DWG#	EXPOSURE INCHES	THICKNESS -0.001 INCHES	DESIGN PRESSURE P.S.F.	NAME	DWG#	EXPOSURE INCHES	THICKNESS -0.001 INCHES	DESIGN PRESSURE P.S.F.
DURAGRAIN	1110300	DOUBLE 4	.042	46.6	DURAGRAIN	1111300	DOUBLE 5	.042	40.0
MILLBRIDGE	1110200	DOUBLE 4	.044	46.6	CHATEAU RUSTIC	1111601	DOUBLE 5	.042	40.0
CHATEAU RUSTIC	1110501	DOUBLE 4	.042	46.6	TIMBER OAK	1113200	DOUBLE 5	.048	40.0
TIMBER OAK	1112200	DOUBLE 4	.048	46.6	CONTRACTORS CHOICE	1113500	DOUBLE 5	.040	40.0
CONTRACTORS CHOICE	1112500	DOUBLE 4	.040	46.6	CHATEAU CEDAR	1113601	DOUBLE 5	.046	40.0
CHATEAU CEDAR	1112601	DOUBLE 4	.046	46.6	VARIGRAIN PREFERRED	1119300	DOUBLE 5	.046	40.0
VARIGRAIN PREFERRED	1119100	DOUBLE 4	.046	46.6	CHATEAU NOBILITY	1111701	DOUBLE 5	.038	40.0
CHATEAU NOBILITY	1110701	DOUBLE 4	.038	46.6	CHATEAU LEGACY	1113501	DOUBLE 5	.040	40.0
CHATEAU LEGACY	1112501	DOUBLE 4	.040	46.6	CHATEAU LEGEND	1119301	DOUBLE 5	.046	40.0
CHATEAU LEGEND	1119101	DOUBLE 4	.046	46.6	CAMDEN POINTE	1119700	DOUBLE 5	.044	40.0
CAMDEN POINTE	1119500	DOUBLE 4	.044	46.6					
VARITEK	1116803	DOUBLE 4	.036	46.6					

02/06/02
10/31/07
Richard Boyette
Division


RICHARD BOYETTE
FL Civil PE #42485
4031 Coconut Blvd
Royal Palm Bch FL 33411
790-5766 Voice / Fax

Richard Boyette
02-1012
10/9/02

NOTE 1.- VARIFORM INC. VINYL SIDING/SOFFIT IS MANUFACTURED FROM A FORMULATED P.V.C. POWDER COMPOUND MEETING THE SPECIFICATIONS OF ASTM D3679
2.- WALLS AND SOFFIT RECEIVING VINYL SIDING/SOFFIT SHALL BE CHECKED FOR STUCTURAL ADEQUACY CRACKS OR DEFECTS THAT SHALL BE ELIMINATED
3.- WALLS SHALL BE WATER PROOFED WITH EQUIVALENT OF 15 POUND FELT AS DESCRIBED IN SECTION 2704.6 (b) OF THE SFBC


4.- WALLS AND SOFFIT WHERE VINYL SIDING/SOFFIT WILL BE INSTALLED SHALL BE DESIGNED BY AN ENGINEER OR ARCHITECT PER THE SFBC AND THE REQUIREMENTS OF THESE NOA
5.- INSTALLATION OF SIDING/SOFFIT ACCESORIES SUCH AS CORNER POSTS, STARTER STRIPS, TRIMS AROUND OPENINGS SHALL BE DONE IN ACCORDANCE WITH THE MANUFACTURES INSTRUCTIONS AND THE SFBC

VARIFORM INC. 303 W. MAJOR KEARNEY, MO. 64060		COMPANY NAME VARIFORM INC.	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		DRAWN LRB	DATE 1/99
TOLERANCES DECIMALS ± .010 ANGULAR ± 1° DO NOT SCALE DRAWING		TITLE VINYL SIDING SOFFIT	
DESIGN ACTIVITY		SIZE B	DWG NO. 1150001A
		SHEET	



D/4
DUTCH LAP


APPROVED MODELS



D/5
DUTCH LAP

APPROVED MODELS

TYPICAL INSTALLATION
VINYL SIDING/SOFFIT



NAME	DWG#	EXPOSURE INCHES	THICKNESS -0.001 INCHES	DESIGN PRESSURE P.S.F.	NAME	DWG#	EXPOSURE INCHES	THICKNESS -0.001 INCHES	DESIGN PRESSURE P.S.F.
DURAGRAIN	1110400	DOUBLE 4	.042	46.6	DURAGRAIN	1111400	DOUBLE 5	.042	40.0
CHATEAU DUTCH LAP	1110901	DOUBLE 4	.042	46.6	CHATEAU DUTCH LAP	1111901	DOUBLE 5	.042	40.0
CHATEAU CEDAR	1112701	DOUBLE 4	.046	46.6	TIMBER OAK	1113800	DOUBLE 5	.048	40.0
TIMBER OAK	1112800	DOUBLE 4	.048	46.6	CHATEAU CEDAR	1113701	DOUBLE 5	.046	40.0
VARIGRAIN PREFERRED	1119200	DOUBLE 4	.046	46.6	VARIGRAIN PREFERRED	1119400	DOUBLE 5	.046	40.0
CHATEAU NOBILITY	1110601	DOUBLE 4	.038	46.6	CHATEAU NOBILITY	1111501	DOUBLE 5	.038	40.0
CHATEAU LEGACY	1112901	DOUBLE 4	.040	46.6	CHATEAU LEGACY	1113901	DOUBLE 5	.040	40.0
CHATEAU LEGEND	1119201	DOUBLE 4	.046	46.6	CHATEAU LEGEND	1119401	DOUBLE 5	.046	40.0
CAMDEN POINTE	1119600	DOUBLE 4	.044	46.6	CAMDEN POINTE	1119800	DOUBLE 5	.044	40.0

PRODUCT RENEWED
 as required with the Florida
 Building Code
 Acceptance No. 02-0610.02
 Expiration Date 10/31/07
 By
 Miami Dade Product Control
 Division


RICHARD BOYETTE
 FL Civil PE #42485
 4031 Coconut Blvd
 Royal Palm Bch FL 33411
 (561) 790-5766 Voice / Fax

10/9/02

NOTE 1.- VARIFORM INC. VINYL SIDING/SOFFIT IS MANUFACTURED FROM A FORMULATED P.V.C. POWDER COMPOUND MEETING THE SPECIFICATIONS OF ASTM D3679
 2.- WALLS AND SOFFIT RECEIVING VINYL SIDING/SOFFIT SHALL BE CHECKED FOR STRUCTURAL ADEQUACY CRACKS OR DEFECTS THAT SHALL BE ELIMINATED
 3.- WALLS SHALL BE WATER PROOFED WITH EQUIVALENT OF 15 POUND FELT AS DESCRIBED IN SECTION 2704.6 (b) OF THE SFBC


4.- WALLS AND SOFFIT WHERE VINYL SIDING/SOFFIT WILL BE INSTALLED SHALL BE DESIGNED BY AN ENGINEER OR ARCHITECT PER THE SFBC AND THE REQUIREMENTS OF THESE NOA
 5.- INSTALLATION OF SIDING/SOFFIT ACCESORIES SUCH AS CORNER POSTS, STARTER STRIPS, TRIMS AROUND OPENINGS SHALL BE DONE IN ACCORDANCE WITH THE MANUFACTURES INSTRUCTIONS AND THE SFBC

VARIFORM INC. 303 W. MAJOR KEARNEY, MO. 64060		DRAWN LRB		DATE 1/99	COMPANY NAME VARIFORM INC.	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		TOLERANCES		TITLE VINYL SIDING SOFFIT		
DECIMALS ± .010		ANGULAR ± 1°		SIZE B		
DO NOT SCALE DRAWING		DESIGN ACTIVITY		DWG NO. 1150002A		
				SHEET		



6 1/2"
HORIZONTAL


APPROVED MODELS



T/3
HORIZONTAL

APPROVED MODELS

TYPICAL INSTALLATION
VINYL SIDING/SOFFIT



NAME	DWG#	EXPOSURE INCHES	THICKNESS -0.001 INCHES	DESIGN PRESSURE P.S.F.	NAME	DWG#	EXPOSURE INCHES	THICKNESS -0.001 INCHES	DESIGN PRESSURE P.S.F.
VICTORIA HARBOR	1112000	SINGLE 6 1/2	.044	60.0	HAMPTON III	1117000	TRIPLE 3	.040	40.0
					CONTRACTORS CHOICE	1116900	TRIPLE 3	.040	40.0

PRODUCT REGISTERED
at the State of Florida
Building Code
Agency No. 02-0610.02
Expiration Date 10/31/07
By:
Miami-Dade Building Control
Division


NOTE 1.- VARIFORM INC. VINYL SIDING/SOFFIT IS MANUFACTURED FROM A FORMULATED P.V.C. POWDER COMPOUND MEETING THE SPECIFICATIONS OF ASTM D3679
2.- WALLS AND SOFFIT RECEIVING VINYL SIDING/SOFFIT SHALL BE CHECKED FOR STRUCTURAL ADEQUACY CRACKS OR DEFECTS THAT SHALL BE ELIMINATED
3.- WALLS SHALL BE WATER PROOFED WITH EQUIVALENT OF 15 POUND FELT AS DESCRIBED IN SECTION 2704.6 (b) OF THE SFBC

4.- WALLS AND SOFFIT WHERE VINYL SIDING/SOFFIT WILL BE INSTALLED SHALL BE DESIGNED BY AN ENGINEER OR ARCHITECT PER THE SFBC AND THE REQUIREMENTS OF THESE NOA
5.- INSTALLATION OF SIDING/SOFFIT ACCESORIES SUCH AS CORNER POSTS, STARTER STRIPS, TRIMS AROUND OPENINGS SHALL BE DONE IN ACCORDANCE WITH THE MANUFACTURES INSTRUCTIONS AND THE SFBC

RICHARD BOYETTE
FL Civil PE #42485
4031 Coconut Blvd
Royal Palm Bch FL 33411
(561) 790-5766 Voice / Fax


10/9/02

VARIFORM INC. 303 W. MAJOR KEARNEY, MO. 64060		COMPANY NAME VARIFORM INC.	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES DECIMALS TOLERANCES ANGULAR XX ± .010 ± 1° XXX ± .005 ± 1° DO NOT SCALE DRAWING		DRAWN LRB	DATE 1/99
		TITLE VINYL SIDING SOFFIT	
DESIGN ACTIVITY		SIZE B	DWG NO. 1150003A
		SHEET	



D/5
VERTICAL/SOFFIT


APPROVED MODELS



.D/5
PERFORATED
SOFFIT

APPROVED MODELS

TYPICAL INSTALLATION
VINYL SIDING/SOFFIT



NAME	DWG#	EXPOSURE INCHES	THICKNESS -0.001 INCHES	DESIGN PRESSURE P.S.F.	NAME	DWG#	EXPOSURE INCHES	THICKNESS -0.001 INCHES	DESIGN PRESSURE P.S.F.
VERTICAL/SOFFIT	1114000	DOUBLE 5	.046	40.0	PERFORATED SOFFIT	1114100	DOUBLE 5	.046	40.0
VERTICAL/SOFFIT TIMBER OAK	1114200	DOUBLE 5	.048	40.0	PERFORATED SOFFIT TIMBER OAK	1114300	DOUBLE 5	.048	40.0
VERTICAL/SOFFIT CHATEAU	1114001	DOUBLE 5	.044	40.0	PERFORATED SOFFIT CHATEAU	1114101	DOUBLE 5	.044	40.0
ECONOMY VERTICAL/SOFFIT	1114400	DOUBLE 5	.040	40.0	ECONOMY PERFORATED SOFFIT	1114500	DOUBLE 5	.040	40.0

NOTE 1.- VARIFORM INC. VINYL SIDING/SOFFIT IS MANUFACTURED FROM A FORMULATED P.V.C. POWDER COMPOUND MEETING THE SPECIFICATIONS OF ASTM D3679
 2.- WALLS AND SOFFIT RECEIVING VINYL SIDING/SOFFIT SHALL BE CHECKED FOR STRUCTURAL ADEQUACY CRACKS OR DEFECTS THAT SHALL BE ELIMINATED
 3.- WALLS SHALL BE WATER PROOFED WITH EQUIVALENT OF 15 POUND FELT AS DESCRIBED IN SECTION 2704.6 (b) OF THE SFBC


4.- WALLS AND SOFFIT WHERE VINYL SIDING/SOFFIT WILL BE INSTALLED SHALL BE DESIGNED BY AN ENGINEER OR ARCHITECT PER THE SFBC AND THE REQUIREMENTS OF THESE NOA
 5.- INSTALLATION OF SIDING/SOFFIT ACCESORIES SUCH AS CORNER POSTS, STARTER STRIPS, TRIMS AROUND OPENINGS SHALL BE DONE IN ACCORDANCE WITH THE MANUFACTURES INSTRUCTIONS AND THE SFBC

PRODUCT REVIEWED
 as required by the Florida
 Building Code
 Acceptance No. 02-0610.02
 Expiration Date 10/31/07
 By: [Signature]
 Miami Building Control
 Division

RICHARD BOYETTE
 FL Civil PE #42485
 4031 Coconut Blvd
 Royal Palm Bch FL 33411
 (561) 790-5766 Voice / Fax

[Signature]
 10/19/02

VARIFORM INC. 303 W. MAJOR KEARNEY, MO. 64060		DRAWN LRB DATE 1/99		COMPANY NAME VARIFORM INC.	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		TOLERANCES DECIMALS ± .010 ANGULAR ± 1° DO NOT SCALE DRAWING		TITLE VINYL SIDING SOFFIT	
DESIGN ACTIVITY			SIZE B	DWG NO. 1150004A	
SHEET					




D/4.5
DUTCH LAP

APPROVED MODELS

NAME	DWG#	EXPOSURE INCHES	THICKNESS -0.001 INCHES	DESIGN PRESSURE P.S.F.
CONTRACTORS CHOICE	1111000	DOUBLE 4.5	.040	40.0
CHATEAU NOBILITY	1111001	DOUBLE 4.5	.038	40.0
VARITEK	1116603	DOUBLE 4.5	.036	40.0

TYPICAL INSTALLATION
VINYL SIDING/SOFFIT



NOTE 1.- VARIFORM INC. VINYL SIDING/SOFFIT IS MANUFACTURED FROM A FORMULATED P.V.C. POWDER COMPOUND MEETING THE SPECIFICATIONS OF ASTM D3679
 2.- WALLS AND SOFFIT RECEIVING VINYL SIDING/SOFFIT SHALL BE CHECKED FOR STRUCTURAL ADEQUACY CRACKS OR DEFECTS THAT SHALL BE ELIMINATED
 3.- WALLS SHALL BE WATER PROOFED WITH EQUIVALENT OF 15 POUND FELT AS DESCRIBED IN SECTION 2704.6 (b) OF THE SFBC

4.- WALLS AND SOFFIT WHERE VINYL SIDING/SOFFIT WILL BE INSTALLED SHALL BE DESIGNED BY AN ENGINEER OR ARCHITECT PER THE SFBC AND THE REQUIREMENTS OF THESE NOA
 5.- INSTALLATION OF SIDING/SOFFIT ACCESORIES SUCH AS CORNER POSTS, STARTER STRIPS, TRIMS AROUND OPENINGS SHALL BE DONE IN ACCORDANCE WITH THE MANUFACTURES INSTRUCTIONS AND THE SFBC

PRODUCT REVIEWED
 as compl. for Florida
 Building Code
 Acceptance No. 02-0610.02
 Expires 10/31/07
 By:
 Miami Code Product Control
 Division

RICHARD BOYETTE
 FL Civil PE #42485
 4031 Coconut Blvd
 Royal Palm Bch FL 33411
 (561) 790-5766 Voice / Fax

10/9/02

VARIFORM INC. 303 W. MAJOR KEARNEY, MO. 64060		COMPANY NAME VARIFORM INC.	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		DESIGN LRB	DATE 1/99
TOLERANCES DECIMALS ± .010 ANGULAR ± 1° DO NOT SCALE DRAWING		TITLE VINYL SIDING SOFFIT	
DESIGN ACTIVITY		SIZE B	DWG NO. 1150005A
		SHEET	