



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Jeld-Wen, Inc.
31725 Highway 97 North
Chiloquin, OR 97624**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: The Jeld-Wen Series "Nord/Morgan/Nicolai" – Single Inswing Glazed Wood Doors w/wo Sidelites

APPROVAL DOCUMENT: Drawing No. S-2038, titled "Wood stile & rail door" Sheets 1 through 9 of 9, prepared by R. W. Building Consultant Inc dated 07/24/00 and last revised on 06-27-02 by manufacturer, bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 01-0410.05 and, consists of this page 1 as well as approval document mentioned above. The submitted documentation was reviewed by Ishaq I. Chanda, P. E.



**NOA No 02-0722.09
Expiration Date: September 20, 2004
Approval Date: September 19, 2002
Page 1**

Nord/Morgan/Nicolai Wood Door

6-8 AND 8-0 GLAZED INSWING
SINGLE DOOR W/ AND W/O SIDELITES

- ### GENERAL NOTES
1. THIS PRODUCT IS DESIGNED TO MEET THE SOUTH FLORIDA BUILDING CODE 1994 EDITION FOR MIAMI-DADE COUNTY.
 2. WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
 3. PRODUCT ANCHORS SHALL BE AS LISTED AND SPACED AS SHOWN ON DETAILS. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.
 4. MIAMI-DADE CO. APPROVED IMPACT RESISTANT SHUTTERS ARE REQUIRED
 5. DESIGNED PRESSURE RATING SEE TABLE PAGE 1.
 6. SIDELITES ARE AN OPTION AND CAN BE IN A SINGLE OR DOUBLE CONFIGURATION.

RESIDENTIAL STILE & RAIL WOOD DOOR

(Common to all frame conditions)


Frame Construction: The head and side jambs are finger jointed ponderosa pine measuring 4.5625" X 1.25". The head and side jambs are mortised, butted and joined using (3) 16GA. 2" X 1/2" crown staples at the top corners. The inswing threshold is attached to the floor.

Door Panel Construction: The panel is a stile and rail construction. The stiles and rails are constructed from solid wood of either Douglas Fir or Western Hemlock. They are laminated with a .0625" thk. wood veneer of the following species: Douglas Fir, Western Hemlock, Ponderosa Pine, Northern Red Oak, Red Maple, Black Cherry, Yellow Poplar, True Hickory, True Mahogany, Black Walnut, & Red Alder. The veneer face sheet is glued to the stiles and rails. The top rail is connected to the perimeter stiles w/(2) 1/2" dia. min. 4" long wooden dowels and the bottom rail is connected to the perimeter stile w/(3) 1/2" dia. min. 4" long wooden dowels. The glazing is captured between the wood cap on the exterior and the wood glass stop on the interior. The panels are wet glazed using PRC 365 silicone.


Sidelite Construction: Panel is a stile and rail construction same as the door panel. The glazing is captured between the wood cap on the exterior and the wood glass stop on the interior. The panels are wet glazed using PRC 365 silicone.

TABLE OF CONTENTS	
SHEET #	DESCRIPTION
1	COMMON (GENERAL NOTES, TYPICAL ELEVATION)
2	VERTICAL CROSS SECTIONS & B.O.M.
3	HOIZONTAL CROSS SECTIONS 1/3, 2/3, 3/3 & 4/3
4	HOIZONTAL CROSS SECTIONS 1/4, 2/4 & 3/4
5	ANCHORING LOCATIONS, SINGLE W/(2) SL & DETAILS
6	ANCHORING LOCATIONS SINGLE & SINGLE W/(1) SL
7	GLAZING DETAILS & RAIL DETAILS
8	FRAME COMPONENTS
9	DOOR MODELS

ALL MODELS ARE VIEWED FROM INTERIOR
THE SURFACE BOLTS ARE AN OPTION
USED TO ACHIEVE A HIGHER PRESSURE
SEE SHEET 3 SECTION 1/3 & 4/3 AND SHEET 4
SECTION 1/4 & 3/4 FOR SURFACE BOLT OPTIONS



6-8 SINGLE ELEVATION 6-8 SINGLE W/(1) SIDELITE ELEVATION 6-8 SINGLE W/(2) SIDELITES ELEVATION



8-0 SINGLE ELEVATION 8-0 SINGLE W/(1) SIDELITE ELEVATION 8-0 SINGLE W/(2) SIDELITES ELEVATION

DESIGN PRESSURE RATING		
	WHERE WATER INFILTRATION REQUIREMENT IS NOT NEEDED	
6-8 MODELS	+55.0psf	-55.0psf
8-0 MODELS W/OUT BOLT	+47.0psf	-47.0psf
8-0 MODELS W/BOLTS	+60.0psf	-60.0psf

INSWING DOORS ALL UNITS
(INTERIOR VIEW)


PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 02-0722-09
Expiration Date SEP 20, 2004
By Israg I. Chanda
Miami Dade Product Control
Division

PRODUCT:		WOOD STILE & RAIL DOOR GLAZED 6-8/8-0 INSWING SINGLE W/&W/OUT SIDELITES	
PART OR ASSEMBLY:		ELEVATIONS AND GENERAL NOTES	
NO.	DATE	BY	REVISIONS
3	06/27/02	KMNS	GENERAL REVISION
2	08/23/01	TJH	GENERAL REVISION
1	04/06/01	TJH	GENERAL REVISION

RW BUILDING
CONSULTANTS, INC.
813.684.3831

DATE: 7/24/00
SCALE: N.T.S.
DWG. BY: TJH
CHK. BY: RW
DRAWING NO.: S-2038
SHEET 1 OF 9

JELD-WEN, INC.
31725 HIGHWAY 97 NORTH
CHILOQUIN, OR. 97624
PH. 541.783.2057



Item	DESCRIPTION	Material
1	NORD/MORGAN/NICOLAI STILE & RAIL 6-8/8-0 WOOD DOOR (DOUGLAS FIR, WESTERN HEMLOCK, PONDEROSA PINE, NORTHERN RED OAK, RED MAPLE, BLACK CHERRY, YELLOW POPLAR, TRUE HICKORY, TRUE MAHOGANY, BLACK WALNUT, & RED ALDER)	PINE
2	HEAD JAMB (1 1/4" x 4 5/8" PONDEROSA PINE)	PINE
3	LATCH JAMB (1 1/4" x 4 5/8" PONDEROSA PINE)	PINE
4	HINGE JAMB (1 1/4" x 5/8/2" PONDEROSA PINE)	PINE
5	BLANK JAMB (1 1/4" x 4 5/8" PONDEROSA PINE)	WOOD
6	1/2" INSULATED TEMPERED GLASS (BY PPG)	GLASS
	1/8" TEMPERED GLASS (BY PPG)	GLASS
7	INSWING ADJUSTABLE THRESHOLD (BY IMPERIAL .051 WALL)	ALUMINUM
8	#8 x 2 1/2" PHILLIPS FLATHEAD WOOD SCREW	STEEL
9	1/4" x 2 1/2" LG. TAPCON OR ITW BUILDDEX TAPCON OR ELCO TAPCON	STEEL
10	SILICONE CAULK (CR LAWRENCE 33S)	SILICONE
11	NOT USED	-
12	2x WOOD BUCK	WOOD
13	1/4" MAX. SHIMS	WOOD
14	COMPRESSION WEATHERSTRIP (Q-LON QDS-650)	FOAM
15	#10 x 2" PHILLIPS FLATHEAD WOOD SCREW	STEEL
16	NORD/MORGAN/NICOLAI STYLE & RAIL 6-8/8-0 WOOD SIDELITE (DOUGLAS FIR, WESTERN HEMLOCK, PONDEROSA PINE & NORTHERN RED OAK)	PINE
17	KWIKSET TITAN 400 SERIES LOCK	
18	1/4" x 1 3/8" WOOD MULLION CAP	PINE
19	LVL MULLION SPACER 5/8" x 4 9/16"	LVL
20	WOOD CAP FOR .50" THK. GLASS	PINE
21	BRAD TRIM NAIL 1 1/2" L.	STEEL
22	GLAZING COMPOUND (PRC 365 BY DE-SOTO INTER.)	Mofd SILICON
23	4" x 4" BUTT HINGE 12GA. (.089" MIN)	STEEL
24	#9 x 1" PHILLIPS FLATHEAD WOOD SCREW	STEEL
25	#10 x 3" PHILLIPS FLATHEAD WOOD SCREW	STEEL
26	KWIKSET TITAN SERIES DEADBOLT	
27	WOOD CAP FOR .125" THK. GLASS	PINE
28	WOOD GLASS STOP FOR .125" THK. GLASS	PINE
29	WOOD GLASS STOP FOR .50" THK GLASS	PINE
30	#10 x 2 1/2" PHILLIPS FLATHEAD WOOD SCREW	STEEL
31	VINYL INSWING DOOR BOTTOM SWEEP	VINYL
32	BRAD TRIM NAIL 1" L.	STEEL
33	SURFACE BOLT (IVES, .25" STEEL)	STEEL
34	SURFACE BOLT STRIKE PLATE (IVES, .125" STEEL)	STEEL
35	1/4" CARRIAGE BOLT x 3" LG. (SURFACE BOLT ATTACH.)	STEEL
36	1/4" JAMB NUT (SURFACE BOLT ATTACH.)	STEEL
37	BRAD TRIM NAIL 3/4" L.	STEEL
38	TRUE DIVIDED GLASS GLAZING STOP	WOOD
39	VERTICAL MUNTIN BAR FOR TRUE DIVIDED GLASS	WOOD

JELD-WEN, INC.
31725 HIGHWAY 97 NORTH
CHILOQUIN, OR. 97624
PH. 541.783.2057

PRODUCT: WOOD STILE & RAIL DOOR
GLAZED 6-8/8-0 INSWING
SINGLE W/W&W/OUT SIDELITES


PART OR ASSEMBLY: VERTICAL CROSS SECTION & BILL OF MATERIALS

NO.	DATE	REVISIONS	BY
3	06/27/02	GENERAL REVISION	KMN
2	08/23/01	GENERAL REVISION	TJH
1	04/06/01	GENERAL REVISION	TJH


RW BUILDING CONSULTANTS, INC.
813.684.3831

DATE: 7/24/00
SCALE: 1/2" = 1"
DWG. BY: TJH
CHK. BY: RW
DRAWING NO.: S-2038
SHEET 2 **OF** 9


PRODUCT REVISED
as complying with the Florida Building Code
Acceptance No 02-0722-09
Expiration Date SEP 20, 2004
By Isiah I. Llauda
Miami Dade Product Control Division




1 HORIZONTAL CROSS SECTION
 3 LATCH JAMB TO BUCK
 SEE SECTION 1/3 SURFACE BOLT VIEW FOR SURFACE BOLTS. SURFACE BOLTS ARE AN OPTION ON THE 8-0 DOORS ONLY



2 HORIZONTAL CROSS SECTION
 3 HINGE JAMB TO BUCK



4 HORIZONTAL CROSS SECTION (SURFACE BOLT VIEW)
 3 SEE SECTION 1/3 FOR ALL OTHER PART CALLOUTS)
 THE SURFACE BOLTS ARE AN OPTION TO ACHIEVE HIGHER PRESSURES 8-0 DOORS ONLY
 ITEM 17 NOT SHOWN FOR CLARITY



3 HORIZONTAL CROSS SECTION
 3 SIDELITE TO BUCK, TYP.

PRODUCT REVISED as complying with the Florida Building Code
 Acceptance No. 02-0722-09
 Expiration Date SEP 20, 2004
 By Ishag I. Chanda
 Miami Dade Product Control Division

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE
 DATE SEP 20, 2001
 BY Ishag I. Chanda
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 01-0410-05


JELD-WEN, INC.
 31725 HIGHWAY 97 NORTH
 CHILOQUIN, OR. 97624
 PH. 541.783.2057

PRODUCT: WOOD STILE & RAIL DOOR
 GLAZED 6-8/8-0 INSWING
 SINGLE W/W/OUT SIDELITES
 PART OR ASSEMBLY:
 HORIZONTAL CROSS SECTIONS 1/3, 2/3 & 3/3


NO.	DATE	BY	REVISIONS
2	08/23/01	TJH	GENERAL REVISION
1	04/06/01	TJH	GENERAL REVISION

RW BUILDING CONSULTANTS, INC.
 813.684.3831


DATE: 7/24/00
 SCALE: 1/2" = 1"
 DWG. BY: TJH
 CHK. BY: RW
 DRAWING NO.: S-2038
 SHEET 3 OF 9



1 HORIZONTAL CROSS SECTION
 @ LATCH JAMB TO SIDELITE
 SEE SECTION 1/4 SURFACE BOLT
 VIEW FOR SURFACE BOLTS. SURFACE BOLTS
 ARE AN OPTION ON THE 8-0 DOORS ONLY



3 HORIZONTAL CROSS SECTION (SURFACE BOLT VIEW)
 4 SEE SECTION 1/4 FOR ALL OTHER PART CALLOUTS)
 THE SURFACE BOLTS ARE AN OPTION TO ACHIEVE
 HIGHER PRESSURES 8-0 DOORS ONLY
 ITEM 17 NOT SHOWN FOR CLARITY



2 HORIZONTAL CROSS SECTION
 @ HINGE JAMB TO SIDELITE

NOTES: (TYP. TO ALL FRAME CONFIGURATIONS)

1. SPACING FOR ITEM #8 AT THE MULLION IS AS FOLLOWS; 8-0 UNITS 6" DOWN FROM TOP & (6) MORE AT @ 14.375" O.C. 6-8 UNITS SAME AS THE PERIMETER SPACING FOR THE 6-8 UNITS.
2. SPACING FOR ITEM #8 ATTACHING THE SIDELITE INTO THE FRAME: 6" FROM EACH CORNER (VERTICALLY & HORIZONTALLY) AND (2) MORE EVENLY SPACED AT EACH VERTICAL SIDE JAMB. (4) TOTAL AT SIDE JAMBS & (2) TOTAL AT HEADER AND THRESHOLD EACH.
3. WHEN ATTACHING STRIKE & DEADBOLT PLATES TO THE JAMB USE: ON SINGLE UNITS; ITEM #30 (#10 x 2 1/2"), ON SINGLE UNITS W/SIDELITES ITEM #25 (#10 x 3").
4. THE THRESHOLD IS NOT ATTACHED TO THE FRAME, IT IS NOTCHED AND ATTACHED TO THE FLOOR WITH ITEMS #9 1/4" x 2 1/4" TAPCON AND #10 (CR LAWRENCE 33S SILICONE CAULK). APPLY A CONTINUOUS BEAD .125" THK. x .375" W. AROUND ALL (4) OUTER EDGES WITH A MINIMUM OF (2) ROWS IN A ZIG ZAG PATTERN IN THE MIDDLE THE ENTIRE LENGTH OF THE THRESHOLD, .125" THK. x .375" W.
5. THE TOP CORNERS OF THE DOOR FRAME, AND ALL FOUR CORNERS OF THE SIDELITE FRAME ARE STAPLED TOGETHER USING (3) 16GA. x 2" LG. x 1/2" CROWN STAPLES.
6. SPACING FOR ITEM #21 & #32 IS A MAX. OF 8" O.C.

JELD-WEN, INC.
 31725 HIGHWAY 97 NORTH
 CHILOQUIN, OR. 97624
 PH. 541.783.2057

PRODUCT: WOOD STILE/RAIL DOOR
 GLAZED 6-8/8-0 INSWING
 SINGLE W/W/OUT SIDELITES
 PART OR ASSEMBLY:
 HORIZONTAL CROSS
 SECTIONS 1/4 & 2/4


NO.	DATE	REVISIONS	TJH	TJH	BY
2	08/23/01	GENERAL REVISION	TJH		
1	04/06/01	GENERAL REVISION	TJH		

RW BUILDING
 CONSULTANTS, INC.
 813.684.3831

PRODUCT REVISED
 to comply with the Florida
 Building Code
 Acceptance No. 02-0722-09
 Expiration Date SEP 20, 2004
 By Ishaq I. Chande
 Miami Dade Product Control
 Division

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE SEP 20, 2001
 By Ishaq I. Chande
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 01-0410.05

DATE: 7/24/00
 SCALE: 1/2" = 1"
 DWG. BY: TJH
 CHK. BY: RW
 DRAWING NO.: S-2038
 SHEET 4 OF 9



JELD-WEN, INC.
 31725 HIGHWAY 97 NORTH
 CHILOQUIN, OR. 97624
 PH. 541.783.2057

PRODUCT:
 WOOD STILE & RAIL DOOR
 GLAZED 6-8/8-0 INSWING
 SINGLE W/&W/OUT SIDELITES
 PART OR ASSEMBLY:
 ANCHORING LOCATIONS
 & DETAILS


NO	DATE	REVISIONS
2	08/23/01	GENERAL REVISION TJH
1	04/06/01	GENERAL REVISION TJH
		BY

RW BUILDING
 CONSULTANTS, INC.
 813.684.3831

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No 02-0722-09
 Expiration Date SEP 20, 2004
 By Ishag I. Chanda
 Miami Dade Product Control
 Division

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE SEP 20, 2001
 BY Ishag I. Chanda
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 01-0410-05

DATE: 7/24/00
 SCALE: N.T.S.
 DWG. BY: TJH
 CHK. BY: RW
 DRAWING NO.: S-2038
 SHEET 5 OF 9



ANCHORING LOCATIONS, SINGLE W/(1) SIDELITE
6-8 & 8-0 UNITS

ANCHORING LOCATIONS, SINGLE
6-8 & 8-0 UNITS

JELD-WEN, INC.
31725 HIGHWAY 97 NORTH
CHILOQUIN, OR. 97624
PH. 541.783.2057

PRODUCT:
WOOD STILE & RAIL DOOR
GLAZED 6-8/8-0 INSWING
SINGLE W/W/OUT SIDELITES
PART OR ASSEMBLY:
ANCHORING LOCATIONS


NO.	DATE	REVISIONS	BY
2	08/23/01	GENERAL REVISION	TJH
1	04/06/01	GENERAL REVISION	TJH

RW BUILDING
CONSULTANTS, INC.
813.684.3831


PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 02-0722.09
Expiration Date SEP 20, 2004
By Ishag J. Lhanda
Miami Dade Product Control
Division

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE SEP 20, 2001
BY Ishag J. Lhanda
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 01-0410.05


DATE: 7/24/00
SCALE: N.T.S.
DWG. BY: TJH
CHK. BY: RW
DRAWING NO.: S-2038
SHEET 6 OF 9




WOOD FRAME




ADJUSTABLE INSWING THRESHOLD
.051" WALL THK.




EXTRUDED VINYL INSWING
DOOR BOTTOM SWEEP



4 x 4 DOOR HINGE



SURFACE BOLT (IVES MODEL #455, .25" STEEL)



SURFACE BOLT STRIKE (IVES .125" STEEL)

JELD-WEN, INC.
31725 HIGHWAY 97 NORTH
CHILOQUIN, OR. 97624
PH. 541.783.2057

PRODUCT: WOOD STILE & RAIL DOOR
GLAZED 6-8/8-0 INSWING
SINGLE W/&W/OUT SIDELITES
PART OR ASSEMBLY:
FRAME COMPONENTS


NO.	DATE	REVISIONS	BY
2	08/23/01	GENERAL REVISION	TJH
1	04/06/01	GENERAL REVISION	TJH

RW BUILDING
CONSULTANTS, INC.
813.684.3831


PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 02-0722-09
Expiration Date SEP 20, 2004
By Ishag I. Chanda
Miami Dade Product Control
Division

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE SEP 20, 2001
BY Ishag I. Chanda
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 01-0410.05

DATE: 7/24/00
SCALE: N.T.S.
DWG. BY: TJH
CHK. BY: RW
DRAWING NO.:
S-2038
SHEET 8 OF 9




**.50" INSULATED TEMPERED GLASS
GLAZING DETAIL**
SCALE: 1/2" = 1"




**.125" TEMPERED GLASS
GLAZING DETAIL**
SCALE: 1/2" = 1"


NOTE:
THE MULTI-LITE DOOR PANEL
IS MADE UP OF TRUE
DIVIDED GLASS PANELS.




TRUE DIVIDED GLASS GLAZING STOP
SCALE: FULL



VERTICAL MUNTIN BAR DETAIL
SCALE: 1/2" = 1"



CENTER BAR DETAIL
SCALE: 1/2" = 1"




NOTE:
DOWELS ARE GLUED AND PRESSED 2.0" INTO
THE RAILS AND STILES AT PANEL ASSEMBLY.


NORD DOOR .50" WOOD
DOWEL x 4.0" LG., 2PLCS
MORGAN/NICOLAI DOOR .625" WOOD
DOWEL x 4.0" LG., 2PLCS

DIMENSION "A" CHART	
OPENING FOR	DIM. "A"
1/8" GLASS	.152"
1/2" GLASS	.527"

NORD DOOR HOLE FOR .50" WOOD
DOWEL x 4.0" LG., 2PLCS
MORGAN/NICOLAI DOOR HOLES FOR
.625" WOOD DOWEL x 4.0" LG., 2PLCS



TOP RAIL
SCALE: 1/2" = 1"



SIDE STILE
SCALE: 1/2" = 1"

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 02-0722.09
Expiration Date SEP 20, 2004
By Ishag I. Chanda
Miami Dade Product Control
Division

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE SEP 20, 2001
BY Ishag I. Chanda
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 01-0410-05

DATE: 7/24/00
SCALE: AS NOTED
DWG. BY: TJH
CHK. BY: RW
DRAWING NO.: S-2038
SHEET 7 OF 9

PRODUCT:
WOOD STILE & RAIL DOOR
GLAZED 6-8/8-0 INSWING
SINGLE W/W/OUT SIDELITES
PART OR ASSEMBLY:
GLAZING DETAILS
& RAIL DETAILS

NO.	DATE	GENERAL REVISION	TJH	BY
2	08/23/01	GENERAL REVISION	TJH	
1	04/06/01	GENERAL REVISION	TJH	
				REVISIONS

RW BUILDING
CONSULTANTS, INC.
813.684.3831

JELD-WEN, INC.
31725 HIGHWAY 97 NORTH
CHILLOQUIN, OR. 97624
PH. 541.783.2057



8-0 DOOR MODELS (VIEWED FROM INTERIOR)
 8-0 MAX. MUNTIN D.L.O. WIDTH = 14.6875"
 8-0 MAX. MUNTIN D.L.O. HEIGHT = 66.6875"

8-0 SIDELITE MODEL



6-8 DOOR MODELS N.T.S. (VIEWED FROM INTERIOR)
 6-8 MAX. MUNTIN D.L.O. WIDTH = 14.6875"
 6-8 MAX. MUNTIN D.L.O. HEIGHT = 53.3125"

6-8 SIDELITE MODEL

NOTE:
 THE MULTI-LITE DOOR PANEL
 IS MADE UP OF TRUE
 DIVIDED GLASS PANELS.

JELD-WEN, INC.
 31725 HIGHWAY 97 NORTH
 CHILOQUIN, OR. 97624
 PH. 541.783.2057

PRODUCT: WOOD STILE & RAIL DOOR
 GLAZED 6-8/8-0 INSWING
 SINGLE W/&W/OUT SIDELITES
 PART OR ASSEMBLY:
 DOOR MODELS

NO.	DATE	GENERAL REVISION	TJH	BY
2	08/23/01	GENERAL REVISION	TJH	
1	04/06/01	GENERAL REVISION	TJH	

RW BUILDING
 CONSULTANTS, INC.
 813.684.3831

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 02-0722-09
 Expiration Date SEP 20, 2004
 By Shag J. Chanda
 Miami Dade Product Control
 Division

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE SEPTEMBER 20, 2001
 BY Shag J. Chanda
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 01-0410.05

DATE: 7/24/00
 SCALE: N.T.S.
 DWG. BY: TJH
 CHK. BY: RW
 DRAWING NO.: S-2038
 SHEET 9 OF 9