



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Doors & Building Components, Inc.
4310 Industrial Access Road
Douglasville, GA 30134**

SCOPE: This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: 12'- 0" Rolling Steel Door

APPROVAL DOCUMENT: Drawing No. 01-413, titled ROLL-UP DOOR, sheets 1 & 2, prepared by Knezevich & Associates, Inc., signed sealed by V.J. Knezevich, PE, dated 08/01/01, with last revision on 10/01/02, bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 01-0828.07 and consists of this page 1 as well as approval document mentioned above. The submitted documentation was reviewed by **Candido F. Font, PE.**



**NOA No 02-1009.03
Expiration Date: September 27, 2006
Approval Date: December 05, 2002
Page 1**

Doors & Building Components, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

(For File ONLY. Not part of NOA)

A. DRAWINGS

1. Drawing No. 01-413, prepared by Knezevich & Associates, Inc, titled Roll-Up Door, dated 08/01/01 with last revision on 10/01/02, sheets 1 & 2 signed and sealed by V. J. Knezevich, PE.

B. TESTS

1. Test report on Large Missile Impact Test per PA 201, Cyclic Wind Pressure Test per PA 203 and Uniform Static Air Pressure Test per PA 202 on a " 12'-0" wide by 8' high door", prepared by Construction Testing Corporation, report No. CTC 97-027, dated 05/31/97, signed and sealed by Y. G. Yuri, PE.
2. Test report of Tension Test per ASTM E8 on Steel Sheet, prepared by Certified Testing Laboratories, report No. CTL # 413C, dated 06/03/97, signed and sealed by R. Patel, PE.

C. CALCULATIONS

1. Anchor calculations dated 12/15/97 sheets 1 through 11 & of 11 signed and sealed by V. J. Knezevich, PE. .

D. MATERIAL CERTIFICATIONS

1. Report of test and analysis issued by Bethlehem Steel Corporation, dated 04/17/97 signed G. D. Marsh.

E. STATEMENTS

1. No change letter issued by Door & Building Components on 08/15/01 and signed D. Mills.
2. Letter of code compliance issued by Knezevich & Associates Inc, dated 12/23/97, signed and sealed by V. J. Knezevich, PE.
3. Letter of no financial interest issued by Knezevich and Associates Inc, dated 06/06/97, signed and sealed by V.J. Knezevich, PE.
4. No change on drawing letter issued by Knezevich & Associates Inc, dated 10/04/02 and signed by V. J. Knezevich, PE.



Candido F. Font, PE
Senior Product Control Division
NOA No 02-1009.03
Expiration Date: September 27, 2006
Approval Date: December 05, 2002



KNEZEVICH & ASSOCIATES, INC.
 CONSULTING ENGINEERS • PRODUCT TESTING
 1260 N. UNIVERSITY DRIVE, SUITE 180 • FORT LAUDERDALE, FL 33322
 TEL: (954) 382-2800 • FAX: (954) 382-2989 • FLORIDA COA #3205
 WEBSITE: WWW.KNEZEVICH.COM • E-MAIL: KA@KNEZEVICH.COM
 COPYRIGHT © 2002 KNEZEVICH & ASSOCIATES, INC.


ROLL-UP DOOR
DOORS & BUILDING COMPONENTS, INC.
 4310 Industrial Access Rd. • Douglasville, GA 30134
 Phone: (770) 942-0501 • Fax: (770) 489-0873

V.J. KNEZEVICH
 PROFESSIONAL ENGINEER
 FL License No: PE 0010983


001 04 2002

no	date	description
0	08/01/01	AS PREP. DRAWING NO. 97-09
1	10/01/02	JDLB GENERAL NOTES


date	08/01/2001
scale	AS NOTED
AS NOTED	drawn by MC
design by WAS	checked by VJK
drawing no.	01-413
sheet	2 of 2




A WINDLOCK GUIDE CONNECTION TO CONCRETE DETAIL
 SCALE: 3" = 1'-0"




B WINDLOCK GUIDE CONNECTION TO CONCRETE BLOCK DETAIL
 SCALE: 3" = 1'-0"



C WINDLOCK GUIDE CONNECTION TO STEEL JAMB DETAIL
 SCALE: 3" = 1'-0"



D SUPERIMPOSED LOAD DIAGRAM
 SCALE: 3" = 1'-0"
 Vx & Vy FORCES ARE SHOWN AT THE CENTER OF FORCE ANCHORS TO STRUCTURE ARE DESIGNED TO RESIST THE ECCENTRICITY INDICATED. EXISTING STRUCTURE SHALL BE CAPABLE OF RESISTING THE FORCES SHOWN AND THE CORRESPONDING REACTIONS AND MOMENT AT THE STEEL OR CONCRETE STRUCTURE.



E DOOR MOUNTING BRACKET DETAIL
 SCALE: 1-1/2" = 1'-0"

ANCHOR NOTES:
 1. EMBEDMENT LENGTH DOES NOT INCLUDE STUCCO OR ANOTHER EXTERIOR FINISH.
 2. FOR HOLLOW MASONRY, FILL ALL CELLS AT ANCHOR W/ 2500 P.S.I. GROUT.
 3. ANCHORS SHALL BE INSTALLED IN ACCORDANCE W/ MANUFACTURERS SPECIFICATIONS.

02-1009.03
 01/27/02
 Miami Gate Product Control
 Division

Print Information: C:\CAD\Cadwin\VP01-413\VP1-sub\01-413-02.dwg Avezquez 10/01/2002 03:50:40pm