



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Palm City Millwork, Inc.
3313 SW 42 Ave.
Palm City, FL 34990**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Wood Casement Window

APPROVAL DOCUMENT: Drawing No. **PCM-DP80/98C**, titled "Casement Window", Sheets 1 through 8 of 8, dated 12/15/98, prepared by W. W. Schaefer Engineering & Consulting, P.A., signed and sealed by Warren W. Schaefer, P.E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **renews NOA # 99-0621.07** and, consists of this page 1 as well as approval document mentioned above. The submitted documentation was reviewed by **Manuel Perez, P.E.**



**NOA No 02-1021.01
Expiration Date: November 25, 2007
Approval Date: November 21, 2002
Page 1**

Palm City Millwork, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

(For File ONLY. Not part of NOA)

A. DRAWINGS

1. Manufacturer's die drawings and sections.
2. Drawing No. **PCM-DP80/98C**, titled "Casement Window", Sheets 1 through 8 of 8, dated 12/15/98, prepared by W. W. Schaefer Engineering & Consulting, P.A., signed and sealed by Warren W. Schaefer, P.E.

B. TESTS


1. Test reports on
 - 1) Air Infiltration Test, per TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per TAS 202-94.
 - 3) Water Resistance Test, per TAS 202-94.
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94along with installation diagram of an operable outswing wood casement window prepared by Hurricane Test Laboratory, Inc., Test Report No. **HTL-0067-0419-99**, dated 04/19/99 thru, 04/19/99, signed and sealed by Vinu J. Abraham, P.E
2. Test reports on
 - 1) Large Missile Impact Test per FBC, TAS 201-94
 - 2) Cyclic Wind Pressure Loading per FBC, TAS 203-94along with installation diagram of a fixed/operable (OX) outswing wood casement window, prepared by Hurricane Test Laboratory, Inc., Test report No. **HTL-0067-0901-98**, dated 08/31/99 thru , 04/19/99, signed and sealed by Timothy S. Marshall, P.E.
3. Test reports on
 - 1) Large Missile Impact Test per FBC, TAS 201-94
 - 2) Cyclic Wind Pressure Loading per FBC, TAS 203-94along with installation diagram of a fixed/operable (OXX) outswing wood casement window, prepared by Hurricane Test Laboratory, Inc., Test report No. **HTL-0067-0601-97**, dated 06/02/97, signed and sealed by Vinu J. Abraham, P.E

C. CALCULATIONS:

1. Anchor Calculations prepared by W.W. Schaefer Engineering & Consulting, P.A, dated 12/7/98, revised on Oct. 06, 1999, Sheets 1 thru 11 of 11, signed and sealed by Warren W. Schaefer, P.E

D. MATERIAL CERTIFICATIONS:

1. Notice of Acceptance No. **97-1224.07** issued to Solutia, Inc. for "Polyvinyl Butyral Interlayer Saflex" dated 06/25/98, expiring on 01/09/2000.
2. Notice of Acceptance No. **98-0513.03** issued to Globe Amerada Glass Co. for "Glass-Clad Polycarbonate" dated 09/03/98, expiring on 09/03/2001.


Manuel Perez, P.E.
Product Control Examiner

NOA No 02-1021.01

Expiration Date: November 25, 2007

Approval Date: November 21, 2002

Palm City Millwork, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED


(For File ONLY. Not part of NOA)

E. STATEMENTS

1. None

F. OTHER

1. Notice of Acceptance No. **99-0621.07**, issued to Palm City Millwork, Inc. for their Wood Casement Window, approved on 11/25/99 and expiring on 11/25/02.




Manuel Perez, P.E.
Product Control Examiner
NOA No 02-1021-01

Expiration Date: November 25, 2007

Approval Date: November 21, 2002


ALLOWABLE DESIGN PRESSURE

POSITIVE 70 PSF	NEGATIVE 80 PSF
---------------------------	---------------------------



ELEVATION @ OUTSWING CASEMENT WINDOW WITH BUTT HINGES


SCALE: 3/4"=1'-0"



ELEVATION @ OUTSWING CASEMENT WINDOW WITH SCISSOR HINGES

SCALE: 3/4"=1'-0"

PRODUCT RENEWED
in compliance with the Florida
Building Code
Acceptance No. 02-021-01
Expiration Date: 11/25/07
By: *Manuel Jera*
Miami Trade Product Control
Division



INSTALLATION ELEVATION SHOWING FASTENER LOCATIONS
SCALE: 3/4"=1'-0"

NOTE: UNIT SHOWN FROM EXTERIOR

NOTE:
THE NUMBER OF LOCKING POINTS & SNUBBERS MAY BE REDUCED PROPORTIONAL TO REDUCTION IN WINDOW SIZE & AREA. SEE LOCK/HINGE/SNUBBER QUANTITY TABLE ON SHEET 8.

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE
DATE *November 25, 1999*
BY *Manuel Jera*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. *99-0621.07*

**** GENERAL NOTES ****

- THIS CASEMENT WINDOW SYSTEM HAS BEEN TESTED, ANALYZED AND APPROVED FOR DESIGN PRESSURES NOT TO EXCEED +70/-80 PSF.
- BUCKING, OPENINGS & BUCKING FASTENERS MUST BE DESIGNED & INSTALLED TO WITHSTAND WIND LOADS AS DETERMINED FOR EACH APPLICATION (NEVER TO EXCEED +70/-80 PSF)
- BUCKING FASTENERS MAY NOT EXCEED 16" O.C. SPACING AROUND OPENINGS REGARDLESS OF CIRCUMSTANCE.
- ALL HARDWARE & FASTENERS SHALL BE IN ACCORDANCE WITH THESE DRAWINGS & MAY NOT VARY UNLESS SPECIFICALLY MENTIONED ON THE DRAWINGS.
- THE DETAILS & SPECIFICATIONS SHOWN HEREIN REPRESENT THE PRODUCTS PROPOSED FOR WATER, AIR, IMPACT, CYCLIC & UNIFORM STATIC AIR PRESSURE TESTING IN CONFORMANCE WITH DADE COUNTY PROTOCOLS PA 201, 202, & 203.
- ALL JAMB TO BUCKING FASTENERS MUST PENETRATE THE BUCK A MINIMUM OF 1 1/4", IF PENETRATION IS LESS THEN 1 1/4" SCREW LENGTH SHALL INCREASE AS REQUIRED.

OCT 06 1999


Warren W. Schaefer
WARREN W. SCHAEFER, P.E.
STRUCTURAL ENGINEER
P.E. No. 44195

W. W. SCHAEFER ENGINEERING & CONSULTING, P.A.
STRUCTURAL CONSULTING ENGINEERS
600 SANDTREE DRIVE, SUITE 203B PHONE: (561)775-4902
PALM BEACH GARDENS, FL 33403 FAX: (561)775-4903

PALM CITY MILLWORK, INC.

3313 SW 42ND AVE P.O. BOX 1661
PALM CITY, FL 34990
(561) 288-7086 FAX (561) 288-7440

MODEL NAME: PCM-DP80/98C	DESCRIPTION: CASEMENT WINDOWS	SHEET NO. 1
DATE: 12/15/98	REVISIONS:	OF 8
SCALE: AS NOTED	DADE	




TYP. MULTIPLE WINDOW UNIT
SCALE: 3/4"=1'-0"
(SEE SINGLE UNITS ON SHEET 1 FOR ALL WINDOW INFORMATION NOT SHOWN)

NOTE: UNIT SHOWN FROM EXTERIOR


ALLOWABLE DESIGN PRESSURE	
POSITIVE 60 PSF	NEGATIVE 60 PSF
TYP. FOR MULTIPLE UNITS ONLY. SEE SHEET 1 FOR SINGLE UNIT PRESSURES.	

NOTE:
THE NUMBER OF LOCKING POINTS & SNUBBERS MAY BE REDUCED PROPORTIONAL TO REDUCTION IN WINDOW SIZE & AREA. SEE LOCK/HINGE/SNUBBER QUANTITY TABLE ON SHEET 8.

NO. 10 x 3" S.S. SMS @ 16" O.C. & 4" FROM ENDS STAGGERED WITH SCREWS @ CASEMENT JAMB FOR OVERALL SPACING = 8" O.C. COUNTER COUNTER SINK 1/8" & FINISH.



MULLION SECTION NO. 5
SCALE: 3"=1'-0"
(SIMILAR FOR CASEMENT TO CASEMENT MULLION)



INSTALLATION ELEVATION
SHOWING FASTENER LOCATIONS
SCALE: 3/4"=1'-0"

PRODUCT RENEWED as complying with the Florida Building Code Acceptance No. 02-1021.01 Expiration Date 11/25/07
By *Maund Perry*
Miami Dade Product Control Division

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE
DATE *November 25, 1999*
By *Maund Perry*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. *99-0621-07*

** GENERAL NOTES **

- THIS MULTIPLE CASEMENT WINDOW SYSTEM HAS BEEN TESTED, ANALYZED AND APPROVED FOR DESIGN PRESSURES NOT TO EXCEED +60/-60 PSF.
- BUCKING, OPENINGS & BUCKING FASTENERS MUST BE DESIGNED & INSTALLED TO WITHSTAND WIND LOADS AS DETERMINED FOR EACH APPLICATION (NEVER TO EXCEED +60/-60 PSF)
- BUCKING FASTENERS MAY NOT EXCEED 16" O.C. SPACING AROUND OPENINGS REGARDLESS OF CIRCUMSTANCE.
- ALL HARDWARE & FASTENERS SHALL BE IN ACCORDANCE WITH THESE DRAWINGS & MAY NOT VARY UNLESS SPECIFICALLY MENTIONED ON THE DRAWINGS.
- THE DETAILS & SPECIFICATIONS SHOWN HEREIN REPRESENT THE PRODUCTS PROPOSED FOR WATER, AIR, IMPACT, CYCLIC & UNIFORM STATIC AIR PRESSURE TESTING IN CONFORMANCE WITH DADE COUNTY PROTOCOLS PA 201, 202, & 203.
- ALL JAMB TO BUCKING FASTENERS MUST PENETRATE THE BUCK A MINIMUM OF 1 1/4", IF PENETRATION IS LESS THEN 1 1/4" SCREW LENGTH SHALL INCREASE AS REQUIRED.

OCT 06 1999


Warren W. Schaefer
WARREN W. SCHAEFER, P.E.
STRUCTURAL ENGINEER
P.E. No. 44136

W. W. SCHAEFER ENGINEERING & CONSULTING, P.A.
STRUCTURAL CONSULTING ENGINEERS
600 SANDTREE DRIVE, SUITE 2038 PHONE: (561)775-4902
PALM BEACH GARDENS, FL 33403 FAX: (561)775-4903


PALM CITY MILLWORK, INC.

3313 SW 42ND AVE P.O. BOX 1661
PALM CITY, FL 34990
(561) 288-7086 FAX (561) 288-7440

MODEL NAME: PCM-DP80/98C	DESCRIPTION: CASEMENT WINDOWS	SHEET No. 2 OF 8
DATE: 12/15/98	REVISIONS: DADE	
SCALE: AS NOTED		




1 VERTICAL SECTION @ CASEMENT WINDOW
3 SCALE: HALF FULL SIZE




2 PLAN SECTION @ CASEMENT WINDOW
3 SCALE: HALF FULL SIZE

7/16" LAMINATED GLASS BY MONSANTO (SAFLEX) WITH 3/16" ANNEALED, .090" PVB (POLYVINYL BUTYL) INNER LAYER, 3/16" ANNEALED GLASS



1/8" CHEM-TEM CHEMICALLY TREATED GLASS

0.06" LEXAN POLYCARBONATE SHEET WITH 0.035" URATHANE PE-399 BY MORTON INTERNATIONAL EACH SIDE OF POLYCARBONATE



APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE
DATE November 25, 1999
BY *Warren W. Schaefer*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 99-0621.07

PRODUCT RENEWED as complying with the Florida Building Code
Acceptance No. 02-1021-01
Expiration Date 11/25/07
By *Warren W. Schaefer*
Miami Dade Product Control Division

LEGEND	
A	QEB-928 SCHLEGEL DOOR SEAL WEATHER STRIP. CELLULAR FOAM CORE, EMBOSSED POLYETHYLENE





OCT 06 1999

Warren W. Schaefer
WARREN W. SCHAEFER, P.E.
STRUCTURAL ENGINEER
P.E. No. 44138

W. W. SCHAEFER ENGINEERING & CONSULTING, P.A.
STRUCTURAL CONSULTING ENGINEERS
600 SANDTREE DRIVE, SUITE 203B PHONE: (561)775-4902
PALM BEACH GARDENS, FL 33403 FAX: (561)775-4903

PALM CITY MILLWORK, INC.
3313 SW 42ND AVE P.O. BOX 1861
PALM CITY, FL 34990
(561) 288-7086 FAX (561) 288-7440

DRAWING No./MODEL NAME PCM-DP80/98C	DESCRIPTION: CASEMENT WINDOWS	SHEET No. 3 OF 8
DATE: 12/15/88	REVISIONS:	DADE
SCALE: AS NOTED		



PRODUCT RENEWED
 as complying with the Florida Building Code
 Acceptance No. 02-1021.01
 Expiration Date 11/25/07
 By Maurice Sere
 Miami Dade Product Control Division

LEGEND

A	QEB-928 SCHLEGEL DOOR SEAL WEATHER STRIP. CELLULAR FOAM CORE, EMBOSSED POLYETHYLENE
---	---

OCT 06 1999


WARREN W. SCHAEFER, P.E.
 STRUCTURAL ENGINEER
 P.E. No. 44136

W. W. SCHAEFER ENGINEERING & CONSULTING, P.A.
 STRUCTURAL CONSULTING ENGINEERS
 600 SANDTREE DRIVE, SUITE 203B PHONE: (561)775-4902
 PALM BEACH GARDENS, FL 33403 FAX: (561)775-4903


PALM CITY MILLWORK, INC.
 3313 SW 42ND AVE P.O. BOX 1661
 PALM CITY, FL 34990
 (561) 288-7086 FAX (561) 288-7440

DRAWING No./MODEL NAME PCM-DP80/98C	DESCRIPTION: CASEMENT WINDOWS	SHEET No. 4 OF 8
DATE: 12/15/98	REVISIONS:	DADE
SCALE: AS NOTED		


ALL MATERIAL TO BE HONDURAS MAHOGANY




DETAIL @ JAMB & STOP W/ SCREW
SCALE: FULL SIZE




DETAIL @ STILES & RAILS
SCALE: FULL SIZE



DETAIL @ CASEMENT SILL
SCALE: FULL SIZE



PCM 225
BRASS SNUBBER
SCALE: FULL SIZE




DETAIL @ GLASS STOP
SCALE: FULL SIZE

PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No. 02-1021-01
Expiration Date 11/25/07
By *Manuel Sura*
Miami Dade Product Control
Division


APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE *November 25, 1999*
BY *Manuel Sura*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 99-0621-07

<p>OCT 06 1999</p> <p><i>Manuel Sura</i></p> <p>WARREN W. SCHAEFER, P.E. STRUCTURAL ENGINEER P.E. No. 44136</p>		<p>PALM CITY MILLWORK, INC.</p> <p>3313 SW 42ND AVE P.O. BOX 1681 PALM CITY, FL 34990 (561) 288-7086 FAX (561) 288-7440</p>		<p>SHEET No.</p> <p>5</p> <p>OF 8</p>
<p>W. W. SCHAEFER ENGINEERING & CONSULTING, P.A. STRUCTURAL CONSULTING ENGINEERS 600 SANDTREE DRME; SUITE 203B PALM BEACH GARDENS, FL 33403 PHONE: (561)775-4902 FAX: (561)775-4903</p>		<p>MODEL NAME: PCM-DP80/98C</p>	<p>DESCRIPTION: CASEMENT WINDOWS</p>	
<p>DATE: 12/15/98</p>		<p>REVISIONS:</p>	<p>DADE</p>	
<p>SCALE: AS NOTED</p>				



DETAIL @ CONCEALED CASEMENT SASH LOCK

SCALE: 1/2"=1" (HALF SIZE)



TYP. MORTISE & TENON CORNER DETAIL
SCALE: N.T.S.

TYP. RABBETED JAMB DETAIL
SCALE: N.T.S.

PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No 02-1021-01
Expiration Date 11/25/07
By *Manuel Ruiz*
Miami Dade Product Control
Division


APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE *November 25, 1999*
BY *Manuel Ruiz*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. *99-0621-07*

OCT 06 1999 WARREN W. SCHAEFER, P.E. STRUCTURAL ENGINEER P.E. No. 44136		PALM CITY MILLWORK, INC. 3313 SW 42ND AVE P.O. BOX 1661 PALM CITY, FL 34990 (561) 288-7086 FAX (561) 288-7440	
W. W. SCHAEFER ENGINEERING & CONSULTING, P.A. STRUCTURAL CONSULTING ENGINEERS 600 SANDTREE DRIVE, SUITE 203B PHONE: (561)775-4902 PALM BEACH GARDENS, FL 33403 FAX: (561)775-4903		MODEL NAME: PCM-DP80/98C	DESCRIPTION: CASEMENT WINDOWS
DATE: 12/15/98		REVISIONS:	SHEET No. 6 OF 8
SCALE: AS NOTED		DADE	

NOTE:


* THE DESIGN ENGINEER FOR BUCK ATTACHMENT TO OPENING SHALL BE AWARE THAT THE WINDOW MULLIONS TRANSFER POINT LOADS TO THE BUCK AT EACH MULLION END.

* PROPER FASTENING OF THE BUCK IN THOSE AREAS MUST BE COMPLETED TO CARRY THE POINT LOADS. (AMOUNT OF LOAD VARIES WITH WINDOW SIZE).



ELEVATION @ STUD WALL BUCK INSTALLATION

SCALE: 1/2"=1'-0"



ELEVATION @ CONCRETE WALL BUCK INSTALLATION

SCALE: 1/2"=1'-0"

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No. 02-1021.01
 Expiration Date 11/25/03
 By *Manuel Perez*
 Miami Dade Product Control
 Division

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE *November 25, 1999*
 BY *Manuel Perez*
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. *99-0621.07*

OCT 06 1999

WARREN W. SCHAEFER, P.E.
 STRUCTURAL ENGINEER
 P.E. No. 44135

W. W. SCHAEFER ENGINEERING & CONSULTING, P.A.
 STRUCTURAL CONSULTING ENGINEERS
 600 SANDTREE DRIVE, SUITE 203B PHONE: (561)775-4902
 PALM BEACH GARDENS, FL 33403 FAX: (561)775-4903


PALM CITY MILLWORK, INC.

3313 SW 42ND AVE P.O. BOX 1661
 PALM CITY, FL 34990
 (561) 288-7086 FAX (561) 288-7440


MODEL NAME: PCM-DP80/98C	DESCRIPTION: CASEMENT WINDOWS	REVISIONS:	DADE	SHEET No. 7 OF 8
DATE: 12/15/98	SCALE: AS NOTED			

LOCK/HINGE/SNUBBER QUANTITY TABLE				
HEIGHT O/ALL UNIT	WIDTH O/ALL UNIT	NUMBER OF LOCKS REQ'D	NUMBER OF HINGES REQ'D	NUMBER OF SNUBBERS REQ'D
36"	ALL	2	2	2
42"	30"	2	2	2
42"	36"	3	2	3
42"	42"	3	2	3
48"	18"	2	2	2
48"	24"	3	2	3
48"	42"	3	2	3
54"	36"	3	3	3
54"	42"	4	3	4
60"	30"	3	3	3
60"	42"	4	3	4
66"	24"	3	3	3
66"	36"	4	3	4
66"	42"	5	3	5
72"	24"	3	3	3
72"	30"	4	3	4
72"	36"	5	3	5
78"	30"	4	3	4
78"	42"	5	3	5

NOTE: INTERPOLATION BETWEEN VALUES IS NOT PERMITTED. USE TABLE WINDOW SIZE NEXT UP FROM THE ACTUAL SIZE TO BE CONSIDERED.



7 HORIZONTAL SECTION OF BLOCK WALL INSTALLATION
8 SCALE: HALF FULL SIZE



6 HORIZONTAL SECTION OF STUD WALL INSTALLATION
8 SCALE: HALF FULL SIZE

PRODUCT RENEWED as complying with the Florida Building Code Acceptance No. 02-1021.01 Expiration Date 11/25/07
By *Maurice Torres* Miami Dade Product Control Division

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE
DATE *November 25, 1999*
BY *Maurice Torres*
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. *99-0621-07*

OCT 06 1999

WARREN W. SCHAEFER, P.E.
STRUCTURAL ENGINEER
P.E. No. 44196

W. W. SCHAEFER ENGINEERING & CONSULTING, P.A.
STRUCTURAL CONSULTING ENGINEERS
600 SANDTREE DRIVE, SUITE 2038 PHONE: (561)775-4902
PALM BEACH GARDENS, FL 33403 FAX: (561)775-4903

PALM CITY MILLWORK, INC.
3313 SW 42ND AVE P.O. BOX 1681
PALM CITY, FL 34990
(561) 288-7086 FAX (561) 288-7440

DRAWING No./MODEL NAME PCM-DP80/98C	DESCRIPTION: CASEMENT WINDOWS	SHEET No. 8
DATE: 12/15/98	REVISIONS:	DADE
SCALE: AS NOTED		OF 8