



**BUILDING CODE COMPLIANCE OFFICE (BCCO)  
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908**

**NOTICE OF ACCEPTANCE (NOA)**

---

**Everglades Lumber  
6991 SW 8<sup>th</sup> Street  
Miami, FL 33144**

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

**DESCRIPTION: Series 2130 Outswing Raised Panel Wood Door**

**APPROVAL DOCUMENT:** Drawing No. **99001**, titled "FBMA Series 2130 Wood Door", sheets 1 through 3 of 3, dated 12/6/99, prepared by FBMA, bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

**MISSILE IMPACT RATING: None**

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **renews NOA # 99-0528.06** and consists of this page 1 as well as approval document mentioned above. The submitted documentation was reviewed by **Manuel Perez, P.E.**



**NOA No 02-1104.06  
Expiration Date: October 20, 2006  
Approval Date: November 22, 2002  
Page 1**

**Everglades Lumber**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

(For File ONLY. Not part of NOA)


**A. DRAWINGS**

1. Manufacturer's die drawings and sections.
2. Drawing No. **99001**, titled "FBMA Series 2130 Wood Door", sheets 1 through 3 of 3, dated 12/6/99, prepared by FBMA.

**B. TESTS**

1. Tests per FBMA in file No. 95-0003b
2. Test reports on 1) Air Infiltration Test, per FBC, TAS 202-94  
 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 20294  
 3) Water Resistance Test, per FBC, TAS 202-94  
 4) Forced Entry Test, per FBC 3603.2 (b) and TAS 202-94  
 along with marked-up drawings and installation diagram of a stile and rail raised wood panel wood door system, prepared by Construction Research Laboratory, Test Report No. **CRL-6141**, dated 3/7/95, signed and sealed by Vipin N. Tolat, P.E.
3. See table below:

TEST	TEST LOAD	DESIGN LOAD
AIR INFILTRATION @ 1.57 PSF SFBC PA 202-94 (<0.20 CFM/FT) -	0.08 CFM/FT <sup>2</sup> CRL-6141	-----
AIR INFILTRATION @ 6.24 PSF SFBC PA 202-94 (<0.37 CFM/FT)	0.11 CFM/FT <sup>2</sup> CRL-6141	-----
UNIFORM STATIC AIR PRESSURE @Design Load SFBC PA 202-94 POSITIVE 75 mph (Non-Egress)	+22.5 PSF CRL-6141	+22.5 PSF CRL-6141
UNIFORM STATIC AIR PRESSURE @Design Load SFBC PA 202-94 NEGATIVE 75 mph (Non-Egress)	-29.5 PSF CRL-6141	-29.5 PSF CRL-6141
WATER RESISTANCE (PSF) SFBC PA 202-94 75 mph (Non-Egress)	3.38 PSF CRL-6141	+22.5 PSF CRL-6141
UNIFORM STATIC AIR PRESSURE @Design Load SFBC PA 202-94 POSITIVE	+48.3 PSF CRL-6141	+48.3 PSF CRL-6141
WATER RESISTANCE (PSF) SFBC PA 202-94	7.24 PSF CRL-6141	+48.3 PSF CRL-6141
UNIFORM STATIC AIR PRESSURE @Full Test Load SFBC PA 202-94 POSITIVE	+72.4 PSF CRL-6141	+48.3 PSF CRL-6141
UNIFORM STATIC AIR PRESSURE @Full Test Load SFBC PA 202-94 NEGATIVE	-95.2 PSF CRL-6141	-63.4 PSF CRL-6141
FORCED-ENTRY RESISTANCE (FER) SFBC Section 3603.02 and SFBC PA 202-94	SATISFACTORY CRL-6141	-----

  
 Manuel Perez, P.E.  
 Product Control Examiner  
 NOA No 02-1104.06

Expiration Date: October 20, 2006  
 Approval Date: November 22, 2002

**Everglades Lumber**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

(For File ONLY. Not part of NOA)

**C. CALCULATIONS**

1. None

**D. MATERIAL CERTIFICATIONS**

1. None

**E. STATEMENTS**

1. Release letter issued by Florida Building Materials Association, Inc., dated September 27, 2002 certifying this product meets the criteria of product tested and approved, and allowing Everglades Lumber to use the test results approved under Dade County Approval No. **95-0003B**, signed by Mr. George W. Tucker.
2. Acknowledgment letter by Everglades Lumber, dated October 23, 2002, signed by Mr. George Lopez, Vice President.
3. Acceptance letter, dated November 13, 2002, signed by George Lopez.

***(Submitted under file # 99-0528.06)***

1. Statement letter of conformance, dated 11/27/02, signed by George Tucker, P.E.
1. *Release letter issued by Florida Building Materials Association, Inc., dated 4/13/00 certifying this product meets the criteria of product tested and approved, and allowing Everglades Lumber, to use the test results approved under Dade County Approval No. 95-0003b, signed by Mr. Bill Tucker.*
2. *Acknowledgment letter by Everglades Lumber, dated 4/17/00, signed by Mr. Carlos Aragón.*
3. *Letter from Everglades Lumber, dated 5/24/99, stating that product has not changed since it was originally approved, signed by Mr. Carlos Aragón.*

**F. OTHER**


1. Notice of Acceptance No. **99-0528.06**, issued to Everglades Lumber for their Series "2130" Outswing Raised Panel Wood Door, approved on 5/10/00 and expiring on 10/20/01.

  
Manuel Perez, P.E.  
Product Control Examiner  
NOA No 02-1104.06

Expiration Date: October 20, 2006  
Approval Date: November 22, 2002

DOOR AND FRAME SYSTEM			
ITEM #	DESCRIPTION		
STILE AND RAIL CONSTRUCTION			
1	DOOR MODEL 2130-MANUFACTURER(S)	WOOD ROGUE VALLEY OR SIMPSON	
2	JR300 T-ASTRAGAL WITH (2) 1/8" SCHED 40x 8 1/4" LONG STL PIPE SLEEVES BORED TO CLEAR #3. WITH GLUE, 7/16" X 2" STAPLES 15" OC, & (16) #6 X 2" FHWS (4 EA SIDE OF SLEEVE). WEATHERSTRIP - SCHLEGEL #QDS-650		
3	12" EXTENSION CONCEALED FLUSH BOLTS - QUALITY MFG #1358 - 1/2" # X 1-1/2" LONG STEEL W/ 3/4" THROW. .077" THICK BRASS STRIKE AT FRAME HEADER ABOVE INACTIVE DOOR AT UPPER CONCEALED FLUSH BOLT. THERE ARE NO STRIKES AT THE BOTTOM OF DOORS. THE LOCKS ENGAGE HOLES DRILLED INTO THE ALUMINUM THRESHOLD.		
4	SINGLE SURFACE DEAD BOLTS - MFR & MODEL #.	KWIKSET #666 OR SCHLAGE #B180N	
WITH A MODIFIED M.A.G. ENG. LOCK REINFORCER #20-PB AND STRIKE ASSEMBLY CONSISTING OF 0.062" THICK BRASS SURFACE STRIKE WITH A CONCEALED 0.120" THICK PLATED STEEL REINFORCEMENT PLATE			
5	PASSAGE LOCK - MFR & MODEL #.	KWIKSET #200E OR SCHLAGE #F10N	
CENTER 38" FROM BOTTOM OF DOOR. 0.050" THICK BRASS STRIKE			
6	SINGLE CYLINDER DEAD BOLT - MFR & MODEL #.	KWIKSET #660 OR SCHLAGE #B180N	
(CENTER 6" - 12" ABOVE PASSAGE LOCK).			
7	4" X 4" BUTT HINGE WITH SAFETY STUD - HAGER #1843 OR PENROD #MH40AJAC (MIXED). CENTER 6-3/4" AND 84" FROM TOP OF DOOR. SCREWS - TO DOOR: (4) #9 X 3/4" FHWS. TO JAMB: (3) #9 X 3/4" FHWS & (1) #9 X 2-1/2" FHWS.		
8	4" X 4" BUTT HINGE - HAGER #1841 OR PENROD #MH40AUWS. CENTER 31-3/4" AND 58" FROM TOP OF DOOR. SCREWS - TO DOOR: (4) #9 X 3/4" FHWS. TO JAMB: (3) #9 X 3/4" FHWS & (1) #9 X 2-1/2" FHWS.		
9	THRESHOLD-MODEL JR100 (DEPTH X NOSE HEIGHT)	2-1/2" X 1-1/8"	2-1/2" X 7/8"
WITHRSTRIP-SCHLEGEL MODEL #			
		#QDS-650	OR
		OR	#QEB-828
10	FRAME - 1-1/4" X (WOOD)	4-9/16"	OR
		5-1/4"	
RABBETTED AND KERFED FOR WEATHERSTRIP. EACH CORNER WAS CAULKED AND ATTACHED WITH (3) 3/4" X 2" GUN DRIVEN STAPLES. WEATHERSTRIP - SCHLEGEL #QDS-650.			
11	HEAD PLATE TO MATCH FRAME - WITH 3/8" PLYWOOD ATTACHED WITH GLUE & 3/4" STAPLES 1" TO 1-1/4" FROM EACH EDGE & 8-3/4" (AVG) O.C. AND (3) STAPLES PER JAMB.		
WEATHERSTRIP - SCHLEGEL MODEL #			
		#QDS-650	OR
		OR	QEB-828
12	2" X 3" X 0.007" VINYL FLAP GLUED TO BOTTOM OF ASTRAGAL.		
13	FRAME SCREWS TO 2X WOOD BUCK - #10 X 2-1/2" FHWS. 6" FROM CORNERS & 24" OC (MAX). FRAME JAMBS AND @ HEAD 6" FROM CORNERS AND 20" O.C. MAX.		
13a.	FRAME SCREWS TO MASONRY - 3/16" FH TAPCONS W/ 1-1/4" MIN. EMBEDMENT INTO MASONRY. SPACING IS SAME AS ABOVE.		
14	PEMCO #S88 SELF ADHESIVE WEATHERSTRIP AT OUTSIDE EDGE AT TOP OF BOTH DOORS.		
PEMCO #S88 AT OUTSIDE EDGE AT LOCK STILE OF ACTIVE DOOR.			
15	PEMCO #345AV RAIN DRIP & SWEEP ATTACHED W/ #6 X 5/8" RHSMs @ 6" O.C.		
16	PAD/DIVERTER AT BOTTOM OF EACH JAMB.	1" X 2" X 3/16" SELF ADHESIVE PILE PAD.	
		PAD/DIVERTER AT BOTTOM OF ASTRAGAL.	


NOTE:  
COMPONENTS ABOVE CAN BE SUBSTITUTED BY APPROVED EQUAL WITH A MIAMI-DADE COUNTY NOTICE OF ACCEPTANCE.




DESIGN PRESSURE RATING  
+48.3 PSF  
-63.4 PSF

THESE DOORS REQUIRE MIAMI DADE COUNTY APPROVED SHUTTERS.

ITEM #9  
J-R #100 THRESHOLD  
WOOD & ALUM W/ QDS WEATHERSTRIP



ITEM #2  
J-R #300 ASTRAGAL W/ SLEEVES  
& KERFED FOR WEATHERSTRIP



CORNER CONSTRUCTION  
BUTTED AND THE ENDS OF ALL INTERMEDIATE FRAME MEMBERS ARE COPE TO TIGHTLY FIT THE INTERSECTING FRAMING AND ATTACHED AT 7-1/2\"/>


SEALANT  
THE FRAME INTERSECTION, ENDS OF THE THRESHOLD, AND ALL WEATHER-STRIP INTERSECTIONS MUST BE CAULKED WITH POLYSEAMSEAL OR DAP ADHESIVE SEALANT DURING ASSEMBLY.

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE  
DATE MAY 10, 2000  
BY Manuel Perez  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 99-0528-06


PRODUCT RENEWED as complying with the Florida Building Code  
Acceptance No. 02-1104.06  
Expiration Date OCT. 20, 2006  
By Manuel Perez  
Miami Dade Product Control Division

Everglades Lumber and Building Supply  
6991 S.W. 8th St.  
Miami, FL 33144  
Ph. 305-261-1155 Fax 305-261-8972


Drawn by: E.D. & D.  
Date: 12/6/99  
Revisions:  
Drawing #99001  
Drawing Title:  
FBMA SERIES 2130  
WOOD DOOR





SECTION C-C



SECTION A-A



SECTION B-B



THIS SIDE OF DOOR TO WEATHERSTRIP

ITEM #4

LOCK REINFORCER BY M.A.G. ENG. MODIFIED

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE  
 DATE MAY 10, 2000  
 BY Manuel Perez  
 PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE  
 ACCEPTANCE NO. 99-0528.06

PRODUCT RENEWED as complying with the Florida Building Code  
 Acceptance No 02-1104.06  
 Expiration Date OCT 20, 2006  
 By Manuel Perez  
 Miami/Dade Product Control Division

Drawn by: E.D. & D.

Date: 12/6/99

Revisions:

Drawing #99001

Drawing Title:

FBMA SERIES 2130  
 WOOD DOOR

Page 2 of 3


Everglades Lumber and Building Supply  
 6991 S.W. 8<sup>th</sup> St.  
 Miami, FL 33144  
 Ph. 305-261-1155 Fax 305-261-8972

# 1 3/4 FRONT ENTRANCE DOORS (EXTERIOR) - MODEL 2130


MAXIMUM PANEL WIDTH 36"

Minimum Dimensions


Stiles & top rail..... 4-1/2"  
 Lock rail..... 7-1/2"  
 Intermediate rail & mullion..... 2-1/8"  
 Bottom rail..... 9"  
 Panels Raised..... 3/4" thick



FLORENTINE 4101




TANGIER 4104




AZTEC 4105




BRITANNIA 4108



MARINER 4109



2060




2010




2130




2011




2009




FLORENTINE 4401



TANGIER 4404




AZTEC 4406




BRITANNIA 4408




MARINER 4409




Duadrille 4060




Grandee 4115




Colonel VI 3130




Colonel VIII 3010




Madrid 4112




FLORENTINE 4201




TANGIER 4204




AZTEC 4205




BRITANNIA 4208



MARINER 4209



Colonel IV 3044  
6"-8" ONLY



Chateau 4180  
6"-8" ONLY

APPROVED AS COMPLYING WITH THE  
 SOUTH FLORIDA BUILDING CODE  
 DATE MAY 10, 2000  
 BY Manuel Serez  
 PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE  
 ACCEPTANCE NO. 99-0528.06

PRODUCT RENEWED  
 as complying with the Florida  
 Building Code  
 Acceptance No. 02-1104.06  
 Expiration Date OCT. 20, 2006  
 By Manuel Serez  
 Miami/Dade Product Control  
 Division

Everglades Lumber and Building Supply  
 6991 S.W. 8<sup>th</sup> St.  
 Miami, FL 33144  
 Ph. 305-261-1155 Fax 305-261-8972

Drawn by: E.D. & D.  
 Date: 12/6/99  
 Revisions:  
 Drawing #99001  
 Drawing Title:  
 FBMA SERIES  
 2130 WOOD DOOR  
 Page 3 of 3