



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Pozzi Window Company
62845 Boyd Acres Road
Bend, OR 97701**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Aluminum Clad Wood Gliding Patio Door

APPROVAL DOCUMENT: Drawing No. S-2335, dated 02/07/03 with revision "2", dated 11/14/03, titled "Pozzi Impact Resistant Aluminum Clad Wood Gliding Patio Door", sheets 1 through 7 of 7, prepared by R.W. Building Consultants, Inc., signed and sealed by Lyndon F. Schmidt, P.E., bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Theodore Berman, P.E.**

MB
1/28/2004


**NOA No 03-0219.03
Expiration Date: February 19, 2009
Approval Date: February 19, 2004
Page 1**

Pozzi Window Company

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
2. Drawing No. **S-2335**, dated 02/07/03 with revision 2 dated 11/14/03, titled "Pozzi Impact Resistant Aluminum Clad Wood Gliding Patio Door", sheets 1 through 7 of 7, prepared by R.W. Building Consultants, Inc., signed and sealed by Lyndon F. Schmidt, P.E.

B. TESTS


1. Test reports on
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, per FBC 2411 3.2.1 and TAS 202-94along with marked-up drawings and installation diagram of an Aluminum Clad Wood Sliding Glass Door, prepared by Architectural Testing, Inc, Test Report No. **ATI 03-31490.01** dated 12/11/02, signed and sealed by Steven M. Urich, P.E.
2. Test reports on
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, per FBC 2411 3.2.1 and TAS 202-94along with marked-up drawings and installation diagram of an Aluminum Clad Wood Sliding Glass Door, prepared by Architectural Testing, Inc, Test Report No. **ATI 03-31490.03** dated 12/11/02, signed and sealed by Steven M. Urich, P.E.

C. CALCULATIONS

1. Anchor Calculations, ASTM-E1300-98, and structural analysis, prepared by R.W. Building Consultants, Inc., dated 01/23/03, signed and sealed by Lyndon F. Schmidt, P.E.

D. QUALITY ASSURANCE

1. Miami Dade Building Code Compliance Office (BCCO).



Theodore Berman, P.E.

Deputy Director, Product Control Division

NOA No 03-0219.03

Expiration Date: February 19, 2009

Approval Date: February 19, 2004

Pozzi Window Company

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **03-1223.04** issued to Surface Specialties, for “Uvekol, a Laminate Glass Component” dated 02/05/04, expiring on 02/08/09.

F. STATEMENTS

1. Statement letter of conformance and of no financial interest for report No ATI 03-31490.03, dated January 30, 2003, signed and sealed by Lyndon F. Schmidt, P.E.
2. Statement letter of conformance and of no financial interest for report No ATI 03-31490.01, dated January 30, 2003, signed and sealed by Lyndon F. Schmidt, P.E.
3. Jeld-Wen statement letter of no financial interest in the laboratory that performed the testing of their products, dated December 12, 2002, signed by Steve Strawn, Codes and Certification manager.
4. Manufacturer letter stating that R.W. Building Consultants, Inc., has been contracted to represent Pozzi Window Company in matters pertaining to Dade County, Florida product approval.

G. OTHER

1. Letter from the consultant stating that the product is in compliance with the Florida Building Code (FBC)



Theodore Berman, P.E.

Deputy Director, Product Control Division

NOA No 03-0219.03

Expiration Date: February 19, 2009



Approval Date: February 19, 2004

POZZI WINDOW COMPANY


ALUMINUM CLAD WOOD GLIDING PATIO DOOR
IMPACT APPROVED

GENERAL NOTES


1. THIS PRODUCT IS DESIGNED TO MEET THE "HVHZ" OF THE FLORIDA BUILDING CODE.
2. WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
3. PRODUCT ANCHORS SHALL BE AS LISTED AND SPACED AS SHOWN ON DETAILS. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.
4. THIS SYSTEM DOES NOT REQUIRE WINDBORNE DEBRIS EXTERNAL PROTECTION AS PRESCRIBED IN SECTION 1626.1 OF THE FLORIDA BUILDING CODE.
5. DESIGN PRESSURE RATING SHOWN THIS PAGE:
FOR DETAILED DESIGN PRESSURES WITH APPROPRIATE GLASS SPECIFICATIONS SEE TABLE 1 SHEET 2.
6. THIS PRODUCT MEETS WATER REQUIREMENTS FOR THE "HIGH VELOCITY HURRICANE ZONES".




98.625" x 98.5"
DESIGN PRESSURE
POSITIVE + 50.0
NEGATIVE - 50.0




74.625" x 98.5"
DESIGN PRESSURE
POSITIVE + 60.0
NEGATIVE - 60.0




62.625" x 98.5"
DESIGN PRESSURE
POSITIVE + 60.0
NEGATIVE - 60.0



98.625" x 82.5"
DESIGN PRESSURE
POSITIVE + 50.0
NEGATIVE - 50.0



74.625" x 82.5"
DESIGN PRESSURE
POSITIVE + 60.0
NEGATIVE - 60.0



62.625" x 82.5"
DESIGN PRESSURE
POSITIVE + 60.0
NEGATIVE - 60.0

TABLE OF CONTENTS	
SHEET #	DESCRIPTION
1	GENERAL NOTES AND TYPICAL ELEVATIONS
2	GLAZING DETAILS
3	VERTICAL CROSS SECTION & FRAME CONSTRUCTION
4	HORIZONTAL CROSS SECTION
5	DOOR PANEL CONSTRUCTION
6	BILL OF MATERIALS & UNIT COMPONENTS
7	BILL OF MATERIALS & UNIT COMPONENTS

Approved as complying with the
Florida Building Code
Date: 02/19/04
NOA# 03-0219.03
Miami Dade Product Control
By: *Heardon*


Product Approval Documents Prepared By:
RW
BUILDING CONSULTANTS, INC.
P.O. Box 230 Veroico FL 33595
Phone No.: 813.659.9197
Florida Board of Professional Engineers
Certificate of Authorization No. 9813
11/18/03
Lyndon F. Schmidt, P.E. NO. 43409

PRODUCT: POZZI IMPACT RESISTANT ALUMINUM CLAD WOOD GLIDING PATIO DOOR
PART OR ASSEMBLY: GENERAL NOTES & TYPICAL ELEVATIONS


NO.	DATE	REVISIONS	BY
2	11/14/03	ADDITIONAL COMMENTS PER ATJ LETTER	TJH
1	4/22/03	PER DAE COMMENTS	TJH

DATE: 2/7/03
SCALE: N.T.S.
DWG. BY: TJH
CHK. BY: RW
DRAWING NO.: S-2335
SHEET 1 OF 7

TABLE 1 - GLAZING SPECIFICATIONS					
OPENING	GLAZING DESCRIPTION	D.L.O.	MAX. SQ. FEET GLASS	DP POS.	DP NEG.
UP TO 8'0" X 8'0"	5/8" LAMINATED GLASS 1/4" ANNEALED-.100 UVEKOL-1/4" ANNEALED	41.1875" X 83.926"	24.00 SQ. FEET	+ 50.0 PSF	- 50.0 PSF
UP TO 6'0" X 8'0"	1/2" LAMINATED GLASS 3/16" ANNEALED-.100 UVEKOL-3/16" ANNEALED	29.175" X 83.926"	17.00 SQ. FEET	+ 60.0 PSF	- 60.0 PSF
UP TO 5'0" X 8'0"	1/2" LAMINATED GLASS 3/16" ANNEALED-.100 UVEKOL-3/16" ANNEALED	23.175" X 83.926"	13.50 SQ. FEET	+ 60.0 PSF	- 60.0 PSF
UP TO 8'0" X 6'8"	5/8" LAMINATED GLASS 1/4" ANNEALED-.100 UVEKOL-1/4" ANNEALED	41.1875" X 67.926"	19.42 SQ. FEET	+ 50.0 PSF	- 50.0 PSF
UP TO 6'0" X 6'8"	1/2" LAMINATED GLASS 3/16" ANNEALED-.100 UVEKOL-3/16" ANNEALED	29.175" X 67.926"	13.76 SQ. FEET	+ 60.0 PSF	- 60.0 PSF
UP TO 5'0" X 6'8"	1/2" LAMINATED GLASS 3/16" ANNEALED-.100 UVEKOL-3/16" ANNEALED	23.175" X 67.926"	10.93 SQ. FEET	+ 60.0 PSF	- 60.0 PSF



IMPACT RESISTANT GLAZING DETAIL
3/16" ANNEALED - UVEKOL - 3/16" ANNEALED



IMPACT RESISTANT GLAZING DETAIL
1/4" ANNEALED - UVEKOL - 1/4" ANNEALED



Approved as complying with the
Florida Building Code
Date 02/19/04
NOA# 03-0219-03
Miami Dade Product Control
By *[Signature]*

Product Approval Documents Prepared By:
RW
BUILDING CONSULTANTS, INC.
P.O. Box 230 Vairico FL 33595
Phone No.: 813.659.9197
Florida Board of Professional Engineers
Certificate Of Authorization No. 9813
11/18/03
Lyndon F. Schmidt, P.E. NO. 43409

PRODUCT: POZZI IMPACT RESISTANT ALUMINUM CLAD WOOD GLIDING PATIO DOOR
PART OR ASSEMBLY: GLAZING DETAILS TYPICAL ELEVATIONS

		TJH	
2	11/14/03	ADDITIONAL COMMENTS PER ATJ LETTER	TJH
1	4/22/03	PER DADE COMMENTS	BY
	NO. DATE		REVISIONS


DATE: 2/7/03
SCALE: N.T.S.
DWG. BY: TJH
CHK. BY: RW
DRAWING NO.: S-2335
SHEET 2 OF 7




NOTE:
HEAD BUMPER IS ATTACHED
INTO SILL TRACK AND UP
AGAINST THE SIDE JAMB. (68)

ANCHORING NOTES:

1. HEAD JAMB MOUNTING SCREWS ARE LOCATED;
4.0" FROM EACH END, 3.0" AND 6.0" EACH SIDE OF
MEETING STILES AND ONE ADDITIONAL ABOVE THE
CENTER OF EACH DOOR PANEL.



2. SILL MOUNTING SCREWS ARE LOCATED 4.0" FROM EACH
END, 3.0" AND 6.0" EACH SIDE OF MEETING STILES
AND ONE ADDITIONAL BELOW THE CENTER OF EACH
DOOR PANEL.



FRAME CONSTRUCTION:

THE WOOD FRAME IS 4.5625" x 1.0938" PONDEROSA PINE. THE FRAME METAL IS 1.800" x 1.660" x .060" WALL EXTRUDED ALUMINUM. THE FRAME METAL IS SNAPPED ONTO THE WOOD JAMB WITH A LAP JOINT AT THE HEAD CORNERS AND SEALED WITH SILICONE (1199 DOW CORNING). EACH HEAD CORNER IS FASTENED WITH (3) #8 x 2" FLT. HD. PHL. SCREWS. AN ADDITIONAL #8 x 2" FLT. HD. PHL. SCREW IS APPLIED INTO THE SCREW BOSS OF THE ALUMINUM EXTRUSION AND A CORNER KEY .125" x 11/32" INTO THE SLOT OF THE ALUMINUM EXTRUSION TO COMPLETE THE CORNER. THE SILL IS ATTACHED WITH (3) #8 x 2" FLT. HD. PHL. SCREWS UP THROUGH THE SILL INTO THE SIDE JAMB. AN ADDITIONAL #8 x 2" FLT. HD. PHL. SCREW IS APPLIED UP THROUGH THE SIDE JAMB INTO THE SILL BASE AND A GASKET IS APPLIED BETWEEN THEM TO COMPLETE THE INSTALLATION.


Approved as complying with the
Florida Building Code
Date 02/19/04
NOA# 03-0219-03
Miami Dade Product Control
Division
By: *Cherish Semu*

Product Approval Documents Prepared By:
RW
BUILDING CONSULTANTS, INC.
P.O. Box 230 Valrico FL, 33595
Phone No.: 813.659.9197
Florida Board of Professional Engineers
Certificate of Authorization No. 9813
11/18/03
Lyndon F. Schmidt, P.E. NO. 43409


PRODUCT:
POZZI IMPACT RESISTANT
ALUMINUM CLAD WOOD
GLIDING PATIO DOOR
PART OR ASSEMBLY:
VERTICAL CROSS SECTION
& FRAME CONSTRUCTION

NO.	DATE	PER DATE COMMENTS	TJH	BY	REVISIONS
2	11/14/03	ADDITIONAL COMMENTS PER ATI LETTER	TJH		
1	4/22/03	PER DATE COMMENTS	TJH		

DATE:	2/7/03
SCALE:	N.T.S.
DWG. BY:	TJH
CHK. BY:	RW
DRAWING NO.:	S-2335
SHEET	3 OF 7



1
4 HORIZONTAL CROSS SECTION



ANCHORING VIEW
ONLY ONE SIDE OF THE JAMB
IS SHOWN, OTHER SIDE IS SAME

ANCHORING NOTES:

- SIDE JAMB MOUNTING SCREWS ARE LOCATED:
4.0" FROM EACH END WITH 5 MORE EQUALLY
SPACED INBETWEEN.
- THE NAILING FLANGES ARE AN OPTION AND
ARE NOT CONSIDERED A STRUCTURAL COMPONENT.

Product Approval Documents Prepared By:
RW
BUILDING CONSULTANTS, INC.
P.O. Box 230 Volrico FL 33595
Phone No.: 813.659.9197
Florida Board of Professional Engineers
Certificate Of Authorization No. 9813
11/18/03
Lyndon F. Schmidt, P.E. NO. 43409


PRODUCT: POZZI IMPACT RESISTANT
ALUMINUM CLAD WOOD
GLIDING PATIO DOOR
PART OR ASSEMBLY:
HORIZONTAL CROSS SECTION

NO.	DATE	PER DADE COMMENTS	TJH	BY
2	11/14/03	ADDITIONAL COMMENTS PER ATI LETTER	TJH	
1	4/22/03	PER DADE COMMENTS	TJH	


Approved as complying with the
Florida Building Code
Date 02/19/04
NOA# 03-0219-03
Miami Dade Product Control
Div.
By: *Mervin Berma*

DATE: 2/7/03
SCALE: N.T.S.
DWG. BY: TJH
CHK. BY: RW
DRAWING NO.: S-2335
SHEET 4 OF 7


MATERIAL LIST			
ITEM	PART #	DESCRIPTION	MATERIAL
1	GPD-208	HEAD JAMB CLADDING - .060 WALL (ANODIZING INC.)	6063-T5 ALUM.
2	GPD-108	WOOD HEAD JAMB - (BMC)	WESTERN PINE
3	GPD-107	WOOD SIDE JAMB - (BMC)	WESTERN PINE
4	N/A	1-5/8" ROOFING NAIL (11 GA.)	STEEL
5	AC-74	FRAME CORNER KEY - 2 EA. (MITCHELL METALS)	WESTERN PINE
6	N/A	NOT USED	-
7	N/A	PRESSURE TREATED 2X BUCK	P.T. WOOD
8	N/A	NOT USED	-
9	SPD-329	WOOD GLASS STOP (UCB) - (BMC)	WESTERN PINE
10	GPD-134	WOOD TOP RAIL - (BMC)	WESTERN PINE
11	N/A	1/4" FRAME SHIM	WOOD
12	GPD-104	WOOD 10 1/4" BOTTOM RAIL - (BMC)	WESTERN PINE
13	GPD-204	10 1/4" BOTTOM RAIL CLADDING - (HOMESHIELD)	ALUMINUM
14	GPD-103	WOOD BOTTOM RAIL - (BMC)	WESTERN PINE
15	GPD-106	WOOD STILE - (BMC)	WESTERN PINE
16	GPD-207	SIDE JAMB CLADDING - .060 WALL (ANODIZING INC.)	6063-T5 ALUM.
17	GPD-202	TOP RAIL CLADDING - (HOMESHIELD)	ALUMINUM
18	GPD-203	BOTTOM RAIL CLADDING - (HOMESHIELD)	ALUMINUM
19	GPD-206	STILE CLADDING - (HOMESHIELD)	ALUMINUM
20	GPD-119	INTERIOR SIDE FILLER - (BMC)	WESTERN PINE
21	GPD-114	INTERIOR HEAD STOP - (BMC)	WESTERN PINE
22	GPD-212	EXTERIOR HEAD FILLER - .060 WALL (ANODIZING INC.)	6063-T5 ALUM.
23	GPD-217	STILE EDGE CLADDING - (HOMESHIELD)	ALUMINUM
24	GPD-118	INTERIOR SIDE STOP - (BMC)	WESTERN PINE
25	GPD-300D	PULTRUDED SILL BASE - (ADVANCED FIBER PRODUCTS)	PVC
26	GPD-301	STATIONARY PANEL RISER - (AFP)	PVC
27	GPD-111	SILL INSERT - (CONNOLY)	OAK
28	GPD-116	FIXED PANEL FILLER - (BMC)	WESTERN PINE
29	GPD-211R1	HEAD TRACK - .060 WALL (ANODIZING INC.)	6063-T5 ALUM.
30	HLS-9000	ACTIVE MULTI-POINT HARDWARE - (HOPPE)	STAINLESS STEEL
31	N/A	NOT USED	-
32	N/A	ACTIVE HANDLE SET & ESCUTCHEON PLATE - (HOPPE)	COATED STEEL
33	N/A	STRIKE PLATE - (HOPPE)	COATED STEEL
34	N/A	STATIONARY PANEL CLIP	STEEL
35	N/A	HEAD TRACK GUIDE POST - (BRANDT)	STEEL




① FRAME CLADDING




② WOOD JAMB (HEAD)




③ WOOD JAMB (SIDE)




⑤ CORNER KEY




⑨ GLASS STOP (UCB)




⑩ TOP RAIL




⑫ BOTTOM RAIL




⑮ WOOD STILE




⑰ TOP RAIL/STILE CLADDING




⑬ BOTTOM RAIL CLADDING




⑳ INTERIOR SIDE FILLER




㉑ INTERIOR HEAD STOP




㉒ EXTERIOR JAMB FILLER




㉓ EDGE CLADDING




㉔ INTERIOR SIDE STOP




㉙ HEAD TRACK




㉗ SILL INSERT




㉝ DOOR GUIDE



㉕ DADE COUNTY SILL BASE



㉖ STATIONARY PANEL BLOCK



㉜ STATIONARY PANEL CLIP

Approved as complying with the
Florida Building Code
Date 02/19/04
NOAH 03-0219-03
Miami Dade Product Control
Division
By *Marissa Beaman*


Product Approval Documents Prepared By:
RW BUILDING CONSULTANTS, INC.
P.O. Box 230 Valrico FL 33595
Phone No.: 813.659.9197
Florida Board of Professional Engineers
Certificate Of Authorization No. 9813
11/18/03
Lyndon F. Schmidt, P.E. NC. 43409

PRODUCT: POZZI IMPACT RESISTANT ALUMINUM CLAD WOOD GLIDING PATIO DOOR
PART OR ASSEMBLY: BILL OF MATERIALS & COMPONENTS


NO.	DATE	PER DADE COMMENTS	TJH	BY	REVISIONS
2	11/14/03	ADDITIONAL COMMENTS PER ATL LETTER	TJH		
1	4/22/03	PER DADE COMMENTS	TJH		

DATE: 2/7/03
SCALE: N.T.S.
DWG. BY: TJH
CHK. BY: RW
DRAWING NO.: S-2335
SHEET 6 OF 7


MATERIAL LIST			
ITEM PART #	DESCRIPTION	MATERIAL	
36	N/A	IMPACT RESISTANT LAMINATED GLASS - (UCB CHEM. CORP.)	SEE SHEET 2
37	N/A	Q-LON ADHEASIVE WEATHERSTRIP (HEAD) - (SCHLEGEL)	POLY
38	N/A	Q-LON WEATHERSTRIP (SIDE) - (SCHLEGEL)	POLY
39	AC-172	DRIPCAP - (ANODIZING INC.)	6063-T5 ALUM.
40	N/A	FOLDING NAILING FLANGE - (AMESBURY)	POLY
41	N/A	DOOR ROLLER SYSTEM - (TRUTH)	STEEL
42	GPD-212	EXTERIOR SIDE FILLER - .060 WALL (ANODIZING INC.)	6063-T5 ALUM.
43	GPD-302	INTERLOCK - (INTEK)	PVC
44	N/A	INTERLOCK WEATHERSTRIP - (SCHLEGEL)	POLY
45	GPD-312	STATIONARY PANEL INTERLOCK BLOCK - (BRANDT)	PVC
46	GPD-315	STATIONARY PANEL INTERLOCK TOP BLOCK - (BRANDT)	PVC
47	GPD-309	OPERATING PANEL INTERLOCK BLOCK - (BRANDT)	PVC
48	GPD-320	OPERATING PANEL INTERLOCK TOP PAD - (DERBY)	PVC
49	N/A	THUMBTURN (HOPPE)	COATED STEEL
50	N/A	#1199 SEALANT (DOW CORNING)	SEALANT
51	N/A	WEATHERSTRIP ANGLE - W/WOOL PILE (ANODIZING INC.)	6063-T5 ALUM.
52	GPD-301	HEAD STOP ATTACHMENT STRIP - (INTEK)	PVC
53	N/A	STATIONARY PANEL RISER CAP - (BRANDT)	NYLON
54	N/A	#8 x 2" P.H.F.H. WOOD SCREW (CROWN FASTENERS)	STEEL
55	N/A	1" x 7/32" CROWN 18 GA. STAPLE - (STANLEY/BOSTICH)	STEEL
56	N/A	#8 x 1" P.H.F.H. S/STL (CROWN FASTENERS)	STEEL
57	N/A	#7 x 1" P.H.F.H. WOOD SCREW (CROWN FASTENERS)	COATED STEEL
58	N/A	#10 x 2 1/2" P.H.F.H. WOOD SCREW (CROWN FASTENERS)	STEEL
59	N/A	#10 x 2 3/4" P.H.F.H. WOOD SCREW (CROWN FASTENERS)	STEEL
60	N/A	3/16" x 2-1/2" TAPCON ANCHOR	STEEL
61	N/A	#6 x 1 1/2" P.H.F.H. MTL. (CROWN FASTENERS)	STEEL
62	N/A	#8 x 1 1/2" P.H.F.H. WOOD SCREW (CROWN FASTENERS)	STEEL
63	N/A	18 GA. x 3/4" PIN NAIL - (STANLEY/BOSTICH)	STEEL
64	N/A	1 1/4" x 1/8" CRN 18 GA. STAPLE - (STANLEY/BOSTICH)	STEEL
65	N/A	1 1/4" x 1/8" CRN 15 GA. STAPLE - (STANLEY/BOSTICH)	STEEL
66	N/A	#8 x 1" P.H.P.H. S/STL (CROWN FASTENERS)	STEEL
67	N/A	1/2" x 4" DOWEL (CHICAGO DOWEL)	WOOD
68	N/A	4" SILL BUMPER	NYLON
69	N/A	4" HEAD BUMPER	NYLON
70	N/A	STATIONARY HEAD SUPPORT BLOCK	WESTERN PINE
71	N/A	#7 x 1" P.H.F.H. S.M.S.	STEEL
72	N/A	#8 x 3/4" P.F.H. S.M.S.	STEEL




38 WEATHERSTRIP (SIDE)




41 DOOR ROLLER




40 OPTIONAL DRIPCAP




44 INTERLOCK W/S




39 OPTIONAL NAILFIN





46 INTERLOCK BLOCK (TOP)(STA)




37 ADHESIVE W/S (HEAD)




45 INTERLOCK BLOCK (STA)




47 INTERLOCK BLOCK (OPR)




43 INTERLOCK




51 WEATHERSTRIP ANGLE




30 HARDWARE



69 HEAD BUMPER



68 SILL BUMPER



52 ATTACHMENT STRIP

Approved as complying with the Florida Building Code
 Date: 02/19/04
 NOA# 03-0219.03
 Miami-Dade Product Control
 Division
Alfreda Gomez

Product Approval Documents Prepared By:
RW BUILDING CONSULTANTS, INC.
 P.O. Box 230 Vairco FL 33595
 Phone No.: 813.659.9197
 Florida Board of Professional Engineers
 Certificate Of Authorization No. 9813
 11/18/03
 Lyndon F. Schmidt, P.E. NO. 43409

PRODUCT: POZZI IMPACT RESISTANT ALUMINUM CLAD WOOD GLIDING PATIO DOOR
 PART OR ASSEMBLY: BILL OF MATERIALS & COMPONENTS

NO.	DATE	REVISIONS
2	11/14/03	ADDITIONAL COMMENTS PER TJH
1	4/22/03	PER DADE COMMENTS TJH

DATE: 2/7/03
 SCALE: N.T.S.
 DWG. BY: TJH
 CHK. BY: RW
 DRAWING NO.: S-2335
 SHEET 7 OF 7