



**BUILDING CODE COMPLIANCE OFFICE (BCCO)  
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908**

**NOTICE OF ACCEPTANCE (NOA)**

**Metal Sales Manufacturing Corporation  
7800 State Road 60  
Sellersburg, IN 47172**

**SCOPE:** This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

**DESCRIPTION: Pro-Panel II Wall Panel**

**APPROVAL DOCUMENT:** Drawing No. PP2DADE, titled "Pro-Panel II Dade County Dade County ", sheets 1 through 9 of 9, prepared by Walter A. Tillit Jr, PE, dated 0907/00 with last revision on 09/27/00 bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

**MISSILE IMPACT RATING: Large and Small Missile Impact**

**LABELING:** Each panel shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA # 00-0628.12 and consists of this page 1 as well as approval document mentioned above. The submitted documentation was reviewed by **Candido F. Font, P.E.**

*Candido F. Font*  
9/11/03



**NOA No 03-0528.08  
Expiration Date: 07/23/2008  
Approval Date: 09/11/2003  
Page 1**

**Metal Sales Manufacturing Corporation**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

(For File ONLY. Not part of NOA)

**EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL**

**A DRAWINGS**

- 1 Drawings prepared by Metal Sales Manufacturing Corporation, titled "Pro-Panel II Dade County", No. PP2DADE, dated 09/07/00 with latest revision on 09/27/00, Sheet 1 through 9 of 9 signed and sealed by Walter A Tillit Jr., PE.

**B TEST**

1. Test report on Large Missile Impact test, Cyclic Wind Pressure test and Uniform Static Air Pressure test and Air Infiltration test on "26 gage Pro-Panel II Steel Wall Siding", prepared by Hurricane Test Laboratory, Inc., report No. 0103-0707-96, dated 07/24/96 & 10/09, 10 & 11/96, signed and sealed by T. S. Marshall, PE.

**C CALCULATIONS**

- 1 Code compliance calculations, prepared by Encon Consultants, Inc., on 10/29/96, signed and sealed by Walter A Tilit Jr., PE.

**D MATERIAL CERTIFICATION**

- 1 Tensile test report of metal roof panel on 4 ft. clear span, prepared by Q. C. Metallurgical, Inc. on 12/06/96, signed and sealed by F. Grate, PE.
- 2 Certified test analysis No. 47327, prepared by National Steel Corporation on 02/05/96, with out signature.

**E STATEMENTS**

- 1 No change letter issued by Metal Sales Manufacturing Corporation on 06/02/2000, signed by J. M. Dahdah, PE.
- 2 No change letter issued by Metal Sales Manufacturing Corporation on 05/20/03 and signed by J.M. Dahdah, PE.



Candido F. Font, P. E.  
Senior Product Control Examiner  
NOA No 03-0528.08  
Expiration Date: 07/23/2008  
Approval Date: 09/11/2003


REVIEWED BY:

*Walter A. Tillit Jr.*  
10/2/00

**WALTER A. TILLIT JR., P.E.**  
**STRUCTURAL ENGINEER**  
**FL. LIC. NO. 44167**

**TILTECO INC.**  
TILLIT TESTING & ENGINEERING COMPANY  
6595 NW 36th STREET, STE. 217  
MIAMI, FLORIDA 33166

DESIGN PRESSURE RATING  
+ 55.2 PSF - 75.3 PSF  
LARGE MISSILE IMPACT RESISTANCE



- 1 Wall Siding - Pro-Panel II profile, 26 gauge (min.), 50ksi (min yield) steel with G-90 cladding and paint finish.
- 2 Siding Screws - #10 Woodscrew with hex head, sealing washer, type A point, corrosion resistant alloy or coating and painted to match the wall siding.  
Use 1-1/2" long screws to attach the siding and support members to the sheathing at the edge conditions (head, sill, jamb, and header, etc.) Install these screws at each side of the sidings major ribs at 2-1/2", 6-1/2", 2-1/2" (o.c.).  
Use 1" long screws to attach the siding to the sheathing field. Install these screws at one side of the sidings major ribs (at 9" o.c.)
- 3 Weather Membrane - 30# felt (ASTM D226 type II or Dade County approved equal). Membrane edge laps must be oriented to shed water and must be 4" wide (min). Attach the weather membrane to the sheathing with Dade County approved felt nails. Install the nails at 6" o.c. along the edges and laps. Install the nails on a 12" grid in the membrane field.
- 4 Sheathing - 5/8" thick (19/32" min) CDX grade plywood. Attach the plywood to the 2 x wood framing members (head and sill plates, jambs, headers, girts and studs etc.) with 8d ring shank nails at 6" o.c..
- 5 Building Structures - the building structure must be designed to conform to the requirements of the South Florida Building Code and must be designed to accommodate the Dade County Approved Pro-Panel II wall system as described on the following section of details.

- 6 Splash Board (optional) - wood or masonry.  
The following wall framing members must be sized and connected to the building structurals as necessary to conform to the requirements of the South Florida Building code and must be designed to conform to the requirements of the Dade County Approved Pro-Panel II Wall systems as described on the following section of details.
- 7 Jamb - 2 x wood member, #2 southern pine.
- 8 Sill or Head plate - 2 x wood member, #2 southern pine.
- 9 Girts (for horizontal support construction)  
2 x wood member, #2 southern pine.
- 10 Studs (for vertical support construction)  
2 x wood member, #2 southern pine.
- 11 Rake and Eave trim - 26 gauge (min) steel with G-90 cladding and paint finish.
- 12 Jamb Trim - 26 gauge (min) steel with G-90 cladding and paint finish.
- 13 Jamb Flashing - 26 gauge (min) steel with G-90 cladding and paint finish.
- 14 Corner Trim - 26 gauge (min) steel with G-90 cladding and paint finish.
- 15 Head Trim - 26 gauge (min) steel with G-90 cladding and paint finish.
- 16 Sill Trim - 26 gauge (min) steel with G-90 cladding and paint finish.
- 17 Closures - closed cell, cross linked, polyethylene foam closure strip, die cut to fit panel profile.
- 18 Sealant - Industrial grade, one part, solvent based urethane, elastimeric sealant.
- 19 Ends shall be closed with 1" thick closed cell polyethylene foam closure strips die cut to fit the metal panel profile.

PRODUCT RENEWED  
as compliant with the Florida  
Building Code  
Approved by  
03-0528.08  
07/23/08

By: *[Signature]*  
Miami Dade Product Control  
Division

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE November 09, 2000  
BY: *[Signature]*  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. 00-0628.12

No.	Date	Description
1	9/27/00	Revisions per Dade County

<b>Pro-Panel II Dade County</b>	
NAME	DATE
Troy Huffman	9/7/00
DRAWN	CHECKED
APPROVED	DATE
John Dahdah	9/7/00
SCALE	None
SALES OFFICE	Technical Services


DRAWING NUMBER	PP2DADE
SALES PERSON	
SALES OFFICE	Technical Services

<b>ms metal sales</b> manufacturing corporation 7800 State Road 80 Sellersburg, IN 47172 Tel: (317) 246-0619 Fax: (317) 246-0608
DATE: 9/7/00
1 of 9 Sheet No.

# VERTICAL CONSTRUCTION

3'-0" PANEL SPACING



#10 x 1-1/2" EDGE FASTENERS @ EACH SIDE OF RIBS (2-1/2", 6-1/2", 2-1/2" O.C.)  
 #10 x 1" FIELD FASTENERS @ ONE SIDE OF RIBS (9" O.C.)

REVIEWED BY:

*Walter A. Tillit Jr.*  
**WALTER A. TILLIT JR., P.E.**  
**STRUCTURAL ENGINEER**  
**FL. LIC. NO. 44167**

**TILLIT TESTING & ENGINEERING COMPANY**  
 6595 NW 36th STREET, STE. 217  
 MIAMI, FLORIDA 33166

TYPICAL WALL ELEVATION

APPROVED AS COMPLYING WITH THE  
 SOUTH FLORIDA BUILDING CODE  
 DATE *November 09, 2000*  
 BY *[Signature]*  
 PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE  
 ACCEPTANCE NO. *06-0628-12*

EDGE FASTENER (2) HEAD PLATE (8)

WALL SIDING (1)

Panel shall run from base to head without horizontal joints.

(4) SHEATHING with joints perpendicular to wall siding sidelaps


WEATHER MEMBRANE (3)

FIELD FASTENER (2)


EDGE FASTENER (2) SILL PLATE (8)

WALL HEIGHT

TYPICAL WALL SECTION



TYPICAL WALL PLAN



SIDING SIDELAP DETAIL

PRODUCT RENEWED  
 as complying with the Florida  
 Building Code  
 Acceptance No. *03-0528-08*  
 Expiration Date *07/23/08*  
 By *[Signature]*  
 Miami Dade Product Control  
 Division

No.	Date	Description
1	9/27/00	Revisions per Dade County

DRIVING NUMBER:	PP2DADA
SALESPERSON:	None
SALES OFFICE:	Technical Services

DRAWN:	Troy Huffman	DATE:	9/7/00
CHECKED:	John Dahdah	APPROVED:	9/7/00

**Pro-Panel II Dade County**


**ms metal sales manufacturing corporation**  
 7600 State Road 60  
 Sellersburg, IN 47172  
 Ph: (812) 248-8819 Fax: (812) 248-8858

DATE: 9/7/00

2 of 9  
 Sheet No.

# HORIZONTAL CONSTRUCTION

3'-0" PANEL SPACING




REVIEWED BY: #10 x 1-1/2" EDGE FASTENERS @ EACH SIDE OF RIBS (2-1/2", 6-1/2", 2-1/2" O.C.)  
 #10 x 1" FIELD FASTENERS @ ONE SIDE OF RIBS (9" O.C.)

TYPICAL WALL ELEVATION


*David...*  
 10/29/00  
**WALTER A. TILLIT JR., P.E.**  
 STRUCTURAL ENGINEER  
 FL. LIC. NO. 44167  
**TILECO INC.**  
 TILLIT TESTING & ENGINEERING COMPANY  
 6595 NW 36th STREET, STE. 217  
 MIAMI, FLORIDA 33142

TYPICAL WALL PLAN




PRODUCT RENEWED  
 as complying with the Florida  
 Building Code  
 Acceptance No. 03-0528.08  
 Expiration Date 07/23/08  
 By *[Signature]*  
 Miami Dade Product Control  
 Division

APPROVED AS COMPLYING WITH THE  
 SOUTH FLORIDA BUILDING CODE  
 DATE *November 09, 2000*  
 BY *[Signature]*  
 PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE  
 ACCEPTANCE NO. *00-0628.12*



TYPICAL WALL SECTION



SIDING SIDELAP DETAIL

Description		Revisions per Dade County	
No.	Date	No.	Date
1	9/27/00		

<b>Pro-Panel II Dade County</b>		DATE	9/7/00
SCALE:	None	NAME	Troy Huffman
DRAWN:	None	CHECKED:	John Dandah
SALES OFFICE:	Technical Services	APPROVED:	9/7/00

DRAWING NUMBER:	PP2DADE
SALES OFFICE:	Technical Services

**ms metal sales**  
 manufacturing corporation  
 7800 State Road 80  
 Sellersburg, IN 47172  
 Ph: (812) 248-5819 FAX: (812) 248-8828

# VERTICAL CONSTRUCTION

REVIEWED BY:


*Walter A. Tillit Jr.*

10/9/0  
**WALTER A. TILLIT JR., P.E.**  
**STRUCTURAL ENGINEER**  
**FL LIC. NO. 44167**



TILLIT TESTING & ENGINEERING COMPANY  
 4595 NW 36th STREET, STE. 217  
 MIAMI, FLORIDA 33166


BUILDING STRUCTURE ⑤



SECTION A  
 WALL TERMINATION

Notes: Building structurals shown as typical metal building construction. Actual building structurals may vary. Building structurals and wall framing materials are not provided with the Pro-Panel II wall system. The sizing of the wall framing members and their connections to the building structurals must be designed to meet the requirements of the South Florida Building Code and the details shown on these drawings.

# HORIZONTAL CONSTRUCTION



SECTION A  
 WALL TERMINATION

PRODUCT RENEWED  
 as complying with the Florida  
 Product Code  
 / Approval No. 03-0528-08  
 Expiration Date 07/23/08  
 By: *[Signature]*  
 Miami Dade Product Control  
 Division

APPROVED AS COMPLYING WITH THE  
 SOUTH FLORIDA BUILDING CODE  
 DATE *November 09, 2000*  
 BY *[Signature]*  
 PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE  
 ACCEPTANCE NO. 00-0628.12

Description		Revisions per Date County	
No.	Date	No.	Date
1	9/27/00		

DRAWMAN: Troy Huffman		DATE: 9/7/00	
CHECKED: John Dardah		APPROVED: 9/7/00	
SALES OFFICE: Technical Services		SCALE: None	

DRAWING NUMBER: PP2DADE		SALES PERSON: None	
SALES OFFICE: Technical Services		SALES OFFICE: None	

metal sales manufacturing corporation		7600 State Road 80	
Sellersburg, IN 47172		Ph: (317) 244-0010 FAX: (317) 244-0028	


DATE: 9/7/00
4 of 9
Sheet No.

# VERTICAL CONSTRUCTION


REVIEWED BY:

*Walter A. Tillit Jr.*  
10/9/00

**WALTER A. TILLIT JR., P.E.**  
**STRUCTURAL ENGINEER**  
**FL. LIC. NO. 44167**




TILLIT TESTING & ENGINEERING COMPANY  
6595 NW 36th STREET, STE. 217  
MIAMI, FLORIDA 33166



SECTION B  
FRAMED OPENING JAMB

# HORIZONTAL CONSTRUCTION



SECTION B  
FRAMED OPENING JAMB

Notes: Building structurals shown as typical metal building construction. Actual building structurals may vary. Building structurals and wall framing materials are not provided with the Pro-Panel II wall system. The sizing of the wall framing members and their connections to the building structurals must be designed to meet the requirements of the South Florida Building Code and the details shown on these drawings.

PRODUCT RENEWED  
in compliance with the Florida  
Building Code  
Approval No. 03-0528.08  
Expiration Date 07/23/08  
By *[Signature]*  
Miami Dade Product Control  
Division

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE *November 09, 2000*  
BY *[Signature]*  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. *00-0628-12*

DRAWING NUMBER: PP2DADA	Pro-Panel II Dade County		No. 1	Date 9/27/00	Description Revisions per Dade County
	SALES/PENSION:	SCALE: None			
SALES OFFICE: Technical Services	DRAWN: Troy Huffman		CHECKED: John Dandiah		APPROVED: 9/7/00
<b>ms metal sales</b> manufacturing corporation 7800 State Road 80 Sellsburg, IN 47172 Ph: (812) 245-8818 Fax: (812) 245-8828					
		DATE: 9/7/00			
		5 of 9			
		Sheet No.			

# VERTICAL CONSTRUCTION


REVIEWED BY:

*Walter A. Tillit Jr.*  
10/9/00

**WALTER A. TILLIT JR., P.E.**  
**STRUCTURAL ENGINEER**  
**FL LIC. NO. 44167**




TILLIT TESTING & ENGINEERING COMPANY  
6595 NW 36th STREET, STE. 217  
MIAMI, FLORIDA 33166



SECTION C  
WALL CORNER

Notes: Building structurals shown as typical metal building construction. Actual building structurals may vary. Building structurals and wall framing materials are not provided with the Pro-Panel II wall system. The sizing of the wall framing members and their connections to the building structurals must be designed to meet the requirements of the South Florida Building Code and the details shown on these drawings.

# HORIZONTAL CONSTRUCTION



SECTION C  
WALL CORNER

PRODUCT RENEWED  
as complying with the Florida  
Building Code  
Acceptance No. 03-0528.08  
Expiration Date 07/23/08  
By *[Signature]*  
Miami Dade Product Control  
Division

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE *November 09, 2000*  
BY *[Signature]*  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. *00-0628.12*

Drawing Number	Description	Date	Revisions per Date	
			No.	Date
PP2DADE	Pro-Panel II Dade County	9/27/00	1	
SALES PERSON:	NAME	DATE		
	Troy Huffman	9/7/00		
SALES OFFICE:	CHECKER	DATE		
Technical Services	John Dahdah	9/7/00		
<p><b>metal sales</b> manufacturing corporation 7800 State Road 80 Sallisburg, IN 47172 Ph: (317) 246-0819 Fax: (317) 246-0883</p>				
<p><b>ms</b></p>				
DATE: 9/7/00				
6 of 9				
Sheet No.				

# VERTICAL OR HORIZONTAL CONSTRUCTION


REVIEWED BY:

*Walter A. Tillit Jr.*

WALTER A. TILLIT JR., P.E.  
STRUCTURAL ENGINEER  
FL. LIC. NO. 44167

**TILECO INC.**

TILLIT TESTING & ENGINEERING COMPANY  
6505 NW 36th STREET, STE. 217  
MIAMI, FLORIDA 33166




SECTION D  
WALL HEAD AT RAKE

Notes: The rake trim and eave trim face profiles may vary to accommodate aesthetic requirements, but the functional surfaces (for attachment, sealing, watershed, etc.) must not deviate from these details.

Building structurals shown as typical metal building construction. Actual building structurals may vary. Building structurals and wall framing materials are not provided with the Pro-Panel II wall system. The sizing of the wall framing members and their connections to the building structurals must be designed to meet the requirements of the South Florida Building Code and the details shown on these drawings.

Roof is shown as a typical metal roof system. Actual roof construction may vary. Roof design and roof materials are to comply with chapter 34 of the S.F.B.C.

# VERTICAL OR HORIZONTAL CONSTRUCTION



SECTION D  
WALL HEAD AT EAVE

PRODUCT RENEWED  
as complying with the Florida  
Building Code  
Amendment No. 03-0528.08  
Expiration Date 9/23/08  
By *[Signature]*  
Miami Dade Product Control  
Division

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE *November 09, 2000*  
BY *[Signature]*  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. *00-0628.12*

DRAWING NUMBER: PP2DADE	SALESPERSON:	SALES OFFICE: Technical Services	SCALE: None	DRAWN: Troy Huffman	CHECKED: John Dahdah	APPROVED: 9/7/00	DATE: 9/7/00	Description: Revisions per Dade County	No.	Date
									1	9/27/00

**metal sales**  
manufacturing corporation  
7600 State Road 60  
Sellersburg, IN 47172  
Ph: (317) 246-8819 FAX: (317) 246-8828


**ms**  
DATE: 9/7/00  
7 of 9  
Sheet No.

# VERTICAL OR HORIZONTAL CONSTRUCTION

REVIEWED BY:


*Walter A. Tillit Jr.*  
 10/9/00  
**WALTER A. TILLIT JR., P.E.**  
**STRUCTURAL ENGINEER**  
**FL. LIC. NO. 44167**

**TILTECO INC.**  
**TILLIT TESTING & ENGINEERING COMPANY**  
 6595 NW 36th STREET, STE. 217  
 MIAMI, FLORIDA 33166



SECTION E  
 FRAMED OPENING HEADER

# VERTICAL OR HORIZONTAL CONSTRUCTION



SECTION F  
 WALL SILL

Notes: Building structurals shown as typical metal building construction. Actual building structurals may vary. Building structurals and wall framing materials are not provided with the Pro-Panel II wall system. The sizing of the wall framing members and their connections to the building structurals must be designed to meet the requirements of the South Florida Building Code and the details shown on these drawings.

The head and sill trim's exposed lip may vary to satisfy specific building conditions or aesthetic requirements, but the functional surfaces (for attachment, sealing, watershed, etc.) must not deviate from these details.

PRODUCT RENEWED  
 as complying with the Florida  
 Building Code  
 Acceptance No. 03-0528.08  
 Expiration Date 07/23/08

APPROVED AS COMPLYING WITH THE  
 SOUTH FLORIDA BUILDING CODE  
 DATE November 09, 2000  
 BY *[Signature]*

By *[Signature]*  
 Miami Dade Product Control  
 Division

PRODUCT CONTROL DIVISION  
 BUILDING CODE COMPLIANCE OFFICE  
 ACCEPTANCE NO. 00-0628.12

No.	Date	Description
1	9/27/00	Revisions per Dade County


<b>Pro-Panel II Dade County</b>	
SCALE: None	DATE: 9/7/00
DRAWN: Troy Huffman	CHECKED: John Dandah
SALES OFFICE: Technical Services	APPROVED: 9/7/00


<b>PP2DADE</b>	<b>metal sales</b>
<b>SALESPERSON:</b>	<b>manufacturing corporation</b>
<b>SALES OFFICE:</b> Technical Services	7800 State Road 80
	Sellersburg, IN 47172
	Ph. (812) 248-8819 FAX (812) 248-8829


DATE: 9/7/00
8 of 9
Sheet No.




CORNER TRIM




RAKE TRIM




EAVE TRIM



BASE TRIM OR  
OPTIONAL HEAD TRIM



JAMB AND  
HEAD TRIM



PRO-PANEL II PANEL PROFILE  
PER ASTM A653 GRADE D, 26 GAUGE, G-90

REVIEWED BY:

*Walter A. Tillit Jr.*  
10/9/00  
WALTER A. TILLIT JR., P.E.  
STRUCTURAL ENGINEER  
FL. LIC. NO. 44167



TILLIT TESTING & ENGINEERING COMPANY  
6595 NW 36th STREET, STE. 217  
MIAMI, FLORIDA 33166

PRODUCT RENEWED  
as complying with the Florida  
Building Code  
Acceptance No. 03-0528-08  
Expiration Date 07/23/08  
Miami Dade Product Control  
Division

APPROVED AS COMPLYING WITH THE  
SOUTH FLORIDA BUILDING CODE  
DATE *November 09, 2000*  
BY *[Signature]*  
PRODUCT CONTROL DIVISION  
BUILDING CODE COMPLIANCE OFFICE  
ACCEPTANCE NO. *00-0628-12*

DRAWING NUMBER: PP2DADE	Pro-Panel II Dade County		Description Revisions per Dade County
	SALES PERSON:	None	
SALES OFFICE: Technical Services	SCALE: None	NAME: Troy Huffman	Date: 9/27/00
		CHECKED: John Dahdah	Date: 9/7/00
		APPROVED:	Date: 9/7/00
ms metal sales manufacturing corporation 7800 State Road 80 Sellersburg, IN 47172 Ph: (317) 246-0010 Fax: (317) 246-0029			
DATE: 9/7/00			
9 of 9			
Sheet No.			