



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**New Age Windows & Door Corporation
7196 N. W. 77 Terr
Medley, Fl 33166**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Series HRW-300 Aluminum Horizontal Sliding Glass Window

APPROVAL DOCUMENT: Drawing No. **W99-80**, titled "HRW300 Horiz. Rolling Window", sheets 1 through 4 of 4, prepared by Al Farooq Corporation, dated 11-30-99 and last revised on Sep 24, 2003, signed and sealed by Dr. Humayoun Farooq, P.E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises & renews NOA # 00-0519.02 consists of this page 1 and evidence page as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**

**NOA No 03-0814.01
Expiration Date: December 14, 2008
Approval Date: November 06, 2003
Page 1**

10/16/13



New Age Windows & Door Corporation

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

DRAWINGS

1. Manufacturer's die drawings and sections. (*Submitted under NOA 00-0519.02*)
2. Drawing No. **W99-80**, titled "HRW300 Horiz. Rolling Window", sheets 1 through 4 of 4, prepared by Al Farooq Corporation, dated 11-30-99 and last revised on Sep 24, 2003, signed and sealed by Dr. Humayoun Farooq, P.E.
(Note: Sheets 1 and 2 have been revised with the addition of tempered glazing option)

B. TESTS (*Submitted under NOA 00-0519.02*)

1. Test reports on
 - 1) Air Infiltration Test, per PA 202-94
 - 2) Uniform Static Air Pressure Test, Loading per PA 202-94
 - 3) Water Resistance Test, per PA 202-94
 - 4) Forced Entry Test, per SFBC 3603.2 (b) and PA 202-94along with marked-up drawings and installation diagram of an aluminum sliding glass window, prepared by Fenestration Testing Laboratory, Inc., Test Report No(s) **FTL-2409 (99076)**, **FTL -2412 (99079)** and **FTL-2413 (99077)**, all dated November 17, 1999, witnessed by Jose D. Mitrani, P.E. and Aldo P. Gonzales, P.E. , signed and sealed by Aldo P. Gonzales, P. E

C. CALCULATIONS

1. Comparative analysis and glazing calculation, prepared by Al-Farooq Corporation, dated 07-31-03, signed and sealed by Dr. Humayoun Farooq, P. E.
2. Comparative analysis and structural analysis, prepared by Al-Farooq Corporation, dated 03-20-00 and revised on 11-16-00, signed and sealed by Dr. Humayoun Farooq, P. E. (*Submitted under NOA 00-0519.02*)

D. QUALITY ASSURANCE BY:

1. Miami-Dade Building Code Compliance Office (BCCO)

E. MATERIAL CERTIFICATIONS

1. None

F. STATEMENTS (*Submitted under NOA 00-0519.02*)

1. Statement letter of conformance, dated 05-10-00, signed & sealed by Dr. Humayoun Farooq, P.E.
2. Statement letter of no financial interest, dated 05-10-00, signed by Dr. Humayoun Farooq, P.E.
3. Statement letter of compliance dated 02-02-00 issued by Fenestration testing laboratory, signed and sealed by Aldo P. Gonzales P. E.


F. OTHER

1. This NOA **renews and revises** NOA# **00-0519.02** expiring December 24, 2003.

Ishaq I. Chanda

Ishaq I. Chanda, P.E.
Product Control Examiner
NOA No 03-0814.01

Expiration Date: December 24, 2008
Approval Date: November 06, 2003





WOOD BUCKS NOT BY NEW AGE WINDOWS, MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

TYPICAL ANCHORS: SEE ELEV./CHART FOR SPACING

3/16" TAPCONS
 INTO 2BY WOOD BUCKS OR WOOD STRUCTURE
 1-3/8" MIN. PENETRATION INTO WOOD
 THRU 1BY WOOD BUCKS INTO MASONRY OR DIRECTLY INTO MASONRY
 1-1/4" MIN. EMBED INTO MASONRY OR CONC.

WEEPHOLES:
 W1 = 1" X 1/4" WEEPHOLES AT 5" FROM EACH END OF FRAME
 W2 = 1/4" DIA. WEEPHOLES AT 6" FROM ENDS & 20" O.C. MAX.

SEALANTS:
 FRAME AND VENT CORNERS AND INSTALLATION SCREWS AT SILL SEALED WITH WHITE/ALUMINUM COLORED GENERAL PURPOSE SILICONE SEALANT BY MACKLANBURG-DUNCAN.



PRODUCT RENEWED
 as complying with the Florida Building Code
 Acceptance No. 03-0814.01
 Expiration Date DEC 24, 2008

By Shagufta Chaudhry
 Miami Dade Product Control Division

Engr: DR. HUMAYOUN FAROOQ
 STRUCTURES
 FLA. PE # 16557
 C.A.N. 3538

[Signature]

SEP 24 2003

AL-FAROOQ CORPORATION
 ENGINEERS, PLANNERS & PRODUCT DESIGN
 1235 SW 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL/W99-80NA

SERIES-HRW300 HORIZ. ROLLING WINDOW

NEW AGE WINDOWS & DOORS
 6940 N.W. 74 TH ST.
 MIAMI, FL. 33166
 TEL. (305) 869-0703 FAX. (305) 869-0710


no	date	by description
C	07.21.03	NO CHANGE THIS SHEET
D	09.19.03	REV. PER BCCO COMMENTS

date: 11-30-99
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W99-80

sheet 2 of 4

ITEM	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
1	4386	1	FRAME HEAD	6063-T5	-
2	NAS-101	1	FRAME SILL	6063-T6	-
3	4333	2	FRAME JAMB	6063-T5	-
4	4331	1/ VENT	FIXED RAIL	6063-T6	-
5	3756	1/ VENT	VENT MEETING RAIL	6063-T5	-
6	-	2/ VENT	TOP AND BOTTOM RAIL	6063-T5	-
7	43907	1/ VENT	JAMB STILE	6063-T6	-
8	069	AS REQD.	GLAZING BEAD	ALUMINUM	ROLL FORMED
9	-	AS REQD.	FRAME ASSEMBLY SCREWS	-	# 10 X 1" P.H. PHILLIPS SMS
10	-	2	FIX. RAIL SILL SCREWS (SILL END)	-	# 10 X 2-1/2" P.H. PHILLIPS SMS
11	-	AS REQD.	VENT JAMB RAIL W'STRIPPING	VINYL	1/4" DIA. BULB
12	W-3331	AS REQD.	WEATHERSTRIPPING	-	PILE WITH PLASTIC FIN
13	-	AS REQD.	WEATHERSTRIPPING	-	PILE WITH PLASTIC FIN
14	-	AS REQD.	FIN SEAL WEATHERSTRIPPING	-	-
15	NAW-45	1/ WEEP	BAFFLE	NYLON	-
16	-	2/ CORNER	VENT ASSEMBLY SCREWS	-	# 8 X 3/4" P.H. PHILLIPS SMS
17	-	-	ADHESIVE BACK CLOSED CELL FOAM	-	1/2" X 5/8" X 2-3/16" LONG
18	NAW-46	2/ VENT	VENT ROLLER HOUSING & GUIDE	NYLON	AT EACH END
19	1801	2/ VENT	VENT ROLLER/WHEEL	ST. STEEL	-
20	4332	1	SILL TRACK INSERT	6063-T5	-
21	44300	2/ VENT	VENT LATCH	6063-T6	AT 12" FROM ENDS
22	SP-27A	1/ LATCH	VENT LATCH SPRING	ST. STEEL	-



PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No. 03-0814.01
Expiration Date DEC 24, 2008
By Shaq I. Lhanda
Miami Dade Product Control
Division

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557
C.A.N. 3538

SEP 24 2003


AL-FAROOQ CORPORATION
ENGINEERS, PLANNERS & PRODUCT DESIGN
1235 SW 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL W99-80NA

SERIES-HRW300 HORIZ. ROLLING WINDOW
NEW AGE WINDOWS & DOORS
6940 N.W. 74 TH ST.
MIAMI, FL. 33166
TEL. (305) 889-0703 FAX. (305) 889-0710


no	date	description
C	07.21.03	NO CHANGE THIS SHEET
D	08.19.03	NO CHANGE THIS SHEET

date: 11-30-99
scale: 1/2" = 1"
dr. by: HAMID
chk. by:


drawing no.
W99-80
sheet 3 of 4




FRAME HEAD




FRAME SILL




SILL TRACK




FRAME JAMB




VENT TOP/BOTTOM RAIL




VENT LATCH




JAMB STILE




MEETING RAIL




FIXED MTG. RAIL




VENT TOP/BOTTOM CORNERS



FIXED MTG. RAIL CORNER



FRAME TOP CORNER



FRAME BOTTOM CORNER

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No. 03-0814.01
 Expiration Date DEC 24, 2008

By (Signature)
 Miami Dade Product Control
 Division

Engr: DR. HUMAYOUN FAROOQ
 STRUCTURES
 FLA. PE # 16557
 C.A.N. 3538

(Signature)

SEP 24 2003

AL-FAROOQ CORPORATION
 ENGINEERS, PLANNERS & PRODUCT DESIGN
 1235 SW 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978

SERIES-HRW300 HORIZ. ROLLING WINDOW
NEW AGE WINDOWS & DOORS
 6940 N.W. 74 TH ST.
 MIAMI, FL. 33166
 TEL. (305) 889-0703 FAX. (305) 889-0710

no	date	description	by
C	07.21.03	NO CHANGE THIS SHEET	
D	08.19.03	NO CHANGE THIS SHEET	

date: 11-30-99
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W99-80
 sheet 4 of 4

COMP-ANL W99-80NA