



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Solutia Inc.
12 Park Street.
North Brookfield, MA 01535**

SCOPE: This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone.

DESCRIPTION: Solutia Interlayers.

APPROVAL DOCUMENT: Drawing No. 1291, Sheets 1 of 1, titled "Solutia Interlayers for Laminated Glass," dated 01/14/04, prepared by W.W. Schaefer Engineering & Consulting, P.A., Inc. signed and sealed by W. W. Schaefer, PE. bearing the Miami-Dade County Product Control approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

LABELING: Laminated glass pieces with Solutia Interlayers shall be permanently marked either 1.) MDCA Solutia or 2.) MDCA 03-0827.08. A laminator code, logo or mark shall also be permanently applied to the glass. This mark shall appear in the same area of the lite as the appropriate safety label. The purpose of this marking is to identify the product at all times.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of this page, evidence page as well as approval document mentioned above.

The submitted documentation was reviewed by **Candido F. Font PE.**



[Signature]
03/04/04

**NOA No: 03-0827.08
Expiration Date: March 4, 2009
Approval Date: March 4, 2004
Page 1**

Solutia Inc.

NOTICE OF ACCEPTANCE: EVIDENCE PAGE

A. DRAWINGS

1. Drawing No.1291, Sheets 1 of 1, titled "Vanceva Interlayers for Laminated Glass," dated 01/14/04, prepared by W.W. Schaefer Engineering & Consulting, P A, signed and sealed by W. W. Schaefer, P.E.

B. TESTS

1. Test Reports listed on the NOA # 03-0421.01, 03-0421.02 and 03-0415.13

C. MATERIAL CERTIFICATION

1. Saflex IIIIG Product Control Notice of Acceptance No. 03-0421.02 issued to Solutia Inc. on 01/08/04 and expiring on 05/21/06.
2. Saflex HP Product Control Notice of Acceptance No. 03-0421.01 issued to Solutia Inc on 05/22/03 and expiring on 04/14/08.
3. Vanceva Composites control Notice of Acceptance No. 03-0415.13 issued to Solutia Inc. on 12/11/03 and expiring on 12/11/08

D. QUALITY ASSURANCE.

1. Miami-Dade County Product Control Division.

E. CALCULATIONS

N/A

F. STATEMENTS

1. Letter listed under NOA # 03-0421.01, 03-0421.02 and 03-0415.13.




03/04/04

Candido F. Font PE.
Sr. Product Control Examiner
NOA No 03-0827.08
Expiration Date: March 4, 2009
Approval Date: March 4, 2004

SOLUTIA INTERLAYERS

PRODUCT DESCRIPTION

A B:1-4 C



SECTION

MANUFACTURED BY: SOLUTIA INC.
 DESCRIPTION: SOLUTIA INTERLAYERS ARE CLEAR OR COLORED PLASTICIZED POLYVINYL BUTYRAL INTERLAYERS WITH A POLYETHYLENE TERATHALATE CLEAR, COLORED OR PATTERNED CORE FOR LAMINATION BETWEEN TWO OR MORE LITES OF GLASS. A TYPICAL GLAZING IS MADE OF THE FOLLOWING COMPONENTS (MINIMUM THICKNESS INDICATED - MULTIPLE LAYERS OF INTERLAYER TO BE USED AS NECESSARY):

A - 2.3 mm (3/32")	ANNEALED GLASS
B1 - 0.38 mm (0.015")	SAFLEX® IIIIG, SAFLEX® HP, VANCEVA™ AND/OR VANCEVA™ COMPOSITE INTERLAYERS
B2 - 0.38 mm (0.015")	SAFLEX® IIIIG, SAFLEX® HP OR VANCEVA™ COMPOSITE INTERLAYERS
B3 - 0.38 mm (0.015")	SAFLEX® IIIIG, SAFLEX® HP OR VANCEVA™ COMPOSITE INTERLAYERS
B4 - 0.38 mm (0.015")	SAFLEX® IIIIG, SAFLEX® HP OR VANCEVA™ COMPOSITE INTERLAYERS
C - 2.3 mm (3/32")	ANNEALED GLASS

PRODUCT PROPERTIES

INTERLAYER PROPERTIES ARE DESCRIBED AND APPROVED ON INDIVIDUAL PRODUCT NOA DOCUMENTS. THE FOLLOWING INTERLAYERS AND THEIR COMBINATIONS ARE COVERED UNDER THIS NOA:

TITLE	NOA	EXPIRATION DATE
SAFLEX IIIIG	03-0421.02	05/21/2006
SAFLEX HP	03-0421.01	04/14/2008
VANCEVA COMPOSITES	03-0415.13	12/11/2008

SOLUTIA INTERLAYERS BY THEMSELVES (UNPROTECTED) DO NOT COMPLY WITH THE FLORIDA BUILDING CODE.

®SAFLEX IS A REGISTERED TRADEMARK OF SOLUTIA INC.

™VANCEVA IS A TRADEMARK OF SOLUTIA INC.

VANCEVA™ AND/OR SAFLEX® BRAND INTERLAYERS ARE ALSO KNOWN AS: AA THROUGH AZ, CA THROUGH CZ, DA THROUGH DZ, HA THROUGH HZ, LA THROUGH LZ, MA THROUGH MZ, NA THROUGH NZ, RA THROUGH RZ, SA THROUGH SZ, AND/OR VA THROUGH VZ. EACH DESIGNATION IS FOLLOWED BY A TWO CHARACTER CODE "XX" DESIGNATING GAUGE AND TYPE OF INTERLAYER (e.g.: CL41, RB41, NA71, DPF8, VS02).

THIS IS A COMPONENT APPROVAL AND DOES NOT INCLUDE AN EVALUATION OF STRUCTURAL PERFORMANCE OF THIS COMPONENT. SYSTEMS INCORPORATING THIS COMPONENT SHALL APPLY FOR AN NOA TO THE MIAMI-DADE PRODUCT CONTROL DIVISION AND SHALL SUBMIT TEST REPORTS AND OTHER REQUIRED DOCUMENTS SHOWING THAT THE SYSTEMS USING THIS COMPONENT WILL RESIST THE LOADS ACCORDING TO CHAPTER 16 OF THE F.B.C. A LIST OF AUTHORIZED LAMINATORS SHALL BE FILED WITH DADE COUNTY BY SOLUTIA INC.

		Approved as complying with the Florida Building Code Date: 03/04/04 No. 03-0421.02 Miami Dade Product Control Division: By:								
REV. #	DESCRIPTION	SOLUTIA, INC. 730 WORCESTER STREET SPRINGFIELD, MA 01151 PHONE: 508-867-3029; FAX: 508-861-0127								
JAN 19 2004 WARREN W. SCHAEFER, P.E. STRUCTURAL ENGINEER P.E. NO. 44135		TITLE: SOLUTIA INTERLAYERS FOR LAMINATED GLASS								
W. W. SCHAEFER ENGINEERING & CONSULTING, P.A. STRUCTURAL CONSULTING ENGINEERS 8895 N. MILITARY TRAIL, SUITE C-204 PALM BEACH GARDENS, FL 33410 PPHONE: 561-775-4902		<table border="1" style="width: 100%;"> <tr> <td style="width: 25%;">DRAWING NO.</td> <td style="width: 25%;">DRAWN BY:</td> <td style="width: 25%;">DRAWING DATE:</td> <td style="width: 25%;">SHEET NO.</td> </tr> <tr> <td style="text-align: center;">1291</td> <td style="text-align: center;">K.P.S.</td> <td style="text-align: center;">01/14/04</td> <td style="text-align: center;">1 OF 1</td> </tr> </table>	DRAWING NO.	DRAWN BY:	DRAWING DATE:	SHEET NO.	1291	K.P.S.	01/14/04	1 OF 1
DRAWING NO.	DRAWN BY:	DRAWING DATE:	SHEET NO.							
1291	K.P.S.	01/14/04	1 OF 1							