



**BUILDING CODE COMPLIANCE OFFICE (BCCO)  
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908**

**NOTICE OF ACCEPTANCE (NOA)**

**Golden Pharos USA, Inc.  
700 Atlantis Road Bldg.101  
Melbourne, FL 32904**

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including High Velocity Hurricane Zone of the Florida Building Code.

**DESCRIPTION: Series "F1501" Outswing Single Lite Wood French Door Slab-FBMA Component**

**APPROVAL DOCUMENT:** Drawing No. "Project FLBMDA # 95-0004B " Series F1501 One lite Non-Insulated Door", sheets B1 through B5 of 5, prepared by the manufacturer, dated 7/14/98 and last revised on 03-15-04, signed and sealed by Wendell W. Haney, P. E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

**MISSILE IMPACT RATING: None, Hurricane Protection System Required.**

**LABELING:** Each unit shall bear a permanent label, issued by FBMA (FLBMDA) with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA # 01-0201.02 consists of this page 1 and evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by Ishaq I. Chanda, P.E.



**NOA No 04-0218.02  
Expiration Date: April 29, 2009  
Approval Date: April 29, 2004  
Page 1**

4/29/04

**Golden Pharos USA, Inc.**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

**A. DRAWINGS**

1. Manufacturer's parts and sections drawings.
2. Drawing No. "Project FLBMDA # 95-0004B " Series F1501 One lite Non-Insulated Door", sheets B1 through B5 of 5, prepared by the manufacturer, dated 7/14/98 and last revised on 03-15-04, signed and sealed by Wendell W. Haney, P. E.  
(Note: The drawing at renewal has been updated).

**B. TESTS (Transferred from file #01-0201.02)**

1. Test reports per FBMA in file No. 95-0004.
2. This approval is based on Comparative Inspection Report for model 1501, Report No. CTLA-335W, dated September 18, 1998 issued by Certified Testing Laboratories, signed and sealed by Ramesh Patel, P. E.
3. This approval is based on Comparative Inspection Report for model 1501, Report No. CTLA-335W-R, dated October 18, 1999 issued by Certified Testing Laboratories, signed and sealed by Ramesh Patel, P. E.

**C. CALCULATIONS**

1. None

**D. QUALITY ASSURANCE BY:**

- 1 Miami-Dade County Building Code Compliance Office (BCCO)

**E. MATERIAL CERTIFICATIONS**

1. None

**F. STATEMENTS**

- 1 Release letter issued by Florida Building Materials Association, Inc., dated February 10, 2004, certifying this product manufactured by Golden Pharos USA, meets the criteria of product tested, under Dade County NOA # FBMA 95-0004B, series 1501outswing Single light Wood French Door, signed by George W. Tucker.
2. Acknowledgment letter by Golden Pharos USA Inc., dated February 13, 2004, signed by Michael F. Pomroy, VP Marketing.
3. Letter dated April 04, 2004, issued by Golden Pharos USA authorizing for additional review fee, signed by Michael F. Pomroy, VP Marketing.

**G. OTHER**

1. This NOA renews NOA # 01-0201.02, has expired on 02-22-2004.
2. This slab component approval must be used with Florida Building Material Association (FBMA) door system approval FBMA #95000B (Dwg No. 99002).
3. Previous associated files NOA #01-0201.01 & 98-1229.04.


*Ishaq I. Chanda*

Ishaq I. Chanda, P.E.  
Product Control Examiner  
NOA No 04-0218.02



Expiration Date: April 29, 2009

Approval Date: April 29, 2004

**Design Pressure: +48.3psf -58.5psf**



- Limitations:**
1. This door (slab) component is equal, alternate and interchangeable with Florida Building Material Association (FBMA), series 1501 Outswing Single Lite Wood French Door.
  2. This door (slab) must only be used with FBMA, door system approval # 95-0004 (b) (Dwg No. 99002). Door (slab) shall include all component(s) described in the active leaf of the system approval.
  3. Installation of the unit requires Hurricane Protection Complying with HVHZ of FBC or windborne debris protection per FBC, as applicable.
  4. Glazing complies with ASTM E-1300 per FBC.



*Wendell W. Haney*  
 Wendell W. Haney  
 P.E. No. 54158  
 3/18/04

3/8" (5mm) Tempered Safety Glass

5/8" x 5" Hardwood Dowels (Typical)


Not to Scale  
**F-1501**  
 One Lite Non-Insulated Glass  
 36" x 96" x 1 3/4"

**Wood Species**

- |                             |                             |
|-----------------------------|-----------------------------|
| -Vertical Grain Douglas Fir | (Pseudotsuga Taxfolia)      |
| -American Red Oak           | (Quercus Rubis)             |
| -Nyatoh                     | (Sapotaceae)                |
| -Meranti Bakau              | (Shorea Uliginosa)          |
| -Okoume                     | (Aucoumea Klaineana Peirre) |

**PRODUCT RENEWED**  
 as complying with the Florida  
 Building Code  
 Acceptance No. 04-0218-02  
 Expiration Date APRIL 29, 2009

By Ishag L. Chanda  
 Miami Dade Product Control  
 Division



**Section Drawings**

Not to Scale

Revision: 3/30/99: Added design pressure; Reduced to 8 1/2" x 11" format  
 Revision: 9/12/99: Added 3rd Dowel to top rail  
 Revision: 3/15/04: Added Limitations


Prepared: 14 July 1998

**BILL OF MATERIALS**

**PRODUCT TYPE AND SERIES**

Golden Pharos USA, Inc.

- F-1501 One Lite Single Glazed French Door  
Vertical Grain Douglas Fir  
Veneer Construction
- M-1501 Meranti Veneer Construction
- N-1501 Nyatoh Veneer Construction
- R-1501 Red Oak Veneer Construction
- P-1501 Okoume Veneer Construction

  
Wendell W. Haney  
P.E. No. 54158  
3/18/04

**CONFIGURATION:**

Single Slab Door

Dimensions: 1 3/4" X 36" X 96"

**CORNER CONSTRUCTION**

- Top Rail: 1 3/4" X 6 1/2" X 27 5/8"  
Three (3) 5/8" X 5" Dowels at each end.  
2 7/8" Penetration into the rail.
- Bottom Rail: 1 3/4" X 9 11/16" X 27 5/8"  
Four (4) 5/8" X 5" Dowels at each end.  
2 7/8" Penetration into the rail.
- Stiles: 1 3/4" X 4 1/2" X 96"
- Glass Sizes: One (1) 3/16" (5mm) X 27 9/16" (700mm) X 80 3/8" (2042mm)

PRODUCT RENEWED  
as complying with the Florida  
Building Code  
Acceptance No. 04-0218-02  
Expiration Date APRIL 29, 2009  
By Ishag I. Lhanda  
Miami Code Product Control  
Division

**Drawings Not to Scale**

Revision: 3/30/99: Added design pressure; Reduced to 8 1/2" x 11" format  
Revision: 9/12/99: Added 3rd Dowel to top rail  
Revision: 3/15/04: Added Limitations

Prepared: 14 July 1998


Project.

FLBMDA #95-0004 F1501 One Lite Non-Insulated Door (5 Pages: B1-B5)

Page No.:

**B2**


**PRODUCT RENEWED**  
 as complying with the Florida  
 Building Code  
 Acceptance No 04-0218.02  
 Expiration Date APRIL 29, 2009  
 By Ishag I. Chande  
 Miami Dade Product Control  
 Division



Drawings Not to Scale

Revision: 3/30/99: Added design pressure; Reduced to 8 1/2" x 11" format  
 Revision: 9/12/99: Added 3rd Dowel to top rail  
 Revision: 1/15/01: Added Top Rail Title to Drawing  
 Revision: 3/15/04: Added Limitations



Prepared: 14 July 1998



**PRODUCT RENEWED**  
 as complying with the Florida  
 Building Code  
 Acceptance No. 04-0218.02  
 Expiration Date APRIL 29, 2009  
 By (Ishaq). Chanda  
 Miami Dade Product Control  
 Division

Veneer Construction  
 (Typical)

*Wendell W. Haney*  
 Wendell W. Haney  
 P.E. No. 54158  
 3/18/04




Drawings Not to Scale


- Revision: 3/30/99: Added design pressure; Reduced to 8 1/2" x 11" format
- Revision: 9/12/99: Added 3rd Dowel to top rail
- Revision: 1/15/01: Changed glass to 3/16" (5mm)
- Revision: 3/15/04: Added Limitations

Prepared: 14 July 1998


**Type B: 1518 Family**



144




118




2035


*Wendell W. Honey*  
 Wendell W. Honey  
 P.E. No. 54158  
 3/18/04



2170



2175




2100

A

Drawings Not to Scale

**PRODUCT RENEWED**  
 as complying with the Florida  
 Building Code  
 Acceptance No. 04-0218.02  
 Expiration Date APRIL 29, 2009  
 By Ishag I. Chanda  
 Miami Dade Product Control  
 Division



**Bottom Rail with Raised Panel Cross Section**  
 Typical Section A

Revision: 3/30/99: Added design pressure; Reduced to 8 1/2" x 11" format  
 Revision: 9/12/99: Added 3rd Dowel to top rail  
 Revision: 3/15/04: Added limitations and panel cross section

Prepared: 14 July 1998

Project

Page No.: