



BUILDING CODE COMPLIANCE OFFICE (BCCO)
 PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
 METRO-DADE FLAGLER BUILDING
 140 WEST FLAGLER STREET, SUITE 1603
 MIAMI, FLORIDA 33130-1563
 (305) 375-2901 FAX (305) 375-2908

NOTICE OF ACCEPTANCE (NOA)

Kane Manufacturing Corp.
515 North Fraley Street
Kane, PA. 16735

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Aluminum Van Guard II Hurricane Barrier (w/ 0.028" S.S. Mesh)

APPROVAL DOCUMENT: Drawing No. 04-069, titled "Aluminum Van Guard II Hurricane Barrier with S.S. Mesh", sheets 1 through 6 of 6, prepared by Tilteco, Inc., dated June 18, 2004, signed and sealed by Walter A. Tillit Jr., P.E., bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

LABELING: Each panel shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of this page 1, evidence submitted page(s) as well as approval document mentioned above. The submitted documentation was reviewed by **Helmy A. Makar, P.E.**



Helmy A. Makar
 09/30/04

NOA No 04-0803.02
 Expiration Date: 09/30/2009
 Approval Date: 09/30/2004
 Page 1

Kane Manufacturing Corp.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. *Drawing No. 04-069, titled " Aluminum Van Guard II Hurricane Barrier with S.S. Mesh ", sheets 1 through 6 of 6, prepared by Tilteco, Inc., dated June 18, 2004, signed and sealed by Walter A. Tillit Jr., P.E.*

B. TESTS

1. *Test report on Large Missile Impact Test, Cyclic Wind Pressure Test and Uniform Static Air Pressure Test of Aluminum Hurricane Barrier with S.S. Mesh, prepared by Architectural Testing, Report No. 01-50644.01, dated May 06, 2004, signed and sealed by Steven M. Urich, P.E.*

C. CALCULATIONS

1. *Anchor calculations dated July 06, 2004, 6 pages, prepared by Tilteco, Inc., signed and sealed by Walter A. Tillit Jr., P.E.*

D. QUALITY ASSURANCE

1. *By Miami-Dade County Building Code Compliance Office.*

E. MATERIAL CERTIFICATIONS

1. *Mill Certified Inspection Report issued by Keymark Corporation, with chemical analysis and mechanical properties for Aluminum Hurricane Barrier with S.S. Mesh.*



Helmy A. Makar, P. E.
Product Control Examiner
NOA No 04-0803.02
Expiration Date: 09/30/2009
Approval Date: 09/30/2004

GENERAL NOTES:

1. ALUMINUM VAN GUARD II HURRICANE BARRIER SHOWN ON THIS PRODUCT APPROVAL DOCUMENT (P.A.D.) HAS BEEN VERIFIED FOR COMPLIANCE IN ACCORDANCE WITH THE 2001 EDITION OF THE FLORIDA BUILDING CODE. THIS HURRICANE BARRIER MAY BE INSTALLED AT HIGH VELOCITY HURRICANE ZONES. DESIGN WIND LOADS SHALL BE DETERMINED AS PER SECTION 1619 OF THE ABOVE MENTIONED CODE. IN ORDER TO VERIFY THAT ANCHORS ON THIS P.A.D., AS TESTED, WERE NOT OVERSTRESSED, A 33% INCREASE IN ALLOWABLE STRESS FOR WIND LOADS WAS **NOT** USED IN THEIR ANALYSIS. HURRICANE BARRIER'S ADEQUACY FOR IMPACT AND FATIGUE RESISTANCE HAS BEEN VERIFIED IN ACCORDANCE WITH SECTION 1606.1.4 OF THE ABOVE MENTIONED CODE AS PER ARCHITECTURAL TESTING REPORT # 01-5064.01 AS PER MIAMI-DADE COUNTY PROTOCOLS TAS 201-94, TAS 202-94 AND TAS 203-94.
2. ALL COMPONENTS SHALL BE MADE OF MATERIALS AS SPECIFIED ON SHEET 2 OF THIS DRAWING.
3. SEE ELEVATIONS ON SHEET 3 FOR MAX. BARRIER SIZES.
4. ALL SCREWS TO BE CORROSION RESISTANT COATED CARBON STEEL AS PER ASTM A510-03, ZINC PLATED AS PER ASTM B-633 OR TO COMPLY W/ DIN 50018 WITH 50 ksi YIELD POINT AND 90 ksi TENSILE STRENGTH.
5. BOLTS OR MACHINE SCREWS TO BE AISI 304 SERIES STAINLESS STEEL, WITH 35 ksi MINIMUM YIELD POINT.
6. ANCHOR'S TYPE AND SPACING TO ALUMINUM OR STEEL FRAME SHALL BE AS SPECIFIED ON SHEETS 2 & 3, RESPECTIVELY.
7. ALUMINUM MEMBERS IN CONTACT WITH STEEL SHALL BE PROTECTED ACCORDINGLY WITH SECTION 2003.8.4.2 OF THE 2001 EDITION OF THE FLORIDA BUILDING CODE.
8. THIS PRODUCT'S SASH PANEL IS OPERABLE, BUT SHALL BE SECURED TO FRAME W/ KANE 107 BITT KEY LOCK WITH ACTUATING BALL BEARING AND 1/2" DIAM. STEEL BOLT (SEE SHEET 5), AND W/ LYNCH PINS® AT LOCATION SHOWN ON ELEVATION ON SHEET 3. SEE SHEET 6 FOR FRAMING DETAIL AT CORNERS. THIS PRODUCT CAN BE INSTALLED ROTATED.
9. SCREEN SHALL CONSIST OF 12x12 PER INCH MESH, 43% OPEN, MADE OF AISI 304 SERIES STAINLESS STEEL WITH A MIN. TENSILE STRENGTH OF 104 ksi BEFORE WEAVING AND A MIN. TEAR STRENGTH OF 650 Lb/in AFTER WEAVING.
10. DESIGN PRESSURE RATING IS: +73 psf, -134 psf.

11. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE SOUNDNESS OF THE STRUCTURE WHERE BARRIER IS TO BE ATTACHED TO INSURE PROPER ANCHORAGE. THIS BARRIER SHALL ONLY BE ATTACHED TO STEEL OR ALUMINUM STRUCTURES MADE OF 1/8" MIN. THICK MATERIAL.

12. THE INSTALLATION CONTRACTOR IS TO SEAL/CAULK ALL BARRIER COMPONENT EDGES WHICH REMAIN IN CONTINUOUS CONTACT WITH THE BUILDING TO PREVENT WIND/RAIN INTRUSION. CAULK AND SEAL BARRIER TRACKS ALL AROUND FULL LENGTH.

13. BARRIER INSTALLATION SHALL COMPLY WITH SPECS INDICATED IN THIS DRAWING PLUS ANY BUILDING AND ZONING REGULATIONS PROVIDED BY THE JURISDICTION WHERE PERMIT IS APPLIED TO.

14. (a) THE PRODUCT APPROVAL DOCUMENT (P.A.D.) PREPARED BY THIS ENGINEER IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SITE SPECIFIC PROJECT.

(b) CONTRACTOR TO BE RESPONSIBLE FOR THE SELECTION, PURCHASE AND INSTALLATION INCLUDING LIFE SAFETY OF THIS PRODUCT BASED ON THIS PRODUCT APPROVAL PROVIDED HE/SHE DOES NOT DEVIATE FROM THE CONDITIONS DETAILED ON THIS DOCUMENT. CONSTRUCTION SAFETY AT SITE IS THE CONTRACTOR'S RESPONSIBILITY.

(c) THIS PRODUCT APPROVAL DOCUMENT WILL BE CONSIDERED INVALID IF MODIFIED.

(d) SITE SPECIFIC PROJECTS SHALL BE PREPARED BY A FLORIDA REGISTERED ENGINEER OR ARCHITECT WHICH WILL BECOME THE PROFESSIONAL OF RECORD (P.O.R.) FOR THE PROJECT AND WHO WILL BE RESPONSIBLE FOR THE PROPER USE OF THE P.A.D. PROFESSIONAL OF RECORD, ACTING AS DELEGATED ENGINEER TO THE P.A.D. ENGINEER, SHALL SUBMIT TO THIS LATTER THE SITE SPECIFIC DRAWINGS FOR REVIEW.


(e) THIS P.A.D. SHALL BEAR THE DATE AND ORIGINAL SEAL AND SIGNATURE OF THE PROFESSIONAL ENGINEER THAT PREPARED IT.

15. BARRIER'S MANUFACTURER LABEL SHALL BE PLACED ON THE EXPOSED SURFACE OF (A) OR (D) ONE LABEL SHALL BE PLACED FOR EVERY OPENING. LABEL SHALL READ AS FOLLOWS:
KANE MANUFACTURING CORP.
 515 NORTH FRALEY
 KANE, PA
 MIAMI-DADE COUNTY PRODUCT CONTROL APPROVED.

Approved as complying with the
 Florida Building Code
 Date 04/30/2004
 NOA# 04-0803-02
 Miami Dade Product Control
 Division
 By Walter A. Tillit Jr.


F.B.C.(H.V.H.Z.)

	MIAMI-DADE COUNTY	 7/7/04 P.E. SEAL/SIGNATURE/DATE	©2003 TILTECO, INC  TILLIT TESTING & ENGINEERING COMPANY 5595 N.W. 36th. St., Ste. 217, VIRGINIA GARDENS, FLORIDA 33166 Phone : (305)871-1930 . Fax : (305)871-1931 EB-0006719 WALTER A. TILLIT Jr., P. E. FLORIDA Lic. # 44167	Aluminum Van Guard II Hurricane Barrier (w/ S.S. Mesh)	AS SHOWN SCALE																		
			Kane Manufacturing Corp. 515 North Fraley Street Kane, PA 16735	6/18/04 DATE 04-069 DRAWING No																			
			<table border="1"> <thead> <tr> <th>REV. No</th> <th>DESCRIPTION</th> <th>DATE</th> <th>REV. No</th> <th>DESCRIPTION</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>-</td> <td>-</td> <td>3</td> <td>-</td> <td>-</td> </tr> <tr> <td>2</td> <td>-</td> <td>-</td> <td>4</td> <td>-</td> <td>-</td> </tr> </tbody> </table>	REV. No	DESCRIPTION	DATE	REV. No	DESCRIPTION	DATE	1	-	-	3	-	-	2	-	-	4	-	-	SHEET 1 OF 6	
REV. No	DESCRIPTION	DATE	REV. No	DESCRIPTION	DATE																		
1	-	-	3	-	-																		
2	-	-	4	-	-																		




(A) SUB FRAME

EXTRUDED ALUMINUM 6063-T6 ALLOY
SCALE: 1/2" = 1"




(B) MAIN FRAME

EXTRUDED ALUMINUM 6063-T6 ALLOY
SCALE: 1/2" = 1"




(V) MAINFRAME HINGE SHIM FOR LYNCH PIN ASSEMBLY

10 GA. AISI 304 SERIES STAINLESS STEEL W/ Fy(MIN.)=30 KSI
SCALE: 1/2" = 1"




(C) MAIN FRAME SECONDARY CORNER KEY

EXTRUDED ALUMINUM 6063-T6 ALLOY
SCALE: 1/2" = 1"




(C) 12 MESH (.028")

AISI 304 SERIES STAINLESS STEEL WIRE CLOTH
SCALE: 1/2" = 1"



(D) + (D1) TYPICAL HINGE

13 GA. AISI 304 SERIES STAINLESS STEEL W/ Fy(MIN.)=30 KSI
WITH (D2) 1/4" DIAM PIN
13 GA. AISI 304 SERIES STAINLESS STEEL
SCALE: 1/2" = 1"




(E) MAINFRAME COVER

EXTRUDED ALUMINUM 6063-T6 ALLOY
SCALE: 1/2" = 1"



(Q) 1/20 x 2.00 STAINLESS STEEL MACHINE SCREW (CARRIAGE BOLT)

SCALE: 1/2" = 1"




(P) 1/20 x .500 STAINLESS STEEL MACHINE SCREW (CARRIAGE BOLT)

SCALE: 1/2" = 1"




(R) 1/20 STAINLESS STEEL NUT

SCALE: 1/2" = 1"




(F) MAIN FRAME CORNER KEY

EXTRUDED ALUMINUM 6063-T6 ALLOY
SCALE: 1/2" = 1"




(T) SUB FRAME PLATE FOR LYNCH PIN ASSEMBLY

10 GA. AISI 304 SERIES STAINLESS STEEL W/ Fy(MIN.)=30 KSI
SCALE: 1/2" = 1"




(V) MAINFRAME PLATE FOR LYNCH PIN ASSEMBLY

10 GA. AISI 304 SERIES STAINLESS STEEL W/ Fy(MIN.)=30 KSI
SCALE: 1/2" = 1"




(W) SUB FRAME HINGE ANGLE FOR LYNCH PIN ASSEMBLY

10 GA. AISI 304 SERIES STAINLESS STEEL W/ Fy(MIN.)=30 KSI
SCALE: 1/2" = 1"




(V) MAINFRAME PLATE FOR LYNCH PIN ASSEMBLY

10 GA. AISI 304 SERIES STAINLESS STEEL W/ Fy(MIN.)=30 KSI
SCALE: 1/2" = 1"




(Z) MAINFRAME HINGE ANGLE FOR LYNCH PIN ASSEMBLY

10 GA. AISI 304 SERIES STAINLESS STEEL W/ Fy(MIN.)=30 KSI
SCALE: 1/2" = 1"



(S) MAINFRAME LOCK ANGLE FOR LYNCH PIN ASSEMBLY

10 GA. AISI 304 SERIES STAINLESS STEEL W/ Fy(MIN.)=30 KSI
SCALE: 1/2" = 1"



(L) STRIKE PAD

10 GA. AISI 304 SERIES STAINLESS STEEL W/ Fy(MIN.)=30 KSI
SCALE: 1/2" = 1"

FASTENER'S LIST

- F1 #8X1/2" SQUARE DRIVE PAN HEAD S.D.S. TEK SCREW
- F2 #8X1" ROBERTSON PAN HEAD S.D.S.
- F3 #12X1 1/2" HEX. HEAD S.D.S. TEK SCREW
- F4: #10X1 1/2" ROBERTSON SELF-DRILLING SCREW
- F5: #10X3/4" PHILLIPS SELF-DRILLING SCREW
- F6: 3/16X3/8" HEX HEAD MACHINE SCREW
- F7: #8X3/4" ROBERTSON SELF-DRILLING SCREW
- F8: 3/16X1/4" PHILLIPS MACHINE SCREW
- F9: #6X3/8" PHILLIPS MACHINE SCREW

Approved as complying with the Florida Building Code
Date 09/30/2004
NOA# 04-0803-02
Miami Dade Product Control
Division
By: *Heung A. Miller*

F.B.C.(H.V.H.Z.)

©2003 TILTECO, INC



TILLIT TESTING & ENGINEERING COMPANY
8585 N.W. 36th St., Ste. 217, VIRGINIA GARDENS, FLORIDA 33166
Phone: (305)871-1530, Fax: (305)871-1531
EB-0006719
WALTER A. TILLIT Jr., P. E.
FLORIDA Lic. # 44167

Aluminum Van Guard II
Hurricane Barrier (w/ S.S. Mesh)

Kane Manufacturing Corp.

515 North Fraley Street
Kane, PA 16735

AS SHOWN
SCALE

8/18/04
DATE

04-069
DRAWING No


SHEET 2 OF 6

MIAMI-DADE COUNTY


David B.
7/7/04

P.E. SEAL/SIGNATURE/DATE


REV. No	DESCRIPTION	DATE	REV. No	DESCRIPTION	DATE
1	-	-	3	-	-
2	-	-	4	-	-




<p>Approved as complying with the Florida Building Code. Date <u>09/30/2004</u> NOA# <u>04-0803.01</u> Miami Dade Product Control Division By <u>Helmut H. Weber</u></p> <p>MIAMI-DADE COUNTY</p>	<p><i>David D. [Signature]</i> <u>7/7/04</u> P.E. SEAL/SIGNATURE/DATE</p>	<p>©2003 TILTECO, INC</p> <p>TILTECO INC. TILLIT TESTING & ENGINEERING COMPANY 6595 N.W. 36th. St., Ste. 217, VIRGINIA GARDENS, FLORIDA 33166 Phone : (305)871-1530 . Fax : (305)871-1531 EB-0008719 WALTER A. TILLIT Jr., P. E. FLORIDA Lic. # 44167</p>	<p>Aluminum Van Guard II Hurricane Barrier (W/ S.S. Mesh)</p> <p>Kane Manufacturing Corp. 515 North Fraley Street Kane, PA 16735</p> <p>AS SHOWN SCALE 8/18/04 DATE 04-069 DRAWING No SHEET 3 OF 6</p> <table border="1"> <thead> <tr> <th>REV. No</th> <th>DESCRIPTION</th> <th>DATE</th> <th>REV. No</th> <th>DESCRIPTION</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>-</td> <td>-</td> <td>3</td> <td>-</td> <td>-</td> </tr> <tr> <td>2</td> <td>-</td> <td>-</td> <td>4</td> <td>-</td> <td>-</td> </tr> </tbody> </table>	REV. No	DESCRIPTION	DATE	REV. No	DESCRIPTION	DATE	1	-	-	3	-	-	2	-	-	4	-	-
REV. No	DESCRIPTION	DATE	REV. No	DESCRIPTION	DATE																
1	-	-	3	-	-																
2	-	-	4	-	-																




REAR SHUTTER ELEVATION
TYPICAL WIRE CLOTH
ASSEMBLY SCREWS LAY-OUT
N.T.S.



REAR SHUTTER ELEVATION
TYPICAL MAIN FRAME COVER
ASSEMBLY SCREWS LAY-OUT
N.T.S.



TYPICAL
SECTION D
N.T.S.



TYPICAL
SECTION E
N.T.S.

F.B.C.(H.V.H.Z.)

Approved as complying with the
Florida Building Code
Date 09/30/2004
NOA# 04-0803-02
Miami Dade Product Control
Division
By: Helmut A. Mader

MIAMI-DADE COUNTY

[Signature]
7/7/04
P.E. SEAL/SIGNATURE/DATE

©2003 TILTECO, INC

TILTECO INC.
TILLIT TESTING & ENGINEERING COMPANY
8595 N.W. 39th St., Ste. 217, VIRGINIA GARDENS, FLORIDA 33186
Phone : (305)871-1530 . Fax : (305)871-1531
EB-0006719
WALTER A. TILLIT Jr., P. E.
FLORIDA Lic. # 44167

Aluminum Van Guard II
Hurricane Barrier (w/ S.S. Mesh)

Kane Manufacturing Corp.
515 North Fraley Street
Kane, PA 16735


AS SHOWN
SCALE

6/18/04
DATE

04-069
DRAWING No

SHEET 4 OF 6


REV. No	DESCRIPTION	DATE	REV. No	DESCRIPTION	DATE
1	--	--	3		
2	--	--	4		



HORIZONTAL SECTION B-B
N.T.S.

EXISTING EXTRUDED ALUM. FRAME OR STEEL FRAME MADE OF MIN. 1/8" THICK MATERIAL


EXISTING EXTRUDED ALUM. FRAME OR STEEL FRAME MADE OF MIN. 1/8" THICK MATERIAL




EMERGENCY RELEASE OPTION
N.T.S.

EXISTING EXTRUDED ALUM. FRAME OR STEEL FRAME MADE OF MIN. 1/8" THICK MATERIAL

EXISTING EXTRUDED ALUM. FRAME OR STEEL FRAME MADE OF MIN. 1/8" THICK MATERIAL



HORIZONTAL SECTION C-C LYNCH PIN ASSEMBLY
N.T.S.



VERTICAL SECTION A-A
N.T.S.

Approved as complying with the Florida Building Code
Date 09/30/2004
NOA# 04-0803-02
Miami Dade Product Control Division
By *[Signature]*

MIAMI-DADE COUNTY

[Signature]
7/7/09

P.E. SEAL/SIGNATURE/DATE

©2003 TILTECO, INC

TILTECO INC.
TILLIT TESTING & ENGINEERING COMPANY
6595 N.W. 36th. St., Ste. 217, VIRGINIA GARDENS, FLORIDA 33166
Phone : (305)871-1530 . Fax : (305)871-1531
EB-0006719
WALTER A. TILLIT Jr., P. E.
FLORIDA Lic. # 44167

Aluminum Van Guard II
Hurricane Barrier (w/ S.S. Mesh)


Kane Manufacturing Corp.
515 North Fraley Street
Kane, PA 16735

AS SHOWN SCALE

6/18/04 DATE

04-069 DRAWING No

REV. No	DESCRIPTION	DATE	REV. No	DESCRIPTION	DATE
1			3		
2			4		



TYPICAL CORNER CONNECTION
N.T.S.

F.B.C.(H.V.H.Z.)

Approved as complying with the Florida Building Code
Date 09/30/2004
NOA# 04-0803-02
Miami Dade Product Control
Division
By Helmut H. Miller
MIAMI-DADE COUNTY

David A. Seal
7/7/04
P.E. SEAL/SIGNATURE/DATE

©2003 TILTECO, INC
TILTECO INC.
TILLIT TESTING & ENGINEERING COMPANY
6595 N.W. 36th. St., Ste. 217, VIRGINIA GARDENS, FLORIDA 33166
Phone : (305)871-1530 . Fax : (305)871-1531
EB-0006719
WALTER A. TILLIT Jr., P. E.
FLORIDA Lic. # 44187

Aluminum Van Guard II
Hurricane Barrier (w/ S.S. Mesh)
Kane Manufacturing Corp.
515 North Fraley Street
Kane, PA 16735

REV. No	DESCRIPTION	DATE	REV. No	DESCRIPTION	DATE
1	-	-	3		
2	-	-	4		

AS SHOWN
SCALE
6/18/04
DATE
04-069
DRAWING No
SHEET 6 OF 6