



MIAMI-DADE
BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

NOTICE OF ACCEPTANCE (NOA)

Glasswall Llc.
3550 NW 49th Street
Miami, FL 33142

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series 200 Aluminum Sliding Glass Door Small Missile

APPROVAL DOCUMENT: Drawing No. **S.G.D.-200-11 HS**, titled "Series # 200 S.G.D. Small Missile ", sheets 1 through 5 of 5, prepared by manufacture, dated 09/09/04 with revisions "1" on 11/01/04, signed and sealed by Kelvyn Whitfield, P.E., bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Small Missile Impact

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of this page 1 and evidence pages E-1, as well as approval document mentioned above.


The submitted documentation was reviewed by **Herminio F. Gonzalez, P.E., Director, BCCO**



NOA No 04-0929.01
Expiration Date: December 30, 2009
Approval Date: December 30, 2004
Page 1


NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

- A. DRAWINGS**
1. Manufacturer's die drawings and sections.
 2. Drawing No **S.G.D-200-11 HS**, Sheets 1 through 5 of 5, titled "S.G.D.-200-11 HS", prepared by manufacture, dated 09/09/04 with revisions "1" on 11/01/04, signed and sealed by Kelvyn Whitfield, P.E.
- B. TESTS**
1. Test reports on
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Small Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 6) Forced Entry Test, per FBC 2411 3.2.1 (b) and TAS 202-94along with marked-up drawings and installation diagram of an aluminum sliding glass door, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-4266**, dated 08/15/04, signed and sealed by Edmundo Largespada, P.E.
- C. CALCULATIONS**
1. Anchor Calculations, ASTM-E 1300, and structural analysis, prepared by Kelvyn Whitfield, P.E. Consulting Engineer, dated 09/09/04, signed and sealed by Kelvyn A. Whitfield, P.E.
- D. QUALITY ASSURANCE**
1. Miami Dade Building Code Compliance Office (BCCO).
- E. MATERIAL CERTIFICATIONS**
1. Notice of Acceptance No. **01-0205.02**, issued to Solutia Inc. for their "Saflex/Keepsafe Maximum", approved on 05/17/01 and expiring on 05/21/06.
- F. STATEMENTS**
1. Statement letter of conformance and no financial letter, dated 09/09/04, signed and sealed by Kelvyn Whitfield, P.E.
- G. OTHER**
1. Letter from the consultant stating that the product is in compliance with the Florida Building Code (FBC)




Herminio F. Gonzalez, P.E.
Director, Building Code Compliance Office
NOA No 04-0929.01


Expiration Date: December 30, 2009
Approval Date: December 30, 2004




① Jamb # 100-001




② Sill # 100-021




③ Bottom Moving Panel # 100-024




⑥ Astragal # 100-006




④ Fixed & Lock Stile # 100-026




⑦ Heavy Interlock # 100-007




⑧ Fixed Bottom # 100-025




⑱ Fixed Stile Sliding Door




⑲ Interlock




⑳ Threshold # 100-022




⑲ Head # 100-009




㉑ Head Receptor # 100-019



㉒ Reinforcing Head Receptor # 100-020



㉓ Sill Chanel Clip #100-013 HALF SCALE



㉔ Sill Chanel Clip II # 100-014 HALF SCALE

SLIDING GLASS DOOR

Item Number	Part Number	Part Name	Remarks
1	100-001	Jamb	Frame
2	100-021	Sill	Frame
3	100-024	Bottom moving panel	Panel
4	100-026	Lock Stile	Panel
5	100-005	Interlock	Panel
6	100-006	Astragal	Panel
7	100-007	Heavy Interlock	Panel (SEE TABLE SHEET 1 FOR ALLOY)
8	100-025	Fix & Mov Top	Panel
9	7P-448		Prototype Plastic
10	568-61279	Fin Seal .270HT	Part #568-61279 - 00914-18701 Prototype Plastics
11	568-62379	Fin Seal .370HT	Part #568-62379 - 00914-18701 Prototype Plastics
12		Fastener	Screw
13	D-60C	Lock	Door & Window Hardware
14	AR-50A	Wheel, SS	D & W Hardware (Attached with 2 #10 x 1/2" PH-PH-SMS-S/S)
15	P1000AFK(PC)2	Pad	Ultrafab
16	P6309AFK(PC).75	Pad	Ultrafab
17	KP-60	Keeper	Door & Window Hardware
18	100-023	Fixed Stile	6063-T6
19	100-009	Head	
20	100-022	Threshold	
21	100-019	Head Receptor	
22	100-020	Reinforcing	
23	100-013	Sill Chanel Clip	
24	100-014	Sill Chanel Clip	
25	PAD	1/2" HT. x 1 3/4" wide	
26	PAD	5/8" x 2 7/16" x 3/4" at Interlock Bottom.	
27	PAD	1/2" x 2 7/16" x 1 3/4"	
28	PAD	5/8" x 1 3/4" x 5/8" at Interlock Bottom	
29	100-005	Interlock	

Glasswall LLC.
3550 NW 49th Street
Miami, Florida 33142
Tel +305-638-5151 - Fax +305-638-5158

Series# 200 S.G.D.
Small Missile

REVISION

No	Date	By	Description

Date	09-09-04
Scale	N.T.S
Design by	G. S.
Drawing by	L. O.
Checked by	G. S.
Drawing No.	
S.G.D-200-11-HS	
Sheet 5 of 5	

Approved as complying with the
Florida Building Code
Date 12/30/04
NOA# 01-0929.01
Miami Dade Product Control
Division
By *M. Shull*

PART LIST
KELVYN WHITFIELD.P.E
1002 NE 116 ST
MIAMI, FL 33161
Kelvin Whitfield
DATE 7/11/04
FLORIDA No-24140
MECHANICAL