



MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING

BUILDING CODE COMPLIANCE OFFICE (BCCO)  
PRODUCT CONTROL DIVISION

140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908

**NOTICE OF ACCEPTANCE (NOA)**

[www.buildingcodeonline.com](http://www.buildingcodeonline.com)

Elk Corporation  
4602 Stillman Blvd.  
Tuscaloosa, AL. 35401

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Highpoint Premier 9, Highpoint Premier 12**

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of pages 1 through 5.

The submitted documentation was reviewed by Mark A. Zehnal, CPRC



NOA No 05-0111.01  
Expiration Date: 08/11/10  
Approval Date: 08/11/05  
Page 1 of 5

## ROOFING ASSEMBLY APPROVAL

**Category:** Roofing  
**Sub-Category:** 07720 Static Roof Vent  
**Materials:** Plastic

### TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
Highpoint Premier 9	1" x 10-3/16" x 48"	TAS 100	Plastic low profile attic ridge vent for installation in shingle roof systems.
Highpoint Premier 12	1" x 15-1/4" x 48"		

### EVIDENCE SUBMITTED:

<u>Test Agency/Identifier</u>	<u>Name</u>	<u>Report</u>	<u>Date</u>
PRI Asphalt Technologies, Inc..	TAS 100	BRY-021-02-01	12/31/03
PRI Asphalt Technologies, Inc..	Outdoor Exposure	BRY-021-02-01	09/17/04
ETC Laboratories	ASTM D 1929	ETC-03-718-14602.0	01/20/04
	ASTM D 2843		
	ASTM D 635		



NOA No 05-0111.01  
Expiration Date: 08/11/10  
Approval Date: 08/11/05  
Page 2 of 5

## APPROVED APPLICATIONS:

- System Type A:** Mechanical attachment of vent for shingle roofs
- Cutout:** Cut a minimum 1 ½" slot along the apex of the roof by cutting ¾" on each side of the ridge. The slot shall terminate approximately 12" from the rake edge.
- Installation:** Center the width of the vent over the cutout. Start nailing the vent at the end with minimum 11 ga. 2-½" x ¾". Proceed down the vent on each side using the factory nail holes on the vent. See Detail 'A'
- Net Free Area:** Refer to manufacturers published literature

## LIMITATIONS:


1. Refer to applicable building code for required ventilation.
2. The installation shall be applied in compliance with the manufacturer's current published application instruction and the requirements set forth in applicable building code.
3. This acceptance is for installations over asphaltic shingle roofs only.
4. Highpoint Premier 9 and Highpoint Premier 12 vent shall not be connected at ridge intersection, nor within 12" of any side wall or roof protrusion, with a ventilation slot clearance of 12" from such obstructions.
5. Highpoint Premier 9 and Highpoint Premier 12 vent shall not be installed on roof hips.
6. Highpoint Premier 9 and Highpoint Premier 12 vents shall not be installed on roof mean heights greater than 33 feet.
7. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 9B-72 of the Florida Administrative Code.



## Detail A Highpoint Premier 9, Highpoint Premier 12 Installation



**1** Remove ridge cap shingles from the entire length of the ridge. **NOTE:** Delete Step 1 for new construction.




**2** Snap chalk line on both sides of the ridge and no more than .750 (3/4) of an inch from the peak.



**3** Cut along both chalk lines. Remove roof sheathing. **NOTE:** Slot should not be cut any closer than within twelve (12) inches of gable end, hip or intersecting ridges.




**4** For appearance (to blend with the roof line), it is recommended that the Highpoint vent be installed the entire length of the ridge. Position the first piece at one end of the ridge. Using 2-1/2" nails, for 3/4" deck penetration or penetration through the deck, whichever is less, anchor vent through preformed nail holes.




**5** Nail each additional section in the same manner until entire ridge is covered. A chalk line may be utilized to ensure vent alignment. Cut last piece to length and install with original uncut end to the outside.



**6** Install new ridge cap in normal manner, using 2-1/2" roofing nails, for 3/4" deck penetration or penetration through the deck, whichever is less. Nailing the ridge caps through the vent along the nailing line will secure the vent. Shingles may need to be trimmed.




**7** Ridge-to-ridge application requires a mitre-cut to maintain continuous ridge line appearance.




**8** Ridge-to-roof application requires a mitre-cut to maintain continuous ridge line appearance.



**Detail B**



**Highpoint Premier 9**



**Highpoint Premier 12**

END OF THIS ACCEPTANCE

