



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Polyglass USA
150 Lyon Drive
Fernley, NV 89408**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by the BCCO and accepted by the Building Code and Product Review Committee to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: PolyProtector™ UDL & PolyProtector™ UDL AS

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of pages 1 through 3.
The submitted documentation was reviewed by Jorge L. Acebo



**NOA No.: 05-0228.05
Expiration Date: 07/24/08
Approval Date: 10/06/05
Page 1 of 3**

ROOFING ASSEMBLY APPROVAL

Category: Roofing
Sub-Category: 07520 Underlayment
Material: Synthetic polymers

1. SCOPE

This acceptance is for **Polyprotector™ UDL & PolyProtector™ UDL AS** Underlayment as manufactured by Polyglass USA, as described in Section 2 of this Notice of Acceptance, for use with approved prepared roof assemblies.

2. PRODUCT DESCRIPTION

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
Polyprotector UDL & PolyProtector UDL AS	60" x 200' rolls 39 3/8"x164'rolls	ASTM D 226 Type II	A high strength, polyolefinic multi-laminated roof underlayment. That is coated with UV protected and formulated anti-skid resistant protective layers.

3. EVIDENCE SUBMITTED:

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
PRI Asphalt Technologies, Inc.	PUSA-013-02-01	ASTM D 226	12/23/02
	PUSA-013-02-02	TAS 114	12/23/02
	PUSA-013-02-03	TAS 117	12/23/02
	PUSA-028-02-01	ASTM D 226 ASTM D 6757	07/13/05
Exterior Research & Design, LLC	4724.01.03-10	TAS 114 & 117	03/04/03
	11779.05.03	ICC-ES AC 188	05/29/03

4. LIMITATIONS

- 4.1 Fire classification is not part of this acceptance, refer to a current Approved Roofing Materials Directory for fire ratings of this product
- 4.2 This acceptance is for prepared roofing applications. Minimum deck requirements shall be in compliance with applicable building code.
- 4.3 Polyprotector UDL & UDL AS shall not be hot mopped, refer to manufacturer's published literature for product compatibility.



NOA No.: 05-0228.05
 Expiration Date: 07/24/08
 Approval Date: 10/06/05
 Page 2 of 3

5. INSTALLATION

- 5.1 Polyprotector UDL & UDL AS shall be installed in strict compliance with applicable Building Code.
- 5.2 Polyprotector UDL & UDL AS shall be installed with a minimum 4-inch head lap in a single layer fashion.
- 5.3 Polyprotector UDL & UDL AS is a component used in roof assemblies. Roof assemblies are approved under specific assembly Notice of Acceptance.
- 5.4 Polyprotector UDL & UDL AS may be used with Asphaltic shingles, Wood shakes and shingles, Non-structural metal roofing, and quarry slate.
- 5.5 For Metal Roof applications Polyprotector UDL & UDL AS may be used in combination with TU PLUS, MU and MU BASIK as a base sheet.
- 5.6 For Shingle Roof applications Polyprotector UDL & UDL AS may be used in combination with PolySTICK IRX as a base sheet.
- 5.7 For Roof Tile applications Polyprotector UDL & UDL AS shall be used solely in combination with Polystick MU, Polystick TU or Polystick TU Plus as top membrane layer only. (See Polystick MU & TU current NOA for installation guidelines).
- 5.8 For fire classification of specific roof assemblies using Polyprotector UDL refer to a current Approved Roofing Materials Directory for fire ratings of this product.

6. LABELING

- 6.1 All packaging shall bear the imprint or identifiable marking of the manufacturer's name or logo or yellow line to identify the ASTM Standard designation.

7. BUILDING PERMIT REQUIREMENTS

- 7.1 Application for building permit shall be accompanied by copies of the following:
 - 7.1.1 This Notice of Acceptance.
 - 7.1.2 Any other documents required by the Building Official or applicable building code in order to properly evaluate the installation of this material.

END OF THIS ACCEPTANCE



NOA No.: 05-0228.05
Expiration Date: 07/24/08
Approval Date: 10/06/05
Page 3 of 3