



BUILDING CODE COMPLIANCE OFFICE (BCCO)  
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908

**NOTICE OF ACCEPTANCE (NOA)**

[www.buildingcodeonline.com](http://www.buildingcodeonline.com)

**TRACO Security Windows & Doors, Inc.**  
71 Progress Avenue  
Cranberry Township, PA 16066

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Series 5758 Aluminum Fixed Window – Non-Impact**

**APPROVAL DOCUMENT:** Drawing No. **03-0810-113a**, titled "Series 5758 Fixed Window Non-Impact Resistant", sheets 1 through 3 of 3, dated 06/30/05 with revision 3 dated 06/16/05, prepared by Frank L. Bennardo, P.E., Inc. Consulting Engineers, signed and sealed by Frank L. Bennardo, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

**MISSILE IMPACT RATING: None**

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA revises and renews NOA # **03-0812.01** and consists of this page 1 and evidence pages E-1, E-2 and E-3, as well as approval document mentioned above.

The submitted documentation was reviewed by **Manuel Perez, P.E.**



NOA No 05-0725.09  
Expiration Date: December 15, 2011  
Approval Date: September 22, 2005  
Page 1

TRACO Security Windows & Doors, Inc.


NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

**A. DRAWINGS**

1. Manufacturer's die drawings and sections.
2. Drawing No. **03-0810a-113**, titled "Series 5758 Fixed Window Non-Impact Resistant", sheets 1 through 3 of 3, dated 06/30/05, with revision 3 on 6/16/05, prepared by Frank L. Bennardo, P.E., Inc. Consulting Engineers, signed and sealed by Frank L. Bennardo, P.E.

**B. TESTS**

1. Test report on: 1) Air Infiltration Test, per FBC, TAS 202-94  
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94  
3) Water Resistance Test, per FBC, TAS 202-94  
4) Large Missile Impact Test per FBC, TAS 201-94  
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
along with marked-up drawings and installation diagram of an aluminum fixed window, glazed with 3/8" Lexan, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-1792**, dated Aug. 8, 1997, signed and sealed by Gilbert Diamond, P.E.  
*"Submitted under NOA# 01-1211.01"*
2. Test report on 1) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94  
2) Large Missile Impact Test per FBC, TAS 201-94  
3) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
along with marked-up drawings and installation diagram of an aluminum fixed window, glazed with 1/4" Lexan, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-1801**, dated Aug. 28, 1997, signed and sealed by Gilbert Diamond, P.E.  
*"Submitted under NOA# 01-1211.01"*
3. Test report on: 1) Air Infiltration Test, per FBC, TAS 202-94  
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94  
3) Water Resistance Test, per FBC, TAS 202-94  
4) Small Missile Impact Test per FBC, TAS 201-94  
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
along with marked-up drawings and installation diagram of an aluminum fixed window, glazed with 1/4" tempered glass, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-1712**, dated June 23, 1997 and June 17, 1997, signed and sealed by Gilbert Diamond, P.E.  
*"Submitted under NOA# 01-1211.01"*

  
Manuel Perez, P.E.  
Product Control Examiner  
NOA No 05-0725.09

Expiration Date: December 15, 2011  
Approval Date: September 22, 2005

**TRACO Security Windows & Doors, Inc.**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

4. Test report on 1) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94  
2) Small Missile Impact Test per FBC, TAS 201-94  
3) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
along with marked-up drawings and installation diagram of an aluminum fixed window, glazed with 3/8" tempered glass, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-1851**, dated Nov. 21, 1997, signed and sealed by Gilbert Diamond, P.E.  
**"Submitted under NOA# 01-1211.01"**

**C. CALCULATIONS**

1. Revised Calculations and structural analysis, prepared by Frank L. Bennardo, P.E. Consulting Engineering, dated June 24, 2005, revised on August 23, 2005, signed and sealed by Frank L. Bennardo, P.E.
2. Anchor Calculations, ASTM-E1300, and structural analysis, prepared by Frank L. Bennardo, P.E. Consulting Engineer, dated 12/10/03 signed and sealed by Frank L. Bennardo, P.E.  
**"Submitted under NOA# 03-0812.01"**
3. Comparative analysis and anchor calculations, prepared by Al-Farooq Corporation, dated Nov. 24, 1997, revised on 11/12/98, signed and sealed by Humayoun Farooq, P.E.  
**"Submitted under NOA# 01-1211.01"**  
**Complies with ASTM E1300-98**  
**No 1/3 stress increase used in anchors into masonry or steel substrate.**

**D. QUALITY ASSURANCE**

1. Miami Dade Building Code Compliance Office (BCCO).

**E. MATERIAL CERTIFICATIONS**

1. None

**F. STATEMENTS**

1. Statement letter of Compliance and No Financial Interest, dated July 01, 2005, signed and sealed by H. Farooq, P.E.
2. Testing Program Letter by TRACO/ Security Windows and Doors signed by Michael LaFevre, Senior Design Engineer  
**"Submitted under NOA# 03-0812.01"**
3. Testing Program Letter by TRACO/ Security Windows and Doors signed by Michael LaFevre, Senior Design Engineer  
**"Submitted under NOA# 03-0812.01"**

  
Manuel Perez, P.E.  
Product Control Examiner  
NOA No 05-0725.09

Expiration Date: December 15, 2011  
Approval Date: September 22, 2005

**TRACO Security Windows & Doors, Inc.**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

4. BCCO response letter to Testing Program dated on December 13, 1999, signed by Jaime Gascon, Product Control Inspector.
  5. ***“Submitted under NOA# 03-0812.01”*** Letter from Al-Farooq Corp., indicating what revisions have been done to the previous approval (# 99-0830.01), dated on 08/05/00, signed and sealed by H. Farooq, P.E.  
***“Submitted under NOA# 03-0812.01”***
- G. OTHER**
1. Letter from the consultant stating that the product is in compliance with the Florida Building Code (FBC).
  2. Notice of Acceptance No. **03-0812.01** Traco Windows & Doors, Inc., “Series 5758 Aluminum Fixed Window”, approved on 08/05/04 and expiring on 12/15/06.



---

Manuel Perez, P.E.  
Product Control Examiner  
NOA No 05-0725.09  
Expiration Date: December 15, 2011  
Approval Date: September 22, 2005

# SERIES 5758 FIXED WINDOW NON IMPACT RESISTANT

FRANK L. BENNARDO, P.E.  
# PE0046549

07/11/2005

FRANK L. BENNARDO, P.E., INC.  
CONSULTING ENGINEERS  
4441 NORTH DIXIE HIGHWAY  
BOCA RATON, FL 33431  
(561) 391-2888 FAX: (561) 391-2362  
WWW.FLBENGINEERING.COM  
CERTIFICATE OF AUTHORIZATION: #9865

71 Progress Avenue,  
Cranberry Township, PA 16166  
Tel. (724) 776-7000

**TRACO**  
Windows & Doors Inc.





SERIES 5758 FIXED WINDOW  
NON IMPACT RESISTANT

REMARKS	DATE	DRWN	CHKD
INIT ISSUE	06/30/05	CL	FLB
REV 1 - COUNTY COMMENT	10/02/03	CL	FLB
REV 2 - SMALL UNIFORM SPLIT	02/25/04	CL	FLB
REV 3 - 2004 FBC	06/16/05	CL	FLB

03-0810-113a

PAGE SCALE: 6"=1'  
DESCRIPTION:

1



## TYPICAL ELEVATIONS

SCALE 1/2" = 1'

### ANCHORS:

- FIRST ANCHOR AT 6" FROM CORNERS.
- NEXT ANCHOR AT 9", ALL SIDES.
- ALL OTHER INTERMEDIATE ANCHORS SPACED AT MAXIMUM ANCHOR SPACING ("Smax") SPECIFIED FOR EACH RESPECTIVE SIZE IN DESIGN LOAD CAPACITY TABLES (REF SHEET 3).

### ANCHORS:


- FIRST ANCHOR AT 6" FROM CORNERS.
- CLUSTER OF (4) AT 4" O.C. AT MIDSPAN ALL SIDES.
- ALL OTHER INTERMEDIATE ANCHORS SPACED AT MAXIMUM ANCHOR SPACING ("Smax") SPECIFIED FOR EACH RESPECTIVE SIZE IN DESIGN LOAD CAPACITY TABLES (REF SHEET 3).

PRODUCT REVISED  
as complying with the Florida  
Building Code  
Acceptance No. 05-0725.09  
Expiration Date DEC. 15, 2011


By *Michael J. ...*  
Miami-Dade Product Control  
Division

### GENERAL NOTES:


1. THE FIXED (i.e. NON-OPEABLE) WINDOW SYSTEM DESCRIBED HEREIN HAS BEEN DESIGNED AND TESTED IN COMPLIANCE WITH THE 2004 FLORIDA BUILDING CODE, HIGH VELOCITY HURRICANE ZONES, AND MIAMI-DADE COUNTY PROTOCOLS TAS 201, 202 & 203.
2. POSITIVE AND NEGATIVE DESIGN PRESSURES CALCULATED FOR USE WITH THIS DOOR SYSTEM SHALL BE DETERMINED BY OTHERS ON A JOB-SPECIFIC BASIS IN ACCORDANCE WITH THE GOVERNING CODE.
3. THE WINDOW SYSTEM DETAILED HEREIN HAS BEEN TESTED PER MIAMI-DADE COUNTY PROTOCOLS TAS-201, TAS-202, & TAS-203 AS REFERENCED IN TEST REPORTS BY FENESTRATION TESTING LABORATORIES (FTL). MULTIPLE WINDOW UNITS MUST BE INSTALLED USING MIAMI-DADE COUNTY BCCO-APPROVED STRUCTURAL MULLIONS (e.g. NOA #01-1218.01 OR #01-1218.02).
4. THE WINDOW SYSTEM DETAILED HEREIN IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SPECIFIC SITE. FOR SITE CONDITIONS DIFFERENT FROM THE CONDITIONS DETAILED HEREIN, A LICENSED ENGINEER OR REGISTERED ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE IN CONJUNCTION WITH THIS DOCUMENT.
5. PERMIT HOLDER SHALL VERIFY THE ADEQUACY OF THE EXISTING STRUCTURE TO WITHSTAND SUPERIMPOSED LOADS. WOOD BUCKS (NOT BY TRACO) SHALL BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE EXISTING STRUCTURE.
6. ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO
7. WINDOW PANELS GLAZED WITH 1/4" AND 3/8" TEMPERED GLASS AND SHALL BE PROTECTED WITH MIAMI-DADE APPROVED IMPACT RESISTANT SHUTTERS FOR ALL INSTALLATIONS.
8. ALL STEEL IN CONTACT WITH ALUMINUM SHALL BE PAINTED OR PLATED.



FRAME  
6063-T6



FRAME COVER  
6063-T6  
(1/4" OR 3/8" GLAZING)



GLAZING STOP  
6063-T6  
(1/4" OR 3/8" GLAZING)

### GLAZING:


THIS N.O.A. QUALIFIES WINDOWS FOR THE FOLLOWING CONDITIONS:

- 1/4" TEMPERED GLASS
  - 3/8" TEMPERED GLASS
- (NON IMPACT RESISTANT)

F:\01 Project Files\Traco\Product Approvals\current\Traco 5758 Fixed Window, Non Impact (03-0810a-113) rev3.1.dwg jorgsp 07/11/2005 - 3:35pm

07/11/2005 - 3:35pm jorgsp F:\01 Project Files\Traco\Product Approvals\current\Traco 5758 Fixed Window, Non Impact (03-0810a-113) rev3.1.dwg

**EXTERIOR**




WOOD BUCKS NOT BY TRACO SECURITY WINDOWS MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

**TYPICAL ANCHORS:**


- 3/16" TAPCONS INTO WOOD, 1-3/8" MIN. EMBED.
- 1/4" TAPCONS INTO WOOD, 1-3/4" MIN. EMBED.
- 3/16" OR 1/4" TAPCONS THRU 1BY OR 2BY BUCKS, 1-1/4" MIN. MASONRY EMBED.

**SEALANTS:**


- FRAME CORNERS SEALED WITH SCHNEE MOREHEAD # 5504 SEALANT.
- FRAME SILL INSTALLATION SCREW HEADS SEALED WITH GE-SC 5100 SILICONE.



# 10 S.M.S. @ 12" O.C.  
MIAMI-DADE COUNTY APPROVED MULLION & MULLION ANCHORS



**TYPICAL CORNER CONSTRUCTION**



**EXTERIOR**

SETTING BLOCKS REQUIRED ONLY ON GLASS WIDTHS OF MORE THAN 36 IN.

PRODUCT REVISED as complying with the Florida Building Code  
Acceptance No **05-0725.09**  
Expiration Date **DEC. 15, 2011**  
By *Maurice...*  
Miami Dade Product Control Division

FRANK L. BENNARDO, P.E.  
# PE0046549

07/11/2005

FRANK L. BENNARDO, P.E., INC.  
CONSULTING ENGINEERS  
4441 NORTH DIXIE HIGHWAY  
BOCA RATON, FL 33431  
(561) 391-2888 FAX: (561) 391-2862  
WWW.FLBENGINEERING.COM  
CERTIFICATE OF AUTHORIZATION: #8885

71 Progress Avenue,  
Cranberry Township, PA 16166  
Tel. (724) 776-7000



SERIES 5758 FIXED WINDOW  
NON IMPACT RESISTANT

REMARKS	DRWN	CHKD	DATE
INIT ISSUE	CL	FLB	06/30/05
REV 1 - COUNTY COMMENT	CL	FLB	10/02/03
REV 2 - SMALL JUNCTION SPLIT	CL	FLB	02/25/04
REV 3 - 2004 FBC	CL	FLB	06/16/05

03-0810-113a

PAGE SCALE: 6"=1'  
DESCRIPTION:

TABLE ①

NON IMPACT RESISTANT WINDOWS							
SHUTTERS REQ'D FOR ALL INSTALLATIONS							
WINDOW DIMENSIONS :		DESIGN LOAD CAPACITY - PSF					
		1/4" TEMP GLASS 3/16" ANCHORS		3/8" TEMP GLASS 1/4" ANCHORS			
DIM 'A'	DIM 'B'	ANCHOR SPACING <sup>2</sup>	POS	NEG	ANCHOR SPACING <sup>2</sup>	POS NEG	
24"	24"	9" O.C.	120.0	120.0	10" O.C.	133.3	170.0
36"			120.0	120.0		133.3	170.0
48"			120.0	120.0		133.3	170.0
60"			120.0	120.0		133.3	170.0
72"			120.0	120.0		133.3	170.0
24"	36"	7" O.C.	120.0	120.0	7" O.C.	133.3	170.0
36"			113.1	113.1		133.3	168.0
48"			113.1	113.1		133.3	168.0
60"			113.1	113.1		133.3	168.0
72"			113.1	113.1		133.3	168.0
24"	48"	6" O.C.	120.0	120.0	7" O.C.	133.3	170.0
36"			120.0	120.0		133.3	168.0
48"			99.0	99.0		126.0	126.0
60"			99.0	99.0		126.0	126.0
72"			99.0	99.0		126.0	126.0
24"	60"	6" O.C.	120.0	120.0	7" O.C.	133.3	170.0
36"			120.0	120.0		133.3	168.0
48"			99.0	99.0		126.0	126.0
60"			79.2	79.2		100.8	100.8
72"			79.2	79.2		100.8	100.8
24"	72"	6" O.C.	120.0	120.0	7" O.C.	133.3	170.0
36"			120.0	120.0		133.3	168.0
48"			99.0	99.0		126.0	126.0
60"			79.2	79.2		100.8	100.8
72"			66.0	66.0		84.0	84.0
24"	84"	6" O.C.	120.0	120.0	7" O.C.	133.3	170.0
36"			120.0	120.0		133.3	168.0
48"			99.0	99.0		126.0	126.0
60"			79.2	79.2		100.8	100.8
72"			66.0	66.0		84.0	84.0
24"	96"	6" O.C.	120.0	120.0	7" O.C.	133.3	170.0
36"			120.0	120.0		133.3	168.0
48"			99.0	99.0		126.0	126.0
60"			79.2	79.2		100.8	100.8
72"			66.0	66.0		84.0	84.0
24"	108"	6" O.C.	120.0	120.0	7" O.C.	133.3	170.0
36"			120.0	120.0		133.3	168.0
48"			99.0	99.0		126.0	126.0
60"			79.2	79.2		100.8	100.8
72"			66.0	66.0		84.0	84.0
24"	120"	6" O.C.	120.0	120.0	7" O.C.	133.3	170.0
36"			120.0	120.0		133.3	168.0

TABLE ②

NON IMPACT RESISTANT WINDOWS							
SHUTTERS REQ'D FOR ALL INSTALLATIONS							
WINDOW DIMENSIONS :		DESIGN LOAD CAPACITY - PSF					
		1/4" TEMP GLASS 3/16" ANCHORS		3/8" TEMP GLASS 1/4" ANCHORS			
DIM 'A'	DIM 'B'	ANCHOR SPACING <sup>2</sup>	POS	NEG	ANCHOR SPACING <sup>2</sup>	POS NEG	
19-1/8"	26"	9" O.C.	120.0	120.0	9" O.C.	133.3	170.0
26-1/2"			120.0	120.0		133.3	170.0
37"			120.0	120.0		133.3	170.0
53-1/8"	38-3/8"	7" O.C.	120.0	120.0	8" O.C.	133.3	170.0
19-1/8"			120.0	120.0		133.3	170.0
26-1/2"			120.0	120.0		133.3	170.0
37"	50-5/8"	7" O.C.	110.1	110.1	8" O.C.	133.3	143.0
53-1/8"			106.1	106.1		133.3	137.9
19-1/8"			120.0	120.0		133.3	170.0
26-1/2"	57"	7" O.C.	120.0	120.0	8" O.C.	133.3	170.0
37"			110.1	110.1		133.3	143.0
53-1/8"			80.5	80.5		104.5	104.5
19-1/8"	63"	7" O.C.	120.0	120.0	8" O.C.	133.3	170.0
26-1/2"			120.0	120.0		133.3	170.0
37"			110.1	110.1		133.3	143.0
53-1/8"	74-1/4"	7" O.C.	76.7	76.7	8" O.C.	99.6	99.6
19-1/8"			120.0	120.0		133.3	170.0
26-1/2"			120.0	120.0		133.3	170.0
37"	74-1/4"	7" O.C.	110.1	110.1	8" O.C.	133.3	143.0
53-1/8"			76.7	76.7		99.6	99.6


SINGLE-LITE PICTURE WINDOW CHARTS :

BASED ON FTL-1712 OF 06-23-97  
 TEST SIZE = 72" X 72"  
 TEST LOADS = +180.0, -180.0 PSF  
 DESIGN LOADS = +120.0, -120.0 PSF  
 WATER INFILTRATION TEST = 20 PSF  
 TESTED GLAZING = 1/4"-TEMP. GLASS


BASED ON FTL- 1851 OF 11-13-97  
 TEST SIZE = 72" X 72"  
 TEST LOADS = +255.0, -255.0 PSF  
 DESIGN LOADS = +170.0, -170.0 PSF  
 TESTED GLAZING = 3/8"-TEMP. GLASS

DESIGN LOAD CAPACITY TABLE NOTES :

1. IF DIM 'A' = WINDOW WIDTH, THEN DIM 'B' = WINDOW HEIGHT, AND VICE-VERSA.
2. "ANCHOR SPACING" DESIGNATES MAXIMUM ANCHOR SPACING ("Smax") TO HOST STRUCTURE (REF TYPICAL ELEVATION SHEET 1).



1/4" TEMP. GLASS



3/8" TEMP. GLASS

GLAZING OPTIONS :

NON IMPACT RESISTANT

FRANK L. BENNARDO, P.E.  
# PE0046549

07/11/2005

FRANK L. BENNARDO, P.E., INC.  
CONSULTING ENGINEERS  
4441 NORTH DIXIE HIGHWAY  
BOCA RATON, FL 33431  
(561) 391-2888 FAX: (561) 391-2862  
WWW.FLBENGINEERING.COM  
CERTIFICATE OF AUTHORIZATION: #6885

71 Progress Avenue,  
Cranberry Township, PA 16166  
Tel. (724) 776-7000



SERIES 5758 FIXED WINDOW  
NON IMPACT RESISTANT

REMARKS	DRWN	CHKD	DATE
INIT ISSUE	CL	FLB	06/30/05
REV 1 - COUNTY COMMENT	CL	FLB	10/02/03
REV 2 - SMALL JON SPLIT	CL	FLB	02/25/04
REV 3 - 2004 FBC	CL	FLB	06/16/05

03-0810-113a

PAGE SCALE: 6"=1'  
DESCRIPTION:

PRODUCT REVISED  
as complying with the Florida  
Building Code  
Acceptance No. 05-0725-09  
Expiration Date DEC 15, 2011  
By *Manuel Araya*  
Miami Trade Product Control  
Division