



BUILDING CODE COMPLIANCE OFFICE (BCCO)  
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908

**NOTICE OF ACCEPTANCE (NOA)**

[www.buildingcodeonline.com](http://www.buildingcodeonline.com)

**TRACO Security Windows & Doors, Inc.**  
71 Progress Avenue  
Cranberry Township, PA 16066-3596

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Series 5758 Aluminum Fixed Window – S. M. I.**

**APPROVAL DOCUMENT:** Drawing No. **03-0810-113b**, titled "Series 5758 Fixed Window Small Missile Impact Resistant", sheets 1 through 3 of 3, dated 08/04/03 with revision 4 dated 08/25/05, prepared by Frank L. Bennardo, P.E. Inc. Consulting Engineers, signed and sealed by Frank L. Bennardo, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

**MISSILE IMPACT RATING: Small Missile Impact Resistant**

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name:

**TRACO**

71 Progress Avenue  
Cranberry Township, PA 16066

**TRACO**

2304 Silverdale Road  
Johnson City, TN 37601

**Security (TRACO)**

5100 N.W. 72<sup>nd</sup> Avenue  
Miami, FL 33166

and the following statement: "**Miami-Dade County Product Control Approved**".

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises and renews** NOA # **04-0129.02** and consists of this page 1 and evidence pages E-1, E-2 and E-3, as well as approval document mentioned above.

The submitted documentation was reviewed by **Manuel Perez, P.E.**



NOA No 05-0729.04  
Expiration Date: December 15, 2011  
Approval Date: October 20, 2005  
Page 1

TRACO Security Windows & Doors, Inc.


NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

**A. DRAWINGS**

1. Manufacturer's die drawings and sections.
2. Drawing No. **03-0810-113b**, titled "Series 5758 Fixed Window Small Missile Impact Resistant", sheets 1 through 3 of 3, dated 08/04/03, with revision 4 dated 08/25/05, prepared by Frank L. Bennardo, P.E. Inc., Consulting Engineers, signed and sealed by Frank L. Bennardo, P.E.

**B. TESTS**

1. Test report on: 1) Air Infiltration Test, per FBC, TAS 202-94  
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94  
3) Water Resistance Test, per FBC, TAS 202-94  
4) Large Missile Impact Test per FBC, TAS 201-94  
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
along with marked-up drawings and installation diagram of an aluminum fixed window, glazed with 3/8" Lexan, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-1792**, dated Aug. 8, 1997, signed and sealed by Gilbert Diamond, P.E.  
**"Submitted under NOA# 04-0129.02"**
2. Test report on 1) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94  
2) Large Missile Impact Test per FBC, TAS 201-94  
3) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
along with marked-up drawings and installation diagram of an aluminum fixed window, glazed with 1/4" Lexan, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-1801**, dated Aug. 28, 1997, signed and sealed by Gilbert Diamond, P.E.  
**"Submitted under NOA# 04-0129.02"**
3. Test report on: 1) Air Infiltration Test, per FBC, TAS 202-94  
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94  
3) Water Resistance Test, per FBC, TAS 202-94  
4) Small Missile Impact Test per FBC, TAS 201-94  
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
along with marked-up drawings and installation diagram of an aluminum fixed window, glazed with 1/4" tempered glass, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-1712**, dated June 23, 1997 and June 17, 1997, signed and sealed by Gilbert Diamond, P.E.  
**"Submitted under NOA# 04-0129.02"**

  
Manuel Perez, P.E.  
Product Control Examiner  
NOA No 05-0729.04  
Expiration Date: December 15, 2011  
Approval Date: October 20, 2005

TRACO Security Windows & Doors, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

4. Test report on 1) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94  
2) Small Missile Impact Test per FBC, TAS 201-94  
3) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
along with marked-up drawings and installation diagram of an aluminum fixed window, glazed with 3/8" tempered glass, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-1851**, dated Nov. 21, 1997, signed and sealed by Gilbert Diamond, P.E.  
*"Submitted under NOA# 04-0129.02"*
5. Test report on 1) Small Missile Impact Test per FBC, TAS 201-94  
2) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
along with marked-up drawings and installation diagram of an aluminum fixed window, prepared by American Test Lab of South Florida, Test Report No. **ATL-0608.01-00**, dated June 21, 2000, signed and sealed by William R. Mehner, P.E.  
*"Submitted under NOA# 04-0129.02"*

**C. CALCULATIONS**


1. Revised Anchor Calculations, and structural analysis complying with FBC-2004, dated 06/20/05 and revised on 07/06/05, prepared by Frank L. Bennardo, P.E. Consulting Engineers, signed and sealed by Frank L. Bennardo, P.E.  
**Complies with ASTM E1300-98/02**
2. Anchor Calculations, ASTM-E1300, and structural analysis, prepared by Frank L. Bennardo, P.E. Consulting Engineer, dated 06/10/04 signed and sealed by Frank L. Bennardo, P.E.  
*"Submitted under NOA# 04-0129.02"*
3. Comparative analysis and anchor calculations, prepared by Al-Farooq Corporation, dated Nov. 24, 1997, revised on 11/12/98, signed and sealed by Humayoun Farooq, P.E.  
*"Submitted under NOA# 04-0129.02"*

**D. QUALITY ASSURANCE**

1. Miami Dade Building Code Compliance Office (BCCO).

**E. MATERIAL CERTIFICATIONS**

1. Notice of Acceptance No. 00-1212.04, issued to E.I. DuPont DeNemours for "Dupont Butacite ® PVB", approved on 02/15/01 and expiring on 12/11/05.

  
Manuel Perez, P.E.  
Product Control Examiner  
NOA No 05-0729.04  
Expiration Date: December 15, 2011  
Approval Date: October 20, 2005

TRACO Security Windows & Doors, Inc.


NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

**F. STATEMENTS**

1. Statement letter of Compliance and "No Financial Interest", dated 07/01/05, signed and sealed by Frank I. Bennardo, P.E.
2. Testing Program Letter by TRACO/ Security Windows and Doors signed by Michael LaFevre, Senior Design Engineer  
*"Submitted under NOA# 04-0129.02"*
3. Testing Program Letter by TRACO/ Security Windows and Doors signed by Michael LaFevre, Senior Design Engineer  
*"Submitted under NOA# 04-0129.02"*
4. BCCO response letter to Testing Program dated on December 13, 1999, signed by Jaime Gascon, Product Control Inspector.  
*"Submitted under NOA# 04-0129.02"*
5. Letter from Al-Farooq Corp., indicating what revisions have been done to the previous approval (# 99-0830.01), dated on 08/05/00, signed and sealed by H. Farooq, P.E.  
*"Submitted under NOA# 04-0129.02"*

**G. OTHER**

1. Letter from the consultant, dated 08/12/05, stating that the product is in compliance with the Florida Building Code (FBC).
2. Notice of Acceptance No. **04-0129.02** Traco Windows & Doors, Inc., "Series 5758 Aluminum Fixed Window – S.M.I.", approved on 08/05/04 and expiring on 12/15/06.

  
Manuel Perez, P.E.  
Product Control Examiner  
NOA No 05-0729.04  
Expiration Date: December 15, 2011  
Approval Date: October 20, 2005

# SERIES 5758 FIXED WINDOW

SMALL MISSILE IMPACT RESISTANT

FRANK L. BENNARDO, P.E.  
# PE0046549

08/26/2005


FRANK L. BENNARDO, P.E., INC.  
CONSULTING ENGINEERS  
4441 NORTH DIXIE HIGHWAY  
BOCA RATON, FL 33431  
(561) 391-2888 FAX: (561) 391-2862  
WWW.FLBENGINEERING.COM  
CERTIFICATE OF AUTHORIZATION: #8885

71 Progress Avenue  
Cranberry Township, PA 16166  
Tel: (724) 776-7000

**TRACO**  
Windows & Doors Inc.



SERIES 5758 FIXED WINDOW  
SMALL MISSILE IMPACT RESISTANT



## TYPICAL ELEVATIONS

SCALE 1/2" = 1'

## ANCHORS:


- FIRST ANCHOR AT 6" FROM CORNERS.
- NEXT ANCHOR AT 9", ALL SIDES.
- ALL OTHER INTERMEDIATE ANCHORS SPACED AT MAXIMUM ANCHOR SPACING ("Smax") SPECIFIED FOR EACH RESPECTIVE SIZE IN DESIGN LOAD CAPACITY TABLES (REF SHEET 3).

PRODUCT REVISED  
as complying with the Florida  
Building Code  
Acceptance No. 05-0729-04  
Expiration Date DEC. 15, 2011

By *Manuel Perez*  
Miami Dade Product Control  
Division


## GENERAL NOTES:

1. THE FIXED (i.e. NON-OPERABLE) WINDOW SYSTEM DESCRIBED HEREIN HAS BEEN DESIGNED AND TESTED IN COMPLIANCE WITH THE 2004 FLORIDA BUILDING CODE, HIGH VELOCITY HURRICANE ZONES, AND MIAMI-DADE COUNTY PROTOCOLS TAS 201, 202 & 203.
2. NO 33-1/3% INCREASE IN ALLOWABLE STRESS HAS BEEN USED IN THE DESIGN OF THIS SYSTEM. WIND LOAD DURATION FACTOR  $C_d=1.6$  HAS BEEN USED FOR WOOD ANCHOR DESIGN.
3. POSITIVE AND NEGATIVE DESIGN PRESSURES CALCULATED FOR USE WITH THIS DOOR SYSTEM SHALL BE DETERMINED BY OTHERS ON A JOB-SPECIFIC BASIS IN ACCORDANCE WITH THE GOVERNING CODE.
4. THE WINDOW SYSTEM DETAILED HEREIN HAS BEEN TESTED PER MIAMI-DADE COUNTY PROTOCOLS TAS-201, TAS-202, & TAS-203 AS REFERENCED IN TEST REPORTS BY FENESTRATION TESTING LABORATORIES (FTL). MULTIPLE WINDOW UNITS MUST BE INSTALLED USING MIAMI-DADE COUNTY BCCO-APPROVED STRUCTURAL MULLIONS (e.g. NOA #01-1218.01 OR #01-1218.02).
5. THE WINDOW SYSTEM DETAILED HEREIN IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SPECIFIC SITE. FOR SITE CONDITIONS DIFFERENT FROM THE CONDITIONS DETAILED HEREIN, A LICENSED ENGINEER OR REGISTERED ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE IN CONJUNCTION WITH THIS DOCUMENT.
6. PERMIT HOLDER SHALL VERIFY THE ADEQUACY OF THE EXISTING STRUCTURE TO WITHSTAND SUPERIMPOSED LOADS. WOOD BUCKS (NOT BY TRACO) SHALL BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE EXISTING STRUCTURE.
7. ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO
8. WINDOW PANELS GLAZED WITH 7/16" LAMINATED GLASS ARE SMALL MISSILE IMPACT RESISTANT AND SHALL BE PROTECTED WITH MIAMI-DADE APPROVED IMPACT RESISTANT SHUTTERS FOR INSTALLATIONS UP TO 30 FEET ABOVE GRADE. NO PROTECTION REQUIRED FOR INSTALLATIONS WITH 7/16" LAMINATED GLAZING ABOVE 30 FEET ABOVE GRADE.
9. ALL STEEL IN CONTACT WITH ALUMINUM SHALL BE PAINTED OR PLATED.




## FRAME COVER

6063-T6



## FRAME COVER

6063-T6  
(7/16" GLAZING)



## GLAZING STOP

6063-T6  
(7/16" GLAZING)

## GLAZING:

THIS N.O.A. QUALIFIES WINDOWS FOR THE FOLLOWING CONDITIONS:

7/16" OVERALL  
LAMINATED GLASS (SMALL MISSILE IMPACT RESISTANT)

REMARKS	DRWN	CHKD	DATE
INIT ISSUE	CL	FLB	08/04/03
REV 1 - SMALL UNIFORM SPLIT	CL	FLB	11/17/03
REV 2 - ANCHOR SPACING	CL	FLB	06/11/04
REV 3 - 2004 FBC	CL	FLB	06/20/05
REV 4 - COUNTY COMMENT AWL	AWL	FLB	08/25/05

03-0810-113b

PAGE SCALE: 6"=1'


DESCRIPTION:

1

08/26/2005 - 12:46pm andrei F:\01 Project Files\Traco\Product Approvals\Traco 5758 Fixed Window, Small Missile (03-0810b-113) rev3.2.dwg

08/26/2005

WOOD BUCKS NOT BY TRACO SECURITY WINDOWS  
MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM  
AND TRASNFER THEM TO THE BUILDING STRUCTURE.




**TYPICAL ANCHORS:**


- 3/16" TAPCONS INTO WOOD, 1-3/8" MIN. EMBED.
- 1/4" TAPCONS INTO WOOD, 1-3/4" MIN. EMBED.
- 3/16" OR 1/4" TAPCONS THRU 1BY OR 2BY BUCKS, 1-1/4" MIN. MASONRY EMBED.

**SEALANTS:**

- FRAME CORNERS SEALED WITH SCHNEE MOREHEAD # 5504 SEALANT.
- FRAME SILL INSTALLATION SCREW HEADS SEALED WITH GE-SC 5100 SILICONE.



**TYPICAL CORNER CONSTRUCTION**



**EXTERIOR**

SETTING BLOCKS REQUIRED ONLY ON  
GLASS WIDTHS OF MORE THAN 36 IN.

**FRANK L. BENNARDO, P.E., INC.**  
**CONSULTING ENGINEERS**  
4441 NORTH DIXIE HIGHWAY  
BOCA RATON, FL 33431  
(561) 391-2868 FAX: (561) 391-2862  
WWW.FLBENGINEERING.COM  
CERTIFICATE OF AUTHORIZATION: #8885

71 Progress Avenue,  
Cranbury Township, PA 16166  
Tel. (724) 776-7000

**TRACO**  
Windows & Doors Inc.



SERIES 5758 FIXED WINDOW  
SMALL MISSILE IMPACT RESISTANT

REMARKS	DRWN	CHKD	DATE
INIT ISSUE	CL	FLB	08/04/03
REV 1 - SMALL/IRON SPLIT	CL	FLB	11/17/03
REV 2 - ANCHOR SPACING	CL	FLB	06/11/04
REV 3 - 2004 FBC	CL	FLB	06/20/05
REV 4 - COUNTY COMMENT AML	CL	FLB	08/25/05

**03-0810-113b**

PAGE SCALE: 6"=1'  
DESCRIPTION:

**PRODUCT REVISED**  
as complying with the Florida  
Building Code  
Acceptance No **05-0729.04**  
Expiration Date **DEC. 15, 2011**

By *Manuel Perez*  
Miami-Dade Product Control  
Division

08/26/2005

TABLE ①

WINDOW DIMENSIONS		DESIGN LOAD CAPACITY - PSF					
DIM 'A'	DIM 'B'	ANCHOR SPACING <sub>2</sub>	7/16" LAM. GLASS 3/16" ANCHORS		ANCHOR SPACING <sub>2</sub>	7/16" LAM. GLASS 1/4" ANCHORS	
			POS	NEG		POS	NEG
24"	24"	9" O.C.	120.0	120.0	12" O.C.	120.0	120.0
36"			120.0	120.0		120.0	120.0
48"			120.0	120.0		120.0	120.0
60"			120.0	120.0		120.0	120.0
72"			120.0	120.0		120.0	120.0
24"	36"	6" O.C.	120.0	120.0	10" O.C.	120.0	120.0
36"			120.0	120.0		117.6	117.6
48"			120.0	120.0		117.6	117.6
60"			120.0	120.0		117.6	117.6
72"			120.0	120.0		117.6	117.6
24"	48"	6" O.C.	120.0	120.0	7" O.C.	120.0	120.0
36"			99.0	99.0		120.0	120.0
48"			99.0	99.0		120.0	120.0
60"			99.0	99.0		120.0	120.0
72"			99.0	99.0		120.0	120.0
24"	60"	6" O.C.	120.0	120.0	6" O.C.	120.0	120.0
36"			120.0	120.0		120.0	120.0
48"			99.0	99.0		120.0	120.0
60"			79.2	79.2		117.6	117.6
72"			79.2	79.2		117.6	117.6
24"	72"	6" O.C.	120.0	120.0	12" O.C.	120.0	120.0
36"			120.0	120.0		98.0	98.0
48"			99.0	99.0		73.5	73.5
60"			79.2	79.2		58.8	58.8
72"			66.0	66.0		49.0	49.0
24"	84"	6" O.C.	120.0	120.0	12" O.C.	120.0	120.0
36"			120.0	120.0		98.0	98.0
48"			99.0	99.0		73.5	73.5
60"			79.2	79.2		58.8	58.8
72"			66.0	66.0		49.0	49.0
24"	96"	6" O.C.	120.0	120.0	12" O.C.	120.0	120.0
36"			120.0	120.0		98.0	98.0
48"			99.0	99.0		73.5	73.5
60"			79.2	79.2		58.8	58.8
72"			66.0	66.0		49.0	49.0
24"	108"	6" O.C.	120.0	120.0	12" O.C.	120.0	120.0
36"			120.0	120.0		98.0	98.0
48"			99.0	99.0		73.5	73.5
60"			79.2	79.2		58.8	58.8
72"			66.0	66.0		49.0	49.0
24"	120"	6" O.C.	120.0	120.0	12" O.C.	120.0	120.0
36"			120.0	120.0		98.0	98.0

DESIGN LOAD CAPACITY TABLE NOTES:


1. IF DIM 'A' = WINDOW WIDTH, THEN DIM 'B' = WINDOW HEIGHT, AND VICE-VERSA.
2. "ANCHOR SPACING" DESIGNATES MAXIMUM ANCHOR SPACING ("Smax") TO HOST STRUCTURE (REF TYPICAL ELEVATION SHEET 1).

TABLE ②

WINDOW DIMENSIONS		DESIGN LOAD CAPACITY - PSF					
DIM 'A'	DIM 'B'	ANCHOR SPACING <sub>2</sub>	7/16" LAM. GLASS 3/16" ANCHORS		ANCHOR SPACING <sub>2</sub>	7/16" LAM. GLASS 1/4" ANCHORS	
			POS	NEG		POS	NEG
19-1/8"	26"	9" O.C.	120.0	120.0	12" O.C.	120.0	120.0
26-1/2"			120.0	120.0		120.0	120.0
37"			120.0	120.0		120.0	120.0
53-1/8"	38-3/8"	9" O.C.	120.0	120.0	9" O.C.	120.0	120.0
19-1/8"			119.6	119.6		120.0	120.0
26-1/2"			85.6	85.6		120.0	120.0
37"			82.6	82.6		120.0	120.0
19-1/8"	50-5/8"	6" O.C.	120.0	120.0	7" O.C.	120.0	120.0
26-1/2"			119.6	119.6		120.0	120.0
37"			110.1	110.1		120.0	120.0
53-1/8"			93.9	93.9		119.5	119.5
19-1/8"	57"	6" O.C.	120.0	120.0	7" O.C.	120.0	120.0
26-1/2"			119.6	119.6		120.0	120.0
37"			110.1	110.1		120.0	120.0
53-1/8"			89.5	89.5		113.8	113.8
19-1/8"	63"	6" O.C.	120.0	120.0	7" O.C.	120.0	120.0
26-1/2"			119.6	119.6		120.0	120.0
37"			110.1	110.1		120.0	120.0
53-1/8"			89.5	89.5		113.8	113.8
19-1/8"	74-1/4"	6" O.C.	120.0	120.0	7" O.C.	120.0	120.0
26-1/2"			119.6	119.6		120.0	120.0
37"			110.1	110.1		120.0	120.0
53-1/8"			89.5	89.5		113.8	113.8

SINGLE-LITE PICTURE WINDOW CHARTS:

BASED ON ATL-0608.01 OF 06-21-00  
 TEST SIZE = 72" X 72"  
 TEST LOADS = +180.0, -180.0 PSF  
 DESIGN LOADS = +120.0, -120.0 PSF  
 TESTED GLAZING = 7/16" OVERALL LAMINATED



7/16" OVERALL LAMINATED GLASS  
 LAMINATED BY CARDINAL  
**GLAZING DETAIL**  
 SMALL MISSILE IMPACT RESISTANT

FRANK L. BENNARDO, P.E., INC.  
 CONSULTING ENGINEERS  
 4441 NORTH DIXIE HIGHWAY  
 BOCA RATON, FL 33431  
 (561) 391-2888 FAX: (561) 391-2862  
 WWW.FLBENGINEERING.COM  
 CERTIFICATE OF AUTHORIZATION: #9885

71 Progress Avenue,  
 Cranberry Township, PA 16166  
 Tel. (724) 776-7000

**TRACO**  
 Windows & Doors Inc.



SERIES 5758 FIXED WINDOW  
 SMALL MISSILE IMPACT RESISTANT

REMARKS	DRWN	CHKD	DATE
INIT ISSUE	CL	FLB	08/04/03
REV 1 - SMALL/NOB SPLIT	CL	FLB	11/17/03
REV 2 - ANCHOR SPACING	CL	FLB	06/11/04
REV 3 - 2004 FBC	CL	FLB	06/20/05
REV 4 - COUNTY COMMENT AML	AML	FLB	08/25/05

03-0810-113b

PAGE SCALE: 6"=1'  
 DESCRIPTION:

PRODUCT REVISED  
 as complying with the Florida  
 Building Code  
 Acceptance No. 05-0729.04  
 Expiration Date DEC. 15, 2011

By *Manuel Perez*  
 Miami/Dade Product Control  
 Division

3