



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Kaycan Building Products
1 Memorial Drive
Richford VT 05476**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone.

DESCRIPTION: Aluminum Soffit SP-600

APPROVAL DOCUMENT: Drawing No. **KBP-DC-102**, Sheets 1 of 1, titled "Aluminum Soffit SP-600" dated 10/02/05, with no revisions, prepared by Kaycan Building Products signed and sealed by A. N. Reeves PE., bearing the Miami-Dade County Product Control Approval stamp with the NOA number and approval date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None.

LABELING: Each component shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved or MDPCA", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of this page, evidence page as well as the approval document mentioned above. The submitted documentation was reviewed by **Candido F. Font PE.**

[Handwritten signature and date 06/01/06]



**NOA No: 05-0802.03
Expiration Date: June 1, 2011
Approval Date: June 1, 2006
Page 1**

Kaycan Building Products

EVIDENCE SUBMITTED PAGE

A. DRAWINGS

1. Drawing No. **KBP-DC-102**, Sheets 1 of 1, titled "Aluminum Soffit SP-600" dated 10/02/05 with no revision, prepared by Kaycan Building Products signed and sealed by A. N. Reeves PE.

B. TESTS

1. Test report of Cyclic Load Pressure Test per TAS 203 and test report of Uniform Static Load Test per TAS 202 on Aluminum Soffit SP-600 prepared by Architectural Testing report No. 55982.02-122-18 dated 07/18/05, signed and sealed by S. M. Urich, PE.
2. Test report of Tensile Test per ASTM E8 on Aluminum Vented Soffit, prepared by Architectural Testing report No. 55982.03-122-18 dated 04/26/05, signed and sealed by J. A. Reed, PE.

C. CALCULATIONS

1. Anchor Calculations prepared by H. R. Engineering, Inc pages 1 through 3, dated 07/25/05 signed and sealed by A. N. Reeves PE.






D. QUALITY ASSURANCE

1. Building Code compliance Office.

E. STATEMENTS

1. Code Compliance letter prepared by H R Engineering, Inc dated 07/29/05 signed by A. N. Reeves PE.
2. No interest letter issued by H. R. Engineering , Inc on 07/21/05 signed by A. N. Reeves and notarized by C. R. King..


Candido F. Font PE.
Sr. Product Control Examiner
NOA No: 05-0802.03
Expiration Date: June 1, 2011
Approval Date: June 1, 2006



GENERAL NOTES

1. THE ABOVE INSTALLATION HAS ALLOWABLE DESIGN WIND PRESSURES OF +55.0 & -35.0 PSF.
2. ALUMINUM SOFFIT MINIMUM THICKNESS 0.015" AND 3004 H19 ALLOY & TEMPER.
3. INSTALLATION FASTENERS ARE GALVANIZED STEEL ROOFING NAILS 1 1/2" LONG WITH 1/8" DIAMETER SHANKS AND 3/8" DIAMETER HEADS.
4. THIS PRODUCT IS DESIGNED TO MEET THE FLORIDA BUILDING CODE. WOOD/CBS OVERHANG CONSTRUCTION BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
5. FASTENERS SHALL BE LISTED AND SPACED AS SHOWN ON DETAILS. FASTENERS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING.
6. OVERHANG RECEIVING ALUMINUM SOFFIT SHALL BE CHECKED FOR STRUCTURAL INADEQUACY, CRACKS OR DEFECTS THAT SHALL BE ELIMINATED.
7. OVERHANG WHERE ALUMINUM SOFFIT SHALL BE INSTALLED MUST BE DESIGNED BY A PROFESSIONAL PER THE FLORIDA BUILDING CODE.
8. INSTALLATION OF SOFFIT ACCESSORIES AND ACCESSORIES SUCH AS CORNER POSTS, STARTER STRIPS, AND TRIM AROUND OPENINGS SHALL BE DONE IN ACCORDANCE WITH THE FLORIDA BUILDING CODE AND THE MANUFACTURER'S INSTRUCTIONS.

Approved in compliance with the Florida Building Code
Date: 06/01/06
VOCAL: 03-080203
Product Data Product Control
Division
By: [Signature]

ALUMINIUM SOFFIT 16"
SOLID AND VENTED
PRODUCT CALIPER - .015" ± .002
UNDEVELOPED LENGTH - 18.030"

KAYCAN BUILDING PRODUCTS			
This Drawing and/or Design is the property of Kaycan Building Products and is not to be copied or used by others without the expressed written consent of Kaycan Building Products.			
Drawn By	Date	10/2/2005	
Checked By	Date		
Approved By	Date		
Scale	FULL	Reference	Sheet 1 of 1
Drawing Number		KBP-DC-102	

Allen N. Rivera
5 MAY 2006