



MIAMI-DADE COUNTY
BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING

140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

www.buildingcodeonline.com

NOTICE OF ACCEPTANCE (NOA)

American Skylight, Inc.
525 113th Street
Arlington, TX 76011

SCOPE: This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone.

DESCRIPTION: Curb Mount Skylight with Lexan Domes

APPROVAL DOCUMENT: Drawing No. DADE-97, titled " DTCM ", prepared by American Skylites dated 04/15/98, sheets 1 of 1, signed and sealed by R. Boyette, bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved or MDCPCA", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **renews NOA # 01-0124.16** and consists of this page 1, evidence submitted page E-1 as well as approval document mentioned above.

The submitted documentation was reviewed by **Candido E. Font, P.E.**

[Handwritten signature]
06/08/06



NOA No 06-0215.05
Expiration Date: May 21, 2007
Approval Date: June 8, 2006
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Drawing prepared by American Skylites "Metro Dade Thermally Broken Curb Mount", drawing No. DADE-97, dated 04/15/98, sheet 1 of 1 signed and sealed by R. Boyette, PE.
2. Die drawing prepared by Extruders division of Foitasek Co. Inc., drawing No. D04981, dated 03/17/97, without signature.
3. Die drawing prepared by International Extrusion Corporation, Die No. T41331, dated 04/07/95, without signature.

B. TEST REPORTS


1. Test report on Large Missile Impact Test, Cyclic Wind Pressure Test and Uniform Static Air Pressure Test on "DTCM Polycarbonate Glazed, Curb Mount Skylight", prepared by Architectural Testing, Inc., Report No. 01-30519.01, dated 12/22/97, signed and sealed by A. N. Reeves, PE.

C. CALCULATIONS

1. Anchor calculations, dated 01/12/98, pages 1 through 4 of 4, prepared by R. Boyette, PE.
2. Anchor calculations, dated 04/20/98, pages 1 through 2 of 2, prepared by R. Boyette, PE.

D. STATEMENTS

1. Letter of Test compliance issued by Architectural Testing, Inc., on 12/31/97, signed and sealed by A. N. Reeves, PE.
2. Letter of No-financial interest issued by Richard Boyette, PE. on 03/03/98, signed by R. Boyette and notarized by D. J. Labadie on 03/03/98.
3. Code compliance letter issued by Richard Boyette, PE, on 01/12/98, signed and sealed by R. Boyette, PE.
4. Letter of no-change issued by American Skylites on 03/31/2001, signed by D. Thornton.



06/08/06

Candido F. Fort, P.E.
Product Control Examiner
NOA No 06-0215.05
Expiration Date: May 21, 2007
Approval Date: June 8, 2006

Drw. # **DADE-97**

Part # **4896TCM-2**

PRODUCT REVISED

01-0124-16

EXPIRATION DATE: 05/21/2006

1 Outer GE Lexan 9034 Dome (.125")


Maximum Design Pressure +/- 60 Psf.

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE MAY 21 1998
BY [Signature]

PRODUCT CONTROL DIVISION

BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 97-1215.0A

[Signature]
RICHARD BOYETTE
FL CIVIL PE #42485
4031 Coconut Blvd
Royal Palm Beach FL 33411
(561) 790-5766 Voice / Fax



2 Inner GE Lexan 9034 Dome (.125")

3 .060 x 1.5" x 1.75" T6063 Ext. Alum. Retaining Angle 6063-T6

4 1/8" x 3/8" Foam Glazing Tape

5 Fastener #10 x .375" Hexhead S.S. Screw 4" From Corner @ 12" O.C.

6 Min. #10x1.5" S.S. Screw With 1" Penetration Into Wood @ 4" From Corners And 12" O.C.

7 .060" Ext. Alum. Frame Curb (By Others)

Curb, Roof Deck And Roof Framing Are By Others. Detail Shows Suggested Construction Only.

Inside Curb Maximum Dimension 4'-0 7/8" x 8'-0 7/8"

Recommended Curb Attachment

#8 x 3" S.S. Screw 4" From Corner & 12" O.C. Min. 1.5" Penetration (Supplied By Others)

Roof Deck (By Others)

4" Minimum (2)

PROJECT: DADE
APPROVED BY:
DATE APPROVED: 06-02/15/05
TITLE: DTCM
SCALE: NTS
SHEET: 1 OF 1

METRO DADE

THERMALLY BROKEN CURB MOUNT



AMERICAN SKYLITES
7451 DOGWOOD PK. FT. WORTH, TEXAS 76118
1-800-772-7401 FAX 817-589-5959