



**BUILDING CODE COMPLIANCE OFFICE (BCCO)  
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908**

[www.buildingcodeonline.com](http://www.buildingcodeonline.com)

**NOTICE OF ACCEPTANCE (NOA)**

**Plaza Door Company, Inc.  
5900 Australian Ave.  
Suite # 3  
Mangonia Park, FL 33407**

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Titan Series VI- Aluminum Sliding Glass Door- L.M.I.**

**APPROVAL DOCUMENT:** Drawing No. **03-327R1**, titled "Titan Series VI Large Impact Aluminum Sliding Glass Door", sheets 1 through 6 of 6, prepared by EngCo Inc., dated 09/12/05, signed and sealed by Pedro De Figueiredo, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division.

**MISSILE IMPACT RATING: Large and Small Missile Impact**

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Jaime D. Gascon, P.E.**



*J. Gascon*  
*6/27/06*

**NOA No 06-0309.07  
Expiration Date: July 29, 2009  
Approval Date: July 13, 2006  
Page 1**

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

- A. DRAWINGS**
1. Manufacturer's die drawings and sections.
  2. Drawing No. **03-327R1**, titled "Titan Series VI Large Impact Aluminum Sliding Glass Door", sheets 1 through 6 of 6, prepared by EngCo Inc., dated 09/12/05, signed and sealed by Pedro De Figueiredo, P.E.
- B. TESTS**
1. Test reports on 1) Air Infiltration Test, per FBC, TAS 202-94  
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 20294  
3) Water Resistance Test, per FBC, TAS 202-94  
4) Large Missile Impact Test per FBC, TAS 201-94  
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94  
6) Forced Entry Test, per FBC 2411.3.2.1 and TAS 202-94  
along with installation diagram of an aluminum sliding glass door, prepared by Hurricane Test Laboratory, Inc., Test Report No. **HTL-0171-0226-03**, specimen #1, dated 02/21-3/21/03, signed and sealed by Vinu J. Abraham, P.E.  
**"Submitted under NOA No. 04-0428.01"**
- C. CALCULATIONS**
1. Revised Anchor Calculations, ASTM-E1300-98, and structural analysis, prepared EngCo, Inc., dated 06/09/06, signed and sealed by Pedro De Figueiredo, P.E.
- D. QUALITY ASSURANCE**
1. Miami Dade Building Code Compliance Office (BCCO)
- E. MATERIAL CERTIFICATIONS**
1. Notice of Acceptance No. **02-1205.03** issued to "Security Impact Glass Holding L.L.C." for "Saf-Glas Polycarbonate Laminate" dated 01/02/03 and expiring on 12/16/07.
  2. Notice of Acceptance No. **00-0614.09** renewed by **04-0115.01** issued to "Viracon Inc." for "HRG-2 Laminated Glass" dated 2/12/04 and expiring on 2/12/09.
  3. Notice of Acceptance No. **01-1204.01** issued to "E.I. Dupont DeNemours." for "Sentry Glass ® Plus" dated 01/17/02 and expiring on 01/14/07.
- F. STATEMENTS**
1. Statement letter of conformance & no financial interest, dated 12/15/03, signed and sealed by Pedro De Figueiredo, P.E.
- G. OTHER**
1. Notice of Acceptance No. **04-0428.01**, issued to Plaza Door Co., Inc. for their Titan Series VII – Non Impact Aluminum Sliding Glass Door, with expiration date on 07/29/09.

  
\_\_\_\_\_  
Jalme D. Gascon, P.E.  
Chief, Product Control Division  
NOA No 06-0309.07  
Expiration Date: July 29, 2009  
Approval Date: July 13, 2006

**INDEX:**

- SHEET 1 of 6 - INDEX, GENERAL NOTES AND COMPONENTS
- SHEET 2 of 6 - ELEVATION AND DESIGN RATING
- SHEET 3 of 6 - 90° TOP VIEW & SECTION DETAILS
- SHEET 4 of 6 - SECTION DETAILS
- SHEET 5 of 6 - CORNER ASSEMBLY, GLAZING DETAIL AND HARDWARE
- SHEET 6 of 6 - ANCHORAGE TABLES AND BILL OF MATERIALS

**GENERAL NOTES:**

1- CODE: THIS PRODUCT HAS BEEN TESTED AND DESIGNED IN ACCORDANCE WITH THE FLORIDA BUILDING CODE 2004 Ed. INCLUDING THE HIGH VELOCITY HURRICANE ZONE (HVHZ)

2- DEFINITION: THIS PRODUCT IS AN ALUMINUM LARGE MISSILE IMPACT RESISTANT SLIDING GLASS DOOR.

3- POSTING:  
 \*TITAN VI SERIES  
 LARGE MISSILE IMPACT RESISTANT  
 ALUMINUM SLIDING GLASS DOORS  
 PLAZA DOOR COMPANY, INC  
 WEST PALM BEACH - FLORIDA  
 DADE COUNTY PRODUCT CONTROL APPROVED\*

4- DESIGN LOADS: THE DESIGNED LOADS MUST BE CALCULATED BY A PROFESSIONAL ARCHITECT OR ENGINEER FOR EACH SPECIFIC PROJECT. THE CALCULATED DESIGNED PRESSURE MUST NOT EXCEED THE ALLOWABLE APPROVED PRESSURE.

5- MATERIAL: ALL ALUMINUM PARTS TO BE 6063-T6 ALLOY OR AS NOTED AND GLAZING TO BE AS SPECIFIED ON THIS APPROVAL.


6- FASTENERS: ASSEMBLY SCREWS AND ANCHORS SHALL BE AS SPECIFIED IN THE CURRENT SET OF DRAWINGS. INSTALLATION AND LOADS AS PER THIS APPROVAL. ANCHOR SPACING AND LOADS MUST NOT EXCEED THE MAXIMUM LIMITS SPECIFIED BY THIS APPROVAL.

7- USE: IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, ARCHITECT OR ENGINEER OF RECORD TO VERIFY THE FOLLOWING:  
 7.1- THE STABILITY OF THE STRUCTURE WHERE THE PRODUCT IS TO BE ATTACHED INSURING PROPER ANCHORAGE.  
 7.2- THE SITE SPECIFIC PROJECT CRITERIA, SUCH AS BUT NOT LIMITED TO, LOCAL CODE REQUIREMENTS, DESIGNED PRESSURES ETC.  
 7.3- THAT THIS APPROVAL IS ADEQUATE TO THE SPECIFIC PROJECT.


8- MATERIALS, INCLUDING BUT NOT LIMITED TO STEEL SCREWS, THAT COME IN CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF 2004 FBC SECTION 2003.8.4 (SUPPLEMENT 2005).

9- 33 1/3% INCREASE IN ALLOWABLE LOADS HAVE NOT BEEN USED IN THE DESIGN OF THE ANCHORS FOR THIS PRODUCT APPROVAL, HOWEVER, WOOD SCREWS WITH 1.6 INCREASE FOR WIND LOAD DURATION HAVE BEEN USED.


**DOOR ALLOWABLE DESIGNED PRESSURE**  
 Pd= +50 PSF, -50 PSF




**1- FIVE TRACK JAMB (MODIFIED PDC-10)**  
 ALLOY: 6063-T6




**2- FIVE TRACK HEADER (PDC-033)**  
 ALLOY: 6063-T6




**4- DOOR INTERLOCK (PDC-020)**  
 ALLOY: 6063-T6  
**4R- DOOR REINFORCEMENT (PDC-020)**  
 ALLOY: 6061-T6



**9- DOOR END RAIL (PDC-066)**  
 ALLOY: 6063-T6  
**9R- DOOR REINF. STEEL ASTM A36**




**5- GLASS ADAPTOR (PDC-091)**  
 ALLOY: 6063-T6




**3- FIVE TRACK SILL (PDC-038)**  
 ALLOY: 6063-T6


**DOOR COMPONENTS**




**9A- CORNER ADAPTOR (PDC-002)**  
 ALLOY: 6063-T6




**9AR- CORNER ADAPTOR REINFORCEMENT (PDC-015)**  
 ALLOY: 6061-T6




**7- POCKET INTERLOCK (PDC-020)**  
 ALLOY: 6063-T6




**4A- DOOR HD INTERLOCK (PDC-072)**  
 ALLOY: 6063-T6  
**4AR- DOOR REINFORCEMENT (PDC-072)**  
 ALLOY: 6061-T6



**9B- CORNER ADAPTOR (PDC-015)**  
 ALLOY: 6063-T6



**8- DOOR BOTTOM RAIL (PDC-082)**  
 ALLOY: 6063-T6



**8A- DOOR TOP RAIL (PDC-016)**  
 ALLOY: 6063-T6

**PRODUCT REVISED**  
 to comply with the Florida Building Code  
 Acceptance No. 06-0309.07  
 Expiration Date: 03/29/09  
 National Building Product Control Division

**MANUFACTURER:**  
**PLAZA DOOR CO., INC**

5900 AUSTRALIAN AVE.  
 SUITE #3  
 WEST PALM BEACH  
 FLORIDA, 33402  
 PHONE: (561) 842-6551  
 FAX: (561) 842-6541

**PRODUCT:**  
**Titan Series**  
 VI - LARGE IMPACT  
 ALUMINUM SLIDING GLASS  
 DOOR

**Engineering:**  
**EngCo Inc.**

CA 8116  
 6971 W. SUNRISE BLVD. 104  
 PLANTATION, FL. 33313  
 TEL.: (954) 585-0304  
 FAX.: (954) 585-0305

**JUN 09 2006**

Engineer Seal  
 Pedro De Figueiredo  
 PE 52609



Date: 09/12/05  
 Scale: NA  
 Design by: PPMF

Revision:


Drawing Number  
**03-327R1**

Sheet  
 1 of 6

# ELEVATIONS & DESIGN RATING



**MODEL: DOUBLE 90°**  
 AVAILABLE CONFIGURATIONS:  
 D-AB-PXXXX // XXXX (AS SHOWN)  
 D-AB-PXXXX // XXXD  
 D-An-... XX // DX...  
 DOOR CONFIGURATIONS CAN BE  
 ARRANGED INTO MANY  
 COMBINATIONS OF MOVABLE PANELS  
 (X), FIXED PANELS (D) AND/OR  
 POCKETS (P).  
 NUMBER OF PANELS: n



**MODEL: SINGLE**  
 AVAILABLE CONFIGURATIONS:  
 S-A4-XXXX (AS SHOWN)  
 S-A4-OXXD  
 S-An-... XD...  
 DOOR CONFIGURATIONS CAN BE  
 ARRANGED INTO MANY  
 COMBINATIONS OF MOVABLE PANELS  
 (X), FIXED PANELS (D) AND/OR  
 POCKETS (P).  
 NUMBER OF PANELS: n

**TABLE 1 - ALLOWABLE DESIGNED PRESSURES (Psf)**

DLO HEIGHT	DOOR DLO WIDTH (INCHES)			
	28 1/2	34 1/2	40 1/2	46 1/2
88	±50	±50	±50	±50
100	±50	±50	±50	±50
112	±50	±50	±50	±50


NOTES:  
 1- DLO ARE IN INCHES  
 2- DESIGNED PRESSURES ARE IN PSF

**PRODUCT REVISED**  
 as complying with the Florida  
 Building Code  
 Assignment No. 06-0309.07  
 Expiration Date: 07/29/09  
 By: *[Signature]*  
 Product Control  
 Division

**MANUFACTURER:**  
**PLAZA DOOR**  
**CO., INC**  
 5900 AUSTRALIAN AVE.  
 SUITE #3  
 WEST PALM BEACH  
 FLORIDA, 33402  
 PHONE: (561) 842-6551  
 FAX: (561) 842-6541

**PRODUCT:**  
**Titan Series**  
 VI - LARGE IMPACT  
 ALUMINUM SLIDING GLASS  
 DOOR

**Engineering:**  
**EngCo Inc.**  
 CA 8116  
 6971 W. SUNRISE BLVD. 104  
 PLANTATION, FL. 33313  
 TEL: (954) 585-0304  
 FAX: (954) 585-0305



**JUN 09 2006**  
 Engineer Seal  
 Pedro De Figueiredo  
 PE 52609

Date: 09/12/05  
 Scale: NA  
 Design by: PPMF

Revision:

Drawing Number  
 03-327R1

Sheet  
 2 of 6

MANUFACTURER:  
**PLAZA DOOR  
 CO., INC**  
 5900 AUSTRALIAN AVE.  
 SUITE #3  
 WEST PALM BEACH  
 FLORIDA, 33402  
 PHONE: (561) 842-6551  
 FAX: (561) 842-6541

PRODUCT:  
**Titan Series**  
 VI - LARGE IMPACT  
 ALUMINUM SLIDING GLASS  
 DOOR

Engineering:  
**EngCo Inc.**  
 CA 8116  
 6971 W. SUNRISE BLVD. 104  
 PLANTATION, FL. 33313  
 TEL: (954) 585-0304  
 FAX: (954) 585-0305


*[Signature]*  
 JUN 09 2006  
 Engineer Seal  
 Pedro De Figueredo  
 PE 52609

Date: 09/12/05  
 Scale: NA  
 Design by: PPMF

Revision:

Drawing Number  
**03-327R1**

Sheet  
 3 of 6




**TOP VIEW 90° TYPE UNIT**

**PRODUCT REVISED**  
 to comply with the Florida  
 Building Code  
 Acceptance No 06-0309.07  
 Issuance Date 07/29/09  
 By *[Signature]*  
 Release Date Product Control  
 Division



# GLAZING DETAIL




**HARDWARE NOTES:**

1- ROLLER ASSEMBLY: EACH OPERABLE PANEL IS DESIGNED WITH TWO ROLLERS (PART# 2-300-0) AT EACH CORNER BOTTOM RAIL OF DOOR PANEL. ROLLER ASSEMBLY IS SNAPPED ONTO THE BOTTOM RAIL OF THE DOOR.

2- DEAD LOCK (PART# 2-350-0) ONE PER EACH END RAIL, MEETING RAILS OR 90° CORNER RAILS OF OPERABLE PANELS. LOCATED 40" FROM CENTERLINE OF LOCK TO SILL. LOCK ASSEMBLY IS ATTACHED TO RAIL BY USING TWO #6-32X1/4 SSFH SCREWS.

**WEATHER STRIPPING:**

2-402-0 FINSEAL 7525	2-400-0 FINSEAL 7518	2-249-0 PVC BULB
2-403-0 FINSEAL 8416	2-401-0 FINSEAL 7520	2-250-0 PVC BULB



**SEALANT'S NOTES:**




1- PERIMETER SEALANT: SONNEBORN NP1 URETHANE SEALANT

2- FRAME JOINT SEALANT: SONNEBORN NP1 URETHANE SEALANT

3- GLAZING GASKET JOINT SEALANT: SONNEBORN NP1 URETHANE SEALANT

**IMPACT GLASS TYPES**

<p>I - 9/16" SAF-GLAS PRODUCED BY SECURITY IMPACT GLASS CO WITH NOA# 02-1205.03 1/4" HS GLASS .015 POLYURETHANE .070 POLYCARBONATE .015 POLYURETHANE 1/4" HS GLASS</p>	<p>III - 9/16" HRG-2 PRODUCED BY VIRACON W/ NOA# 00-0614.09 3/16" HS GLASS .050 POLYURETHANE .080 POLYCARBONATE .050 POLYURETHANE 3/16" HS GLASS</p>
<p>II - 9/16" SENTRYGLAS PLUS 100 PRODUCED BY VIRACON W/ NOA# 01-1204.01 1/4" HS GLASS .100 DUPONT IONOPLAST INTERLAYER 1/4" HS GLASS</p>	<p>IV - 9/16" SENTRYGLAS PLUS PRODUCED BY VIRACON W/ NOA# 01-1204.01 1/4" HS GLASS .09 DUPONT IONOPLAST INTERLAYER 1/4" HS GLASS</p>



**PRODUCT REVISED**  
in compliance with the Florida Building Code  
Acceptance No. 06-0309.07  
Expiration Date 02/29/09  
By: [Signature]  
National Made Product Control Division

**MANUFACTURER:**  
**PLAZA DOOR CO., INC**  
5900 AUSTRALIAN AVE.  
SUITE #3  
WEST PALM BEACH  
FLORIDA, 33402  
PHONE: (561) 842-6551  
FAX: (561) 842-6541

**PRODUCT:**  
**Titan Series**  
VI - LARGE IMPACT  
ALUMINUM SLIDING GLASS  
DOOR

**Engineering:**  
**EngCo Inc.**  
CA 8116  
6971 W. SUNRISE BLVD. 104  
PLANTATION, FL. 33313  
TEL: (954) 585-0304  
FAX: (954) 585-0305

**JUN 09 2006**  
Engineer Seal  
Pedro De Figueiredo  
PE 52609

Date: 09/12/05  
Scale: NA  
Design by: PPMF

Revision:  
  
Drawing Number  
**03-327R1**

## FRAMING ANCHOR SPACING SELECTION TABLES

**TABLE 2  
MAXIMUM INCHES OC HEADER ANCHORS SPACING**

DLO HEIGHT	DESIGNED PRESSURE (psf)				
	30	35	40	45	50
88	20-20-20	20-20-20	20-20-20	20-19-20	18-17-20
100	20-20-20	20-20-20	20-19-20	18-16-20	16-15-20
112	20-20-20	20-19-20	18-17-20	16-15-20	15-13-20

**TABLE 3  
MAXIMUM INCHES OC SILL ANCHORS SPACING**

DLO HEIGHT	DESIGNED PRESSURE (psf)				
	30	35	40	45	50
88	19-na-20	16-na-20	14-na-20	13-na-20	11-na-20
100	17-na-20	14-na-20	13-na-20	11-na-20	10-na-20
112	15-na-20	13-na-20	11-na-20	10-na-20	9-na-19

**ANCHOR NOTES:**

1- (A-B-C): THE ABOVE TABLE VALUES A ARE FOR ANCHOR SPACING WHEN USING TYPE A ANCHORS, B ARE FOR ANCHOR SPACING WHEN USING TYPE B ANCHORS, C ARE FOR ANCHOR SPACING WHEN USING TYPE C ANCHORS

2- MINIMUM EMBEDMENT ARE BEYOND WALL DRESSING.

3- na: NOT AVAILABLE

**ANCHOR TYPES:**

A- 3/16" TAPCON BY ELCO WITH 1 3/4" MIN. EMBEDMENT INTO 3320 PSI CONCRETE - MIN. EDGE DISTANCE: 1 7/8".

B- #10 SS WOOD SCREWS BY ELCO WITH 1 1/2" MIN. EMBEDMENT INTO PT WOOD (SG) = .55) - MIN. E. D. >= 3/4".

C- 1/4" TAPCON BY ELCO WITH 1 3/4" MIN. EMBEDMENT INTO 3320 PSI CONCRETE - MIN. EDGE DISTANCE: 2 1/2".

### BILL OF MATERIALS:

LOG	DESCRIPTION	PART#	MATERIAL	SUPPLIER
1	FIVE TRACK JAMB	PDC-10(X2)	ALUM. 6063-T6	PLAZA DOOR
2	FIVE TRACK HEADER	PDC-33	ALUM. 6063-T6	PLAZA DOOR
3	FIVE TRACK SILL	PDC-38	ALUM. 6063-T6	PLAZA DOOR
3A	SILL ADAPTOR		ALUM. 6063-T6	PLAZA DOOR
4	DOOR INTERLOCK	PDC-14	ALUM. 6063-T6	PLAZA DOOR
4R1	1/4X1 1/8" PLATE REINF.		ALUM. 6061-T6	PLAZA DOOR
4R2	1/4X 7/8" PLATE REINF.		ALUM. 6061-T6	PLAZA DOOR
4A	DOOR HD INTERLOCK	PDC-72	ALUM. 6063-T6	PLAZA DOOR
4AR1	REINFORCEMENT	PDC-73	ALUM. 6061-T6	PLAZA DOOR
4AR2	1/4X2 5/8" PLATE REINF.		ALUM. 6061-T6	PLAZA DOOR
5	GLASS ADAPTOR	PDC-91	ALUM. 6063-T6	PLAZA DOOR
7	POCKET INTERLOCK	PDC-20	ALUM. 6063-T6	PLAZA DOOR
8	DOOR BOTTOM RAIL	PDC-82	ALUM. 6063-T6	PLAZA DOOR
8A	DOOR TOP RAIL	PDC-16	ALUM. 6063-T6	PLAZA DOOR
9	DOOR END RAIL	PDC-66	ALUM. 6063-T6	PLAZA DOOR
9R	1/4X1 1/2 REINF.		STEEL ASTM A36	PLAZA DOOR
9A	CORNER ADAPTOR	PDC-002	ALUM. 6063-T6	PLAZA DOOR
9AR1	1/4X1 REINFORCEMENT		ALUM. 6061-T6	PLAZA DOOR
9AR2	1/8X7/8 REINFORCEMENT		ALUM. 6061-T6	PLAZA DOOR
9B	CORNER ADAPTOR	PDC-15	ALUM. 6063-T6	PLAZA DOOR
10	9/16" GLAZING GASKET	2-257-0	PVC	TEAM PLASTICS
10A	9/16" GLAZING GASKET	2-262-0	PVC	TEAM PLASTICS
10B	9/16" GLAZING GASKET	2-263-0	PVC	TEAM PLASTICS
11	HP WEATHER TAB	3-009-0		PLAZA DOOR
12	TRACK RAIN PAN	3-008-0	ALUMINUM	PLAZA DOOR
13	LOCK ESCUTCHEDN	2-351-0		ADAMS RITE 4430
14	LOCK KEEPER	3-001-0	STAINLESS STEEL	PLAZA DOOR
15	FINSEAL	2-407-0		SCHLEGAL
16	VINYL BULB	2-249-0		TEAM PLASTICS
17	VINYL BULB	2-250-0		TEAM PLASTICS
18	ADJUSTABLE ROLLER	2-300-0		SAUNDERS ENG. #P-13
19	DEADLOCK	2-350-0		ADAMS R. 1847-02SS
20	3/8" WEEP DRAIN PAN PLUG	3-010	NYLON	PLAZA DOOR

**MANUFACTURER:  
PLAZA DOOR  
CO., INC**

5900 AUSTRALIAN AVE.  
SUITE #3  
WEST PALM BEACH  
FLORIDA, 33402  
PHONE: (561) 842-6551  
FAX: (561) 842-6541

**PRODUCT:  
Titan Series**

VI - LARGE IMPACT  
ALUMINUM SLIDING GLASS  
DOOR

**Engineering:  
EngCo Inc.**

CA 8116  
6971 W. SUNRISE BLVD. 104  
PLANTATION, FL. 33313  
TEL: (954) 585-0304  
FAX: (954) 585-0305



**JUN 09 2006**

Engineer Seal  
Pedro De Figueiredo  
PE 52609

Date: 09/12/05  
Scale: NA  
Design by: PPMF

Revision:

Drawing Number  
**03-327R1**

Sheet  
**6 of 6**

**PRODUCT REVISED**  
to comply with the Florida  
Building Code  
Acceptance No 06-0309.07  
Expiration Date 07/29/09  
By:   
Miami Code Product Control  
Division