



MIAMI-DADE COUNTY
BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

www.buildingcodeonline.com

NOTICE OF ACCEPTANCE (NOA)

Plaza Door Company, Inc.
5900 Australian, Ave.
Suite # 3
Mangonia Park, FL

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Titan Series VII- Non Impact Aluminum Sliding Glass Door-N.I.

APPROVAL DOCUMENT: Drawing No. **03-043R1**, titled "Titan Series VII – Non Impact Aluminum Sliding Glass Door", sheets 1 through 6 of 6, prepared by EngCo, Inc., dated 9/12/05, signed and sealed by Pedro De Figueiredo, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises** NOA No. **04-0428.02** and consists of this page 1 and evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Jaime D. Gascon, P.E.**



J. Gascon
6/27/06

NOA No 06-0309.08
Expiration Date: June 24, 2009
Approval Date: July 13, 2006
Page 1

Plaza Door Company, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
2. Drawing No. **03-043R1**, titled "Titan Series VII – Non Impact Aluminum Sliding Glass Door", sheets 1 through 6 of 6, prepared by EngCo, Inc., dated 9/12/05, signed and sealed by Pedro De Figueiredo, P.E.

B. TESTS

1. Test reports on 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 20294
3) Water Resistance Test, per FBC, TAS 202-94
4) Cyclic Wind Pressure Loading per FBC, TAS 203-94
5) Forced Entry Test, per FBC 2411.3.2.1 and TAS 202-94
along with marked-up drawings and installation diagram of an aluminum sliding glass door, prepared by Hurricane Test Laboratory, Inc., Test Report No. **HTL-0171-0226-03** dated 2/21-3/21/03, signed and sealed by Vinu J. Abraham, P.E.
"Submitted under NOA No. 04-0428.02"

C. CALCULATIONS

1. Anchor Calculations, ASTM-E-1300-98, and structural analysis, prepared by EngCo, Inc., dated 06/09/06, signed and sealed by Pedro De Figueiredo, P.E.

D. QUALITY ASSURANCE

1. Miami Dade Building Code Compliance Office (BCCO).

E. MATERIAL CERTIFICATIONS

1. None

F. STATEMENTS

2. Statement letter of no financial interest, dated 12/15/03, signed and sealed by Pedro De Figueiredo, P.E.
"Submitted under NOA No. 04-0428.02"
3. Statement letter of conformance and no financial interest, dated 04/26/04, signed by Randall W. / Stowell.
"Submitted under NOA No. 04-0428.02"

G. OTHER

1. Notice of Acceptance No. **04-0428.02**, issued to Plaza Door Co., Inc. for their Titan Series VII – Non Impact Aluminum Sliding Glass Door, expiring on 06/24/09.



Jaime D. Gascon, P.E.
Chief, Product Control Division
NOA No 06-0309.08
Expiration Date: June 24, 2009
Approval Date: July 13, 2006

INDEX:

- SHEET 1 of 6 - GENERAL NOTES AND COMPONENTS
- SHEET 2 of 6 - ELEVATION AND DESIGN RATING
- SHEET 3 of 6 - 90° TOP VIEW & SECTION DETAILS
- SHEET 4 of 6 - SECTION DETAILS
- SHEET 5 of 6 - CORNER ASSEMBLY, GLAZING DETAIL AND HARDWARE
- SHEET 6 of 6 - ANCHORAGE TABLES AND BILL OF MATERIALS

GENERAL NOTES:

1- CODE: THIS PRODUCT HAS BEEN TESTED AND DESIGNED IN ACCORDANCE WITH THE FLORIDA BUILDING CODE 2004 Ed. INCLUDING THE HIGH VELOCITY HURRICANE ZONE (HVHZ)

2- DEFINITION: THIS PRODUCT IS AN ALUMINUM SLIDING GLASS DOOR NON IMPACT RESISTANT. (APPROVED HURRICANE SHUTTERS MUST BE INSTALLED IN ORDER TO COMPLY WITH IMPACT RESISTANT CRITERIA)

3- POSTING:
 "TITAN VII SERIES - NON IMPACT ALUMINUM SLIDING GLASS DOORS
 PLAZA DOOR COMPANY, INC
 WEST PALM BEACH - FLORIDA
 DADE COUNTY PRODUCT CONTROL APPROVED"

4- DESIGN LOADS: THE DESIGNED LOADS MUST BE CALCULATED BY A PROFESSIONAL ARCHITECT OR ENGINEER FOR EACH SPECIFIC PROJECT. THE CALCULATED DESIGNED PRESSURE MUST NOT EXCEED THE ALLOWABLE APPROVED PRESSURE.

5- MATERIAL: ALL ALUMINUM PARTS TO BE 6063-T6 ALLOY OR AS NOTED AND GLAZING TO BE AS SPECIFIED ON THIS APPROVAL.

6- FASTENERS: ASSEMBLY SCREWS AND ANCHORS SHALL BE AS SPECIFIED IN THE CURRENT SET OF DRAWINGS. INSTALLATION AND LOADS AS PER THIS APPROVAL. ANCHOR SPACING AND LOADS MUST NOT EXCEED THE MAXIMUM LIMITS SPECIFIED BY THIS APPROVAL.

7- USE: IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, ARCHITECT OR ENGINEER OF RECORD TO VERIFY THE FOLLOWING:


- 7.1- THE STABILITY OF THE STRUCTURE WHERE THE PRODUCT IS TO BE ATTACHED INSURING PROPER ANCHORAGE.
- 7.2- THE SITE SPECIFIC PROJECT CRITERIA, SUCH AS BUT NOT LIMITED TO, LOCAL CODE REQUIREMENTS, DESIGNED PRESSURES ETC.
- 7.3- THAT THIS APPROVAL IS ADEQUATE TO THE SPECIFIC PROJECT.

8- MATERIALS, INCLUDING BUT NOT LIMITED TO STEEL SCREWS, THAT COME IN CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF 2004 FBC SECTION 2003.8.4 (SUPPLEMENT 2005).


9- 33 1/3% INCREASE IN ALLOWABLE LOADS HAVE NOT BEEN USED IN THE DESIGN OF THE ANCHORS FOR THIS PRODUCT APPROVAL, HOWEVER, WOOD SCREWS WITH 1.6 INCREASE FOR WIND LOAD DURATION HAVE BEEN USED.

DOOR ALLOWABLE DESIGNED PRESSURES
 SEE SHEET 2 OF 5 FOR PRESSURES
 ALLOWABLE DESIGNED PRESSURES X SIZES.


DOOR COMPONENTS



1- FIVE TRACK JAMB (MODIFIED PDC-10)
 ALLOY: 6063-T6




2- FIVE TRACK HEADER (PDC-033)
 ALLOY: 6063-T6




4- DOOR INTERLOCK (PDC-020)
 ALLOY: 6063-T6


4R- DOOR REINFORCEMENT (PDC-020)
 ALLOY: 6061-T6




9A- CORNER ADAPTOR (PDC-002)
 ALLOY: 6063-T6




9AR- CORNER ADAPTOR REINFORCEMENT (PDC-002)
 ALLOY: 6061-T6




9B- CORNER ADAPTOR (PDC-015)
 ALLOY: 6063-T6



8- DOOR BOTTOM RAIL (PDC-082)
 ALLOY: 6063-T6




7- POCKET INTERLOCK (PDC-072)
 ALLOY: 6063-T6




9- DOOR END RAIL (PDC-066)
 ALLOY: 6063-T6

9R- DOOR REINF. STEEL ASTM A36 (PDC-066)




4A- DOOR HD INTERLOCK (PDC-073)
 ALLOY: 6063-T6


4AR- DOOR REINFORCEMENT (PDC-073)
 ALLOY: 6061-T6



8A- DOOR TOP RAIL (PDC-016)
 ALLOY: 6063-T6



5- GLASS ADAPTOR (PDC-091)
 ALLOY: 6063-T6



3- FIVE TRACK SILL (PDC-038)
 ALLOY: 6063-T6

3A- SILL ADAPTOR (PDC-038)
 ALLOY: 6063-T5

MANUFACTURER:
PLAZA DOOR CO., INC
 5900 AUSTRALIAN AVE.
 SUITE #3
 WEST PALM BEACH
 FLORIDA, 33402
 PHONE: (561) 842-6551
 FAX: (561) 842-6541

PRODUCT:
Titan Series
 VII - NON IMPACT
 ALUMINUM SLIDING GLASS
 DOOR

Engineering:
EngCo Inc.
 CA 8116
 6971 W. SUNRISE BLVD. 104
 PLANTATION, FL. 33313
 TEL: (954) 585-0304
 FAX: (954) 585-0305



JUN 09 2006
 Engineer Seal
 Pedro Da Figueiredo
 PE 52609

Date: 09/12/05
 Scale: NA
 Design by: PPMF



Revision:

Drawing Number
03-043R1


Sheet
 1 of 6

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 06-0309.08
 Expiration Date 06/24/09
 By: 
 Miami Dade Product Control
 Division

ELEVATIONS & DESIGN RATING



MODEL: DOUBLE 90°
 AVAILABLE CONFIGURATIONS:
 D-AB-PXXXX // XXXX (AS SHOWN)
 D-AB-PXXXX // XXXO
 D-An...XX // OX...
 DOOR CONFIGURATIONS CAN BE
 ARRANGED INTO MANY
 COMBINATIONS OF MOVABLE PANELS
 (X), FIXED PANELS (O) AND/OR
 POCKETS (P).
 NUMBER OF PANELS: n




MODEL: SINGLE
 AVAILABLE CONFIGURATIONS:
 S-A4-XXXX (AS SHOWN)
 S-A4-OXXX
 S-An...XO...
 DOOR CONFIGURATIONS CAN BE
 ARRANGED INTO MANY
 COMBINATIONS OF MOVABLE PANELS
 (X), FIXED PANELS (O) AND/OR
 POCKETS (P).
 NUMBER OF PANELS: n

TABLE 1 - ALLOWABLE DESIGNED PRESSURES (Psf)

DLO HEIGHT	DOOR DLO WIDTH (INCHES)			
	28 1/2	34 1/2	40 1/2	46 1/2
88	-76, +76*	-66, +66*	-59, +59*	-54, +54*
100	-74, +74*	-64, +64*	-57, +57*	-52, +52*
112	-72, +72*	-62, +62*	-55, +55*	-50, +50

NOTES:
 1- DLO ARE IN INCHES
 2- DESIGNED PRESSURES ARE IN PSF
 3- * IN AREAS WHERE THE DOOR DESIGN IS LIMITED BY WATER INFILTRATION, USE **MAXIMUM +50 PSF** FOR POSITIVE PRESSURE. SEE ILLUSTRATION 'Z' BELOW.



PRODUCT REVISED
 in compliance with the Florida Building Code
 Amendment No. 06-0309.08
 Expiration Date 06/24/09
 By: *[Signature]*
 Product Control Division

MANUFACTURER:
PLAZA DOOR CO., INC
 5900 AUSTRALIAN AVE.
 SUITE #3
 WEST PALM BEACH
 FLORIDA, 33402
 PHONE: (561) 842-6551
 FAX: (561) 842-6541

PRODUCT:
Titan Series
 VII - NON IMPACT
 ALUMINUM SLIDING GLASS
 DOOR

Engineering:
EngCo Inc.
 CA 8116
 6971 W. SUNRISE BLVD. 104
 PLANTATION, FL. 33313
 TEL: (954) 585-0304
 FAX: (954) 585-0305

JUN 09 2006
 Engineer Seal
 Pedro De Figueroa
 PE 52609

Date: 09/12/05
 Scale: NA
 Design by: PPMF

Revision:

Drawing Number
03-043R1

Sheet
 2 of 6

MANUFACTURER:
**PLAZA DOOR
 CO., INC**
 5900 AUSTRALIAN AVE.
 SUITE #3
 WEST PALM BEACH
 FLORIDA, 33402
 PHONE: (561) 842-6551
 FAX: (561) 842-6541

PRODUCT:
Titan Series
 VII - NON IMPACT
 ALUMINUM SLIDING GLASS
 DOOR

Engineering:
EngCo Inc.
 CA 8116
 6971 W. SUNRISE BLVD. 104
 PLANTATION, FL. 33313
 TEL.: (954) 585-0304
 FAX.: (954) 585-0305


[Signature]
JUN 09 2006
 Engineer Seal
 Pedro Da Figueiredo
 PE 52609

Date: 09/12/05
 Scale: NA
 Design by: PPMF

Revision:

Drawing Number
03-043R1


Sheet
 3 of 6




TOP VIEW 90° TYPE UNIT

PRODUCT REVISED
 to comply with the Florida
 Building Code
 Acceptance No 06-0309-08
 Expiration Date 06/24/09
 By *[Signature]*
 Miami Dade Product Control
 Division


4- INTERLOCK DETAIL




6- MID LOCK DETAIL




3- JAMB DETAIL
OPERABLE PANEL W/ LOCK
3A- JAMB DETAIL
FIXED W/OUT LOCK




5- 90° CORNER DETAIL




7- POCKET END RAIL



2- SILL DETAIL



1- HEADER DETAIL



FASTENERS	
F1- 2-015-0	- #10X2 1/2' FH SS SMS
F2- 2-022-0	- #10X1 1/4' FH SS SMS
F3- 2-003-0	- #14X1' PH SS SMS
F4- 2-010-0	- #12X1 1/4' PH SS SMS
F5- 2-050-0	- #10-32X1' FH SS MS
F6- 2-064-0	- 1/8"X1/2' POP RIVETS SS
F7- 2-070-0	- #8X1 1/4' PH SS SMS
F8- 2-090-0	- #10-24X1/4' FH SS MS
F9- 2-024-0	- #10X3/4' FH SS SMS

MANUFACTURER:
**PLAZA DOOR
CO., INC**

5900 AUSTRALIAN AVE.
SUITE #3
WEST PALM BEACH
FLORIDA, 33402
PHONE: (561) 842-6551
FAX: (561) 842-6541

PRODUCT:
Titan Series
VII - NON IMPACT
ALUMINUM SLIDING GLASS
DOOR

Engineering:
EngCo Inc.

CA 8116
6971 W. SUNRISE BLVD. 104
PLANTATION, FL. 33313
TEL.: (954) 585-0304
FAX.: (954) 585-0305



JUN 09 2006

Engineer Seal
Pedro De Figueiredo
PE 52809

Date: 09/12/05
Scale: NA
Design by: PPMF


Revision:

Drawing Number
03-043R1

Sheet
4 of 6


PRODUCT REVISION
as complying with the Florida
Building Code
Acceptance No 06-0309.08
Expiration Date 06/24/09
By [Signature]
Miami Beach Product Control
Division

GLAZING DETAIL




PLUGS IF REQUIRED TO BE USED ONLY ON THE INTERIOR SIDE OF DOOR

SILL DRAINAGE




1 1/2" X 1/4" FACTORY APPLIED DRAIN PAN LOCATED 17" FROM ENDS AND MAX. 20" OC

FRAMING CORNER ASSEMBLY




APPLY BEAD OF SONNEBORN NP1 SEALANT AT TOP AND BOTTOM JOINTS

DOOR CORNER ASSEMBLY



NON IMPACT GLASS TYPES
V - 1/4" TEMPERED GLASS
VI - 3/8" TEMPERED GLASS



HARDWARE NOTES:

1- ROLLER ASSEMBLY: EACH OPERABLE PANEL IS DESIGNED WITH TWO ROLLERS (PART# 2-300-0) AT EACH CORNER BOTTOM RAIL OF DOOR PANEL. ROLLER ASSEMBLY IS SNAPPED ONTO THE BOTTOM RAIL OF THE DOOR.

2- DEAD LOCK (PART# 2-350-0): ONE PER EACH END RAIL, MEETING RAILS OR 90° CORNER RAILS OF OPERABLE PANELS. LOCATED 40" FROM CENTERLINE OF LOCK TO SILL. LOCK ASSEMBLY IS ATTACHED TO RAIL BY USING TWO #6-32X1/4" SSFH SCREWS.

SEALANT'S NOTES:

1- PERIMETER SEALANT: SONNEBORN NP1 URETHANE SEALANT

2- FRAME JOINT SEALANT: SONNEBORN NP1 URETHANE SEALANT

3- GLAZING GASKET JOINT SEALANT: SONNEBORN NP1 URETHANE SEALANT

WEATHER STRIPPING:		
<p>2-402-0 FINSEAL 7525</p>	<p>2-400-0 FINSEAL 7518</p>	<p>2-249-0 PVC BULB</p>
<p>2-403-0 FINSEAL 8416</p>	<p>2-401-0 FINSEAL 7520</p>	<p>2-250-0 PVC BULB</p>

PRODUCT REVISED
to comply with the Florida
Building Code
Acceptance No. 06-0309.08
Expiration Date 06/24/09

[Signature]
Miami State Product Control
Division

MANUFACTURER:
PLAZA DOOR CO., INC
5900 AUSTRALIAN AVE.
SUITE #3
WEST PALM BEACH
FLORIDA, 33402
PHONE: (561) 842-6551
FAX: (561) 842-6541

PRODUCT:
Titan Series
VII - NON IMPACT
ALUMINUM SLIDING GLASS
DOOR

Engineering:
EngCo Inc.
CA 8116
6971 W. SUNRISE BLVD. 104
PLANTATION, FL. 33313
TEL: (954) 585-0304
FAX: (954) 585-0305

[Signature]

JUN 09 2006
Engineer Seal
Pedro De Figueiredo
PF. 52609

Date: 09/12/05
Scale: NA
Design by: PPMF

Revision:

Drawing Number
03-043R1

Sheet
5 of 6

FRAMING ANCHOR SPACING SELECTION TABLES

TABLE 2
MAXIMUM INCHES OC HEADER ANCHORS SPACING

DLO HEIGHT	DESIGNED PRESSURE (psf)				
	50	54	59	66	76
88	18-17-20	17-15-20	15-14-20	14-12-20	12-11-20
100	16-15-20	15-14-20	14-12-20	12-11-20	11-10-20
112	15-13-20	13-12-20	12-11-20	11-10-20	9- 9-20

TABLE 3
MAXIMUM INCHES OC SILL ANCHORS SPACING

DLO HEIGHT	DESIGNED PRESSURE (psf)				
	50	54	59	66	76
88	11-na-20	10-na-20	9-na-20	8-na-18	7-na-16
100	10-na-20	9-na-20	8-na-18	7-na-16	6-na-14
112	9-na-19	8-na-18	7-na-16	7-na-15	6-na-13

ANCHOR NOTES:

- 1- (A-B-C): THE ABOVE TABLE VALUES A ARE FOR ANCHOR SPACING WHEN USING TYPE A ANCHORS, B ARE FOR ANCHOR SPACING WHEN USING TYPE B ANCHORS, C ARE FOR ANCHOR SPACING WHEN USING TYPE C ANCHORS
- 2- MINIMUM EMBEDMENT ARE BEYOND WALL DRESSING.
- 3- na: NOT AVAILABLE

ANCHOR TYPES:

- A- 3/16" TAPCON BY ELCO WITH 1 3/4" MIN. EMBEDMENT INTO 3320 psi CONCRETE - MIN. EDGE DISTANCE: 1 7/8".
- B- #10 ss WOOD SCREWS BY ELCO WITH 1 1/2" MIN. EMBEDMENT INTO PT WOOD (<SG>= .55) - MIN. E. D. >= 3/4".
- C- 1/4" TAPCON BY ELCO WITH 1 3/4" MIN. EMBEDMENT INTO 3320 psi CONCRETE - MIN. EDGE DISTANCE: 2 1/2".

BILL OF MATERIALS:

LOG	DESCRIPTION	PART#	MATERIAL	SUPPLIER
1	FIVE TRACK JAMB	PDC-10(X2)	ALUM. 6063-T6	PLAZA DOOR
2	FIVE TRACK HEADER	PDC-33	ALUM. 6063-T6	PLAZA DOOR
3	FIVE TRACK SILL	PDC-38	ALUM. 6063-T6	PLAZA DOOR
3A	SILL ADAPTOR		ALUM. 6063-T5	PLAZA DOOR
4	DOOR INTERLOCK	PDC-14	ALUM. 6063-T6	PLAZA DOOR
4R1	1/4X1 1/8" PLATE REINF.		ALUM. 6061-T6	PLAZA DOOR
4R2	1/4X 7/8" PLATE REINF.		ALUM. 6061-T6	PLAZA DOOR
4A	DOOR HD INTERLOCK	PDC-72	ALUM. 6063-T6	PLAZA DOOR
4AR1	REINFORCEMENT	PDC-73	ALUM. 6061-T6	PLAZA DOOR
4AR2	1/4X2 5/8" PLATE REINF.		ALUM. 6061-T6	PLAZA DOOR
5	GLASS ADAPTOR	PDC-91	ALUM. 6063-T6	PLAZA DOOR
7	POCKET INTERLOCK	PDC-20	ALUM. 6063-T6	PLAZA DOOR
8	DOOR BOTTOM RAIL	PDC-82	ALUM. 6063-T6	PLAZA DOOR
8A	DOOR TOP RAIL	PDC-16	ALUM. 6063-T6	PLAZA DOOR
9	DOOR END RAIL	PDC-66	ALUM. 6063-T6	PLAZA DOOR
9R	1/4X1 1/2 REINF.		STEEL ASTM A36	PLAZA DOOR
9A	CORNER ADAPTOR	PDC-002	ALUM. 6063-T6	PLAZA DOOR
9AR1	1/4X1 REINFORCEMENT		ALUM. 6061-T6	PLAZA DOOR
9AR2	1/8X7/8 REINFORCEMENT		ALUM. 6061-T6	PLAZA DOOR
9B	CORNER ADAPTOR	PDC-15	ALUM. 6063-T6	PLAZA DOOR
10D	3/8" GLAZING GASKET	2-265-0	PVC	TEAM PLASTICS
10E	1/4" GLAZING GASKET	2-200-0	PVC	TEAM PLASTICS
11	HF WEATHER TAB	3-009-0		PLAZA DOOR
12	TRACK RAIN PAN	3-008-0	ALUMINUM	PLAZA DOOR
13	LOCK ESCUTCHEON	2-351-0		ADAMS RITE 4430
14	LOCK KEEPER	3-001-0	STAINLESS STEEL	PLAZA DOOR
15	FINSEAL	2-407-0		SCHLEGAL
16	VINYL BULB	2-249-0		TEAM PLASTICS
17	VINYL BULB	2-250-0		TEAM PLASTICS
18	ADJUSTABLE ROLLER	2-300-0		SAUNDERS ENG. #P-13
19	DEADLOCK	2-350-0		ADAMS R. 1847-02SS
20	3/8" WEEP DRAIN PAN PLUG	3-010	NYLON	PLAZA DOOR

MANUFACTURER:
PLAZA DOOR CO., INC

5900 AUSTRALIAN AVE.
SUITE #3
WEST PALM BEACH
FLORIDA, 33402
PHONE: (561) 842-6551
FAX: (561) 842-6541

PRODUCT:
Titan Series

VII - NON IMPACT
ALUMINUM SLIDING GLASS
DOOR

Engineering:
EngCo Inc.

CA 8116
6971 W. SUNRISE BLVD. 104
PLANTATION, FL. 33313
TEL: (954) 585-0304
FAX: (954) 585-0305



JUN 09 2006
Engineer Seal
Pedro De Figueiredo
PE 52609

Date: 09/12/05
Scale: NA
Design by: PPMF

Revision:

Drawing Number
03-043R1

Sheet
6 of 6

PRODUCT REVISED
to comply with the Florida
Building Code
Acceptance No. 06-0309.08
Expiration Date 6/24/09
By [Signature]
Miami Dade Product Control
Division