



BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908
www.buildingcodeonline.com

NOTICE OF ACCEPTANCE (NOA)

T.M. Window & Door Co.
601 N.W. 12th Ave.
Pompano Beach, FL 33069

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "805" Aluminum Horizontal Rolling Window w/ wo Reinforcements-L.M.I.

APPROVAL DOCUMENT: Drawing No.S805-LM, titled "Series 805 Aluminum Horizontal Rolling Window", sheets 1 through 6 of 6, dated 12/05/03 and last revised on 02-12-2006, prepared by manufacturer, signed sealed by Kelvyn Whitfield, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.


TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises # 04-0120.02 and consists of this page 1 and evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**






NOA No 06-0329.02
Expiration Date: May 13, 2009
Approval Date: July 13, 2006
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

- A. DRAWINGS** (transferred from file # 04-0120.01)
1. Manufacturers die drawings and sections.
 2. Drawing No. **S805-LM**, titled "Series 805 Aluminum Horizontal Rolling Window", sheets 1 through 6 of 6, dated 12/05/03 and last revised on 02-12-2006, prepared by manufacturer, signed sealed by Kelvyn Whitfield, P.E
- B. TESTS** (transferred from file # 04-0120.01)
1. Test reports on 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94
4) Large Missile Impact Test per FBC, TAS 201-94
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
6) Forced Entry Test, per FBC 2411 3.2.1 and TAS 202-94
- Along with marked-up drawings and installation diagram of alum horizontal rolling window (XOX), prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-3946**, dated 11/04/03, signed & sealed by Edumundo Largaespada, P.E.
2. Additional Test reports on
1) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
2) Large Missile Impact Test per FBC, TAS 201-94
3) Cyclic Wind Pressure Loading per FBC, TAS 203-94
- Along with marked-up drawings and installation diagram of aluminum horizontal rolling window (XO), prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-3995**, dated 11/13/03, signed and sealed by Edumundo Largaespada, P.E.
- C. CALCULATIONS**
1. Anchor verification calculations dated 01-31-2006, complying FBC-2004, prepared, signed and sealed by Kelvyn Whitfield, P.E.
 2. Anchor verification calculations and structural analysis dated 12-31-03 and last revised on 03-17-2004 prepared, signed and sealed by Kelvyn Whitfield, P.E. (transferred from file # 04-0120.01)
- D. QUALITY ASSURANCE BY:**
1. Miami Dade Building Code Compliance Office (BCCO).
- E. MATERIAL CERTIFICATIONS**
1. Notice of Acceptance No. **01-1204.01** issued to "E.I. DuPont DeNemours" for "Dupont Butacite ® PVB", expiring on 12/11/05.
 2. Notice of Acceptance No. **03-117.05** issued to "Surface Specialties Inc" for "Uvekol", expiring on 02/08/09. (Rev NOA#02-0429.06-UCB Chemical Corp).
- F. STATEMENTS**
1. Statement letter of FBC compliance, dtd 01-31-06, signed by K. Whitfield, P.E.
 2. Statement letter of compliance dated 11-10-03, issued by Fenestration Testing lab
- G. OTHER**
1. This NOA **revises # 04-0120.01**, expiring May 13, 2009.
 2. Test Proposal dated 10-23-03 approved by BCCO.
 3. "Uvekol laminator list" issued by Surface specialties, signed by J. Shaw, Ph.D.

Ishaq I. Chanda

Ishaq I. Chanda, P.E.
Product Control Examiner
NOA No 06-0329.02
Expiration Date: May 13, 2009
Approval Date: July 13, 2006



DESIGN PRESSURE (ALUMINUM REINFORCEMENT)	
POSITIVE	NEGATIVE
+ 55.0 PSF	- 55.0 PSF
7/16" OVERALL LAMINATED ANN. UVEKOL TEST REPORT No.: FTL-3995	

DESIGN PRESSURE (STEEL REINFORCEMENT) WITH 3 5/8" SILL RISER	
POSITIVE	NEGATIVE
+ 90.0 PSF	- 90.0 PSF
7/16" OVERALL LAMINATED H.S. UVEKOL OR SENTRY GLASS PLUS TEST REPORT No.: FTL-3946	

NOTE: GLASS CAPACITIES ON THIS SHEET ARE BASED ON ASTM 1300-02 (3 SECOND GUSTS) WITH REDUCTIONS FOR FLEXIBLE SUPPORTS TO COMPLY WITH SECTION 2403.02 OF FBC EDITION 2004

SERIES 805 HORIZONTAL ROLLING WINDOW (LARGE MISSILE IMPACT)

(UNITS VIEWED FROM EXTERIOR)
SCALE: 1/2" = 1'-0"

GENERAL NOTES

1. PRODUCT APPROVAL DRAWINGS ARE BASED ON TEST REPORTS NUMBERS FTL-3946 AND FTL-3995, AS LISTED ACCORDINGLY FOR EACH UNIT (SEE ELEVATIONS ABOVE)
2. DRAWINGS PROVIDE ANCHOR INFORMATION FOR WOOD FRAME, STRUCTURAL CONCRETE/CONCRETE BLOCKS & METAL STRUCTURE CONSTRUCTIONS (SEE SHEET 4 OF 6)
3. GLAZING: 7/16" OVERALL LAMINATED HEAT STRENGTHENED OR ANNEALED UVEKOL-LIQ. RESIN OR SENTRY GLASS PLUS (SEE CORRESPONDING DESIGN PRESSURE TABLES AND GLAZING DETAILS)
4. GLAZING METHOD: EXTERIOR GLAZED WITH 0.455" PENETRATION, USING DOW CORNING 995 SILICONE AND ALUMINUM GLAZING BEAD (SEE GLAZING DETAILS)
5. SEALANTS: A NARROW JOINT OF SEALANT IS APPLIED ON ALL PANEL AND FRAME CORNERS AND INSTALLATION SCREW HEADS.
6. CONFIGURATIONS: OX/XO (± 55.0 PSF) OR OX/XO, XOX (± 90.0 PSF)
7. DESIGN PRESSURE RATING: SEE CORRESPONDING CHARTS BELOW BELOW EACH ELEVATION.
8. ANCHORAGE: SINGLE ROW OF FASTENERS SHALL BE AS LISTED AND SPACED AS SHOWN (SEE CORRESPONDING ELEVATIONS)
9. ATTACHMENT TO WOOD BUCKS AND SUBSTRATES: TO BE ENGINEERED BY ARCHITECT OR ENGINEER OF RECORD, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
10. SHUTTERS REQUIREMENT: NO SHUTTERS ARE REQUIRED.
11. THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 2004 EDITION INCLUDING HIGH VELOCITY HURRICANE ZONES.
12. ALL STEEL IN CONTACT WITH ALUMINUM TO BE PAINTED OR PLATED.

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 06-0329.02
Expiration Date MAY 13, 2009
By Ishaq I. Chaudhry
Miami Dade Product Control
Division


[Signature]
12 FEB 06
KELVYN WHITFIELD, P.E.
FLORIDA CERTIFICATE No. 24140

TM WINDOW AND DOOR
601 N.W. 12th AVE.,
POMPAHO BEACH, FL 33069
PHONE: (954) 781-4430 FAX: (954) 781-3595
DWG. TITLE: GENERAL NOTES/TYP. ELEVATIONS/ANCHOR LAYOUTS


SERIES 805 ALUMINUM
HORIZONTAL ROLLING WINDOW
LARGE MISSILE IMPACT

REVISIONS	DESCRIPTION
1	3/9/04 R/P AS PER BCCO COMMENTS

DATE: 12/05/03
SCALE: AS NOTED
DWG. BY: R.P.
CHK. BY:
DRAWING No.:
S805-LM
SHEET 1 OF 6



1 VERTICAL SECTION
2




2 JAMB
2 (LOCK SIDE)

3 MEETING RAIL
2 (ALUM. REINFORCEMENT)

4 JAMB
2 (FIXED SIDE)

CROSS SECTIONS (±55.0 PSF)



GLAZING DETAIL
SCALE: FULL SIZE

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 06-032902
Expiration Date 12/31/2009
By Shag L. L. Lando
Miami Dade Product Control
Division

[Signature]
12 FEB 06

KELVYN WHITFIELD, P.E.
FLORIDA CERTIFICATE No. 24140

601 N.W. 12th AVE.
POMPANO BEACH, FL 33069
PHONE: (954) 781-4430
FAX: (954) 781-3595

T.M. WINDOW
AND DOOR, INC

DWG. TITLE: CROSS SECTIONS/GLASS DETAIL (±55.0 PSF)


SERIES 805 ALUMINUM
HORIZONTAL ROLLING WINDOW
LARGE MISSILE IMPACT

REVISIONS	No.	DATE	BY	DESCRIPTION
	1	3/9/04	RPI/AS	PER BCCO COMMENTS


DATE: 12/05/03
SCALE: HALF SIZE
DWG. BY: R.P.
CHK. BY:

DRAWING No.:
S805-LM

SHEET 2 OF 6




1 VERTICAL SECTION
3




2 JAMB
3 (LOCK SIDE) 3 MEETING RAIL
3 (STEEL REINFORCEMENT) 4 JAMB
3 (FIXED SIDE)

CROSS SECTIONS (±90.0 PSF)



5 JAMB
3 (LOCK SIDE) 6 MEETING RAIL
3 (STEEL REINF.) 7 MEETING RAIL
3 (STEEL REINF.) 8 JAMB
3 (LOCK SIDE)



[Signature]

12 FEB 06

KELVYN WHITFIELD, P.E.
FLORIDA CERTIFICATE No. 24140

TM WINDOW AND DOOR
601 N.W. 12th AVE.,
POMPANO BEACH, FL 33069
PHONE: (954) 781-4430 FAX: (954) 781-3595
DWG. TITLE: CROSS SECTIONS/GLASS DETAIL (±90.0 PSF)


SERIES 805 ALUMINUM
HORIZONTAL ROLLING WINDOW
LARGE MISSILE IMPACT

REVISIONS	NO.	DATE	BY	DESCRIPTION
	1	3/9/04	R.P.	PER BCCO COMMENTS


DATE: 12/05/03
SCALE: HALF SIZE
DWG. BY: R.P.
CHK. BY:

DRAWING No.:
S805-LM


SHEET 3 OF 6




TYPICAL HEAD/SILL ATTACHMENT TO CONCRETE SUBSTRATE




TYPICAL HEAD/SILL ATTACHMENT TO WOOD SUBSTRATE




TYPICAL HEAD/SILL ATTACHMENT TO METAL STRUCTURES (STEEL OR ALUMINUM)



TYP. JAMB ATTACHMENT TO CONCRETE SUBSTRATE



TYP. JAMB ATTACHMENT TO WOOD SUBSTRATE



TYP. JAMB ATTACHMENT TO METAL STRUCTURES (STEEL OR ALUMINUM)

12 FEB 06
 KELVYN WHITFIELD, P.E.
 FLORIDA CERTIFICATE No.24140


TM WINDOW AND DOOR
 601 N.W. 12th AVE.,
 POMPANO BEACH, FL 33069
 PHONE: (954) 781-4430 FAX: (954) 781-3595
 DWG. TITLE: TYPICAL INSTALLATION DETAILS

SERIES 805 ALUMINUM
 HORIZONTAL ROLLING WINDOW
 LARGE MISSILE IMPACT


REVISIONS	NO.	DATE	BY	DESCRIPTION
	1	3/9/04	RPLAS	PER BCCO COMMENTS

DATE: 12/05/03
 SCALE: HALF SIZE
 DWG. BY: R.P.
 CHK. BY:


DRAWING No.:
 S805-LM
 SHEET 4 OF 6




ITEM 5
TM-131A
FRAME JAMB (FIXED SIDE)




ITEM 7
TM-132
FRAME JAMB (LOCK SIDE)




TM-130
FRAME HEAD




TM-133A
FRAME SILL BASE




TM-134
FRAME SILL TOP



TM-137
FIXED MEETING RAIL




TM-140
MOVING MEETING RAIL




TM-139
SIDE RAIL (LOCK SIDE)

ITEM	QUANTITY	PART No.	MATERIAL	DESCRIPTION	LOCATION
1	1	TM-118	6063-T6 ALUM.	3 1/8" LONG SPRING LOADED VENT LATCH	WINDOW VENT SIDE RAIL MIDSPAN (LOCK SIDE)
3	1	TM-133A	6063-T6 ALUM.	FRAME SILL BASE	WINDOW BOTTOM FRAME
4	1	TM-130	6063-T6 ALUM.	FRAME HEAD	WINDOW TOP FRAME
5	1	TM-131A	6063-T6 ALUM.	FRAME JAMB (FIXED SIDE, ±55.0 PSF)	WINDOW SIDE FRAME
6	1	TM-132	6063-T6 ALUM.	FRAME JAMB (LOCK SIDE)	WINDOW SIDE FRAME
7	1	TM-131A	6063-T6 ALUM.	FRAME JAMB (FIXED SIDE, ±90.0 PSF)	WINDOW SIDE FRAME
8	1	TM-134	6063-T6 ALUM.	FRAME SILL TOP	WINDOW BOTTOM FRAME
9	1/INTERLOCK	TM-135	6063-T6 ALUM.	FRAME SILL CLIP ADAPTER (12" LONG)	WINDOW FRAME SILL, AT EACH INTERLOCK (ALL UNITS)
10*	1	TM-136	6063-T6 ALUM.	FRAME SILL TRACK	WINDOW FRAME SILL
11	1	TM-137	6063-T6 ALUM.	FIXED MEETING RAIL	WINDOW FRAME
12	2	TM-138	6063-T6 ALUM.	VENT TOP AND BOTTOM RAIL	WINDOW TOP & BOTTOM VENTS
13	1	TM-139	6063-T6 ALUM.	VENT SIDE RAIL (LOCK SIDE)	WINDOW SIDE VENT
14	1	TM-140	6063-T6 ALUM.	MOVING MEETING RAIL	WINDOW SIDE VENT
15	4/LITE-VENT	TM-141A	6063-T6 ALUM.	EXTRUDED GLAZING BEAD (±55.0 PSF)	WINDOW GLASS PERIMETER
16	(1) STRIP	W31225	WOOL	FIN SEAL WEATHERSTRIP -.270" x .220" HIGH	FRAME POCKET JAMB
17	(1) STRIP	W43371	WOOL	FIN SEAL WEATHERSTRIP -.187" x .370" HIGH	FRAME POCKET JAMB/VENT SIDE RAIL (LOCK SIDE)
18	(1) STRIP	W43201	WOOL	FIN SEAL WEATHERSTRIP -.187" x .200" HIGH	FIXED & MOVING MEETING RAILS AND SILL TOP
19	3	P5043	WOOL	1 7/16" x 7/8" x 1/2" FINSEAL PAD	FRAME TRACK (INTERLOCKS & LOCK ENDS)
20	2/VENT	---	PLASTIC/BRASS	WHEEL HOUSING ASSEMBLY	WINDOW VENT BOTTOM RAIL ENDS
21	4/VENT	---	6063-T6 ALUM.	.540" x .740" x .063" GLAZING BEAD (±90.0 PSF)	WINDOW GLASS PERIMETER (OX/XO, XOX ±90.0 PSF)
22	2	---	GLASS	7/16" OVERALL LAM. ANNEALED UVEKOL	WINDOW FRAME/VENT (SEE DESIGN PRESSURE TABLES)
23	2 OR 3	---	GLASS	7/16" OVERALL LAM. H.S. UVEKOL/SENTRY GLASS	WINDOW FRAME/VENT (SEE DESIGN PRESSURE TABLES)
24	AS REQ'D	995	SILICONE	GLAZING COMPOUND (DOW CORNING)	GLASS PERIMETER
25	SEE ELEV.	---	STEEL/PLATED	INSTALLATION FASTENER (SEE SHEET 4 OF 6)	WINDOW FRAME PERIMETER
26	2/CLIP	---	STAINLESS STEEL	#10 x 1/2" PH. SMS.	VENT HEAD WINDLOAD CLIP
27	10	---	STAINLESS STEEL	#12 x 1" PH.SMS. (ASSY.)	FRAME CORNERS
28	12	---	STAINLESS STEEL	#10 x 1" PH.SMS. (ASSY.)	VENT CORNERS & TOP/BOTTOM INTERLOCKS
29	1	---	6063-T6 ALUM.	3 5/8" x .062" SILL RISER (XO/OX, XOX ±90 PSF)	WINDOW FRAME SILL BASE, GLUED ON THE INTERIOR
30*	1/INTERLOCK	---	6063-T6 ALUM.	1" x 1" x 1/8" THK. REINFORCING TUBE	INTO MOVING MEETING RAIL (XO/OX ±55.0 PSF)
31*	1/INTERLOCK	---	STEEL A-513	(11 GA.) 1" x 1" REINFORCING TUBE	INTO MOVING MEETING RAIL (XO/OX, XOX ±90.0 PSF)
32*	2/INTERLOCK	---	6063-T6 ALUM.	1" x 1/2" x 1/8" THK. REINFORCING CHANNEL	INTO FIXED MEETING RAIL (XO/OX ±55.0 PSF)
33	1/VENT	TM-154	6063-T6 ALUM.	1" x 13/16" x 1/8" x 4" LG. WINDLOAD CLIP	FRAME HEAD, ABOVE EA. VENT, 7" O.C. OF MEETING RAIL
34*	2/INTERLOCK	---	STEEL A-36	(11 GA.) 1" x 1/2" REINFORCING CHANNEL	INTO FIXED MEETING RAIL (XO/OX, XOX ±90.0 PSF)
35	(2) STRIPS	W31175	WOOL	FIN SEAL WEATHERSTRIP -.187" x .175" HIGH	VENT TOP & BOTTOM RAILS


NOTE: (*) DENOTES FULL LENGTH




TM-138
TOP AND BOTTOM RAIL




TM-118
VENT LATCH LOCK




TM-141A
EXTRUDED GLAZING BEAD




TM-135
SILL CLIP ADAPTER



TM-136
SILL TRACK



ITEM 21
GLAZING BEAD ANGLE



ITEM 29
SILL RISER

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 06-0329-02
Expiration Date MAY 18, 2009
By *Istvan J. Lunk*
Miami Dade Product Division

Whitfield
12 FEB 06


KELVYN WHITFIELD, P.E.
FLORIDA CERTIFICATE No.24140

TM WINDOW AND DOOR
601 N.W. 12th AVE.,
POMPANO BEACH, FL 33069
PHONE: (954) 781-4430 FAX: (954) 781-3595
DWG. TITLE: BILL OF MATERIALS / PARTS LIST


SERIES 805 ALUMINUM
HORIZONTAL ROLLING WINDOW
LARGE MISSILE IMPACT

REVISIONS	DESCRIPTION
1	13/9/04 RPIAS PER BCCO COMMENTS


DATE: 12/05/03	SCALE: HALF SIZE	DWG. BY: R.P.	CHK. BY:
DRAWING No.: S805-LM			
SHEET 5 OF 6			




#12 x 1 1/4" PH.S.M.S. ASSEMBLY SCREWS



#10 x 1" PH.S.M.S. ASSEMBLY SCREWS




#10 x 1" PH.S.M.S. ASSEMBLY SCREWS




#10 x 1" PH.S.M.S. ASSEMBLY SCREWS

STILE SHOWN FOR OX APPLICATIONS, REVERSIBLE ON XO APPLICATIONS.


PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 06-0329.02
 Expiration Date MAY 13, 2009
 By Ishag I. Chanda
 Minimal Data/Products Control
 Division



#12 x 1 1/4" PH.S.M.S. ASSEMBLY SCREWS



#10 x 1" PH.S.M.S. ASSEMBLY SCREWS



#10 x 1" PH.S.M.S. ASSEMBLY SCREWS

[Handwritten Signature]
 12 FEB 06

#12 x 1 1/4" PH.S.M.S. ASSEMBLY SCREWS

WINDOW FRAME CORNER CONSTRUCTION DETAIL

OPERABLE VENT CORNER CONSTRUCTION DETAIL

FIXED MEETING RAIL CONSTRUCTION DETAIL

FIXED VENT CORNER CONSTRUCTION DETAIL (XO/OX UNITS ±90 PSF)

TM WINDOW AND DOOR
 601 N.W. 12th AVE.,
 POMPANO BEACH, FL 33069
 PHONE: (954) 781-4430 FAX: (954) 781-3595
 DWG. TITLE: CONSTRUCTION DETAILS.

SERIES 805 ALUMINUM
 HORIZONTAL ROLLING WINDOW
 LARGE MISSILE IMPACT

REVISIONS	No.	DATE	BY	DESCRIPTION
	1	3/9/04	R.P.	PER BCCO COMMENTS

DATE: 12/05/03
 SCALE: HALF SIZE
 DWG. BY: R.P.
 CHK. BY:

DRAWING No.:
 S805-LM
 SHEET 6 OF 6