



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**E.I. DuPont de Nemours & Co., Inc.
8480 DuPont Road
Washington, WV 26181**

SCOPE: This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone.

DESCRIPTION: DuPont SentryGlas® Plus

APPROVAL DOCUMENT: Drawing No.98-0608.03_dca, sheet 1 of 1, titled “DuPont Sentryglass® Plus” dated 12/15/98, prepared by E.I. DuPont DeNemours & Co., Inc. signed and sealed by WM. M. Meyers, PE., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None. This approval does not include an evaluation of structural performance of this component. Test reports and other required documents shall be submitted to Dade County Product Control; showing that the systems using this interlayer sheet will resist the loads according to Chapter 16 of the F.B.C., in order to issue an specific product approval for the system.

LABELING: Laminated lites under this Product Approval shall be permanently marked in a corner of the glass with: “DCA-SGP”, standing for “Miami-Dade County Approved – SentryGlas Plus”, and the laminator’s identification mark. These marks shall be applied by the individual laminator producing the finished laminated glass product containing the SentryGlas® Plus ionoplast interlayer.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA # 01-1204.01 and consists of this page, evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Jaime D. Gascon, P.E.**



*J. Gascon
1/22/07*

**NOA No: 06-1205.10
Expiration Date: January 14, 2008
Approval Date: February 15, 2007
Page 1**

NOTICE OF ACCEPTANCE: EVIDENCE PAGE

A DRAWING:

1. Drawing No. No.98-0608.03_dca, sheet 1 of 1, titled "DuPont Sentryglass® Plus" dated 12/15/98, prepared by E.I. DuPont DeNemours & Co., Inc. signed and sealed by WM. M. Meyers, PE.

B TEST REPORTS:

Laboratory Report	Test	Date	Signature
1. ETL J98024953-3R	ASTM D 635	11/10/98	D. K. Tucker, PE
2. ETL J98024953-2R	ASTM D1929	11/10/98	D. K. Tucker, PE
3. ETL J98024953-1R	ASTM E 84	11/10/98	D. K. Tucker, PE.
4. SFTS DPWV-22-X-2425	ASTM G 26	07/20/98	M. Mosbat, PE.
5. MTS 258636	ASTM D 638	08/21/98	R. G. Miller, PE.

C CALCULATIONS:

N/A

D QUALITY ASSURANCE:

1. Miami-Dade Product Control Division.

E STATEMENTS:

1. Letter of No Financial Interest by R. E. Fisher & Associates, Inc., issued on 12/12/98, signed and sealed by W. M. Meyers, PE.
2. Letter of Code Compliance by R. E. Fisher & Associates, Inc., issued on 12/12/98, signed and sealed by W. M. Meyers, PE.
3. Letter of No Financial Interest by C. A. Smith of E. I. DuPont DeNemours & Co., Inc., issued on 12/18/98, signed and notarized by C. A. Smith.
4. No change letter issued by DuPont Glass Laminating Solutions on 01/03/07 and signed by C. A. Smith.
5. Approved listing of SentryGlas® Plus laminators dated November 30, 2005, signed by Jeffrey D. Granato.



Jaime D. Gascon, P.E.

Chief, Product Control Division

NOA No 06-1205.10

Expiration Date: January 14, 2008

Approval Date: February 15, 2007



Section

PRODUCT DESCRIPTION

Manufactured By: E. I. DuPont & Co., Inc.
 A Plastic interlayer Material for Lamination
 with Glass on Both Sides. A typical glazing
 is made of the following components,

A - 1/8"	Annealed Glass
B - 0.090"	DuPont SentryGlas® Plus Interlayer
C - 1/8"	Annealed Glass

PRODUCT PROPERTIES

PROPERTIES	TEST	RESULTS
Flame Spread Index	ASTM E84	/ 30
Smoke Develop Index	ASTM E84	/ 215
Self Ignition Temp.	ASTM D1929	/ 878°F (470°C)
Burning Rate	ASTM D635	/ 0 cm/min.; Class C1

Tensile Strength ASTM D638

* BEFORE	AFTER
4630 psi	4745 psi

* Weathering Per Section 3505.2 of South Florida Building Code.

ROBT. E. FISHER
 WM. M. MEYERS P.E.
 Consulting Engineers
 9301 N.E. 6th Ave. C-300
 Miami Shores, FL 33138
 (305) 758-3117 557-4006 362-6232

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No. 06-1205.10
 Expiration Date JANUARY 14, 2008
 By [Signature]
 Miami Dade Product Control
 Division

PRODUCT RENEWED

ACCEPTANCE No. 01-1204.01

EXPIRATION DATE 01/14/2007

PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE

APPROVED AS COMPLYING WITH THE
 SOUTH FLORIDA BUILDING CODE
 DATE JANUARY 14 1999
 BY [Signature]
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 98-0608.03

E.I. DuPont DeNemours & Co., Inc.
 Box #1217 BUTACITE
 Parkersburg, WV 26105
 DUPONT SENTRYGLASS® PLUS
 Dwg.# 98-0608.03_dca Sheet 1 of 1
 Issued: 12/15/98 Revision 1
 William M. Meyers, PE
 Structural
 Registration # 18755