



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**TRACO Windows & Doors, Inc.
71 Progress Avenue
Cranberry Township, PA 16066**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Series 5758 (545) Aluminum Picture Window (Fixed)

APPROVAL DOCUMENT: Drawing No. **06-TRA-0007** titled: **Series-5758 (545) Fixed Window Large Missile Impact Resistant** sheets 1 through 3, prepared by Engineering Express, dated 01/26/07, signed and sealed on 03/05/07 by Frank L. Bennardo, P.E., bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises and renews NOA #02-0311.05 and consists of this page 1, evidence page E1 as well as approval document mentioned above.

The submitted documentation was reviewed by **Mohammed Iqbal Shaikh, P.E**



04/23/07

**NOA No. 07-0313.01
Expiration Date: April 25, 2012
Approval Date: May 17, 2007
Page 1**

TRACO Windows & Doors, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
2. Drawing No. **06-TRA-0007** titled: **Series-5758 (545) Fixed Window Large Missile Impact Resistant** sheets 1 through 3, prepared by Engineering Express, dated 01/26/07, signed and sealed on 03/05/07 by Frank L. Bennardo, P.E.

B. TESTS

1. Test reports on: 1) Large Missile Impact Test TAS 201
2) Cyclic Wind Pressure Loading TAS 203
along with marked-up drawings of aluminum fixed windows, prepared by Farabaug Engineering and Testing Inc., Test Report No. T214-06, dated 08/22/06, signed and sealed by Frank L. Bennardo, P.E
2. Test report on: 1) Uniform Static Air Pressure Test, Loading per TAS 202 by Fenestration Testing Laboratory, Inc., Test Report no. 2303 dated 03/30/99 signed And sealed by Gilbert Diamond, P.E.

C. CALCULATIONS

1. Anchor Calculations and Glass Analysis for Series-5758 Alum Fixed Window LMI prepared by Engineering Express, dated 02/12/07, signed and sealed on 03/05/07 by Frank L Bennardo P. E..

D. MATERIAL CERTIFICATIONS


1. Notice of Acceptance No. **06-1205.10** issued to E.I. DuPont de Nemours for "Dupont Sentry Glass Plus dated 01/14/07, expiring on 01/14/12.

E. STATEMENTS

1. Statement letter of compliance issued by Engineering Express, , signed and sealed on 03/05/07 by Frank L Bennardo P. E..
2. Statement letter of no financial interest issued by Engineering Express, , signed and sealed on 03/05/07 by Frank L Bennardo P. E..
3. Proposal letter dated 11/16/07 by Traco Windows and Door Inc.

F. OTHER

1. None.



Mohammed Iqbal Shaikh, P.E.
Sr. Code Compliance Specialist
NOA No. 07-0313.01
Expiration Date: April 25, 2012
Approval Date: May 17, 2007

SERIES 5758 (545) ALUMINUM FIXED WINDOW

LARGE MISSILE IMPACT RESISTANT

FRANK L. BENNARDO, P.E.
PEOG46549

03/05/2007

EX ENGINEERING EXPRESS®

160 SW 12th Avenue, # 106
DEERFIELD BEACH, FL 33442
PH: (954) 354-0660 FAX: (954) 354-0443
WWW.ENGEXP.COM

CERT. OF AUTH. #888
A. FRANK L. BENNARDO, P.E., INC. INNOVATION

71 Progress Avenue,
Cranberry Township, PA 16166
Tel. (724) 776-7000



TRACO
Windows & Doors Inc.

SERIES 5758 (545) FIXED WINDOW
LARGE MISSILE IMPACT RESISTANT







GENERAL NOTES:

1. THE SYSTEM DESCRIBED HEREIN HAS BEEN DESIGNED AND TESTED IN ACCORDANCE WITH THE 2004 FLORIDA BUILDING CODE, FOR USE WITHIN THE HIGH VELOCITY HURRICANE ZONE, PER TAS 201 / 202 / 203 AND ASTM E1300-02 STANDARDS.
2. NO 33-1/3% INCREASE IN ALLOWABLE STRESS HAS BEEN USED IN THE DESIGN OF THIS SYSTEM. WIND LOAD DURATION FACTOR Cd=1.6 HAS BEEN USED FOR WOOD ANCHOR DESIGN.
3. POSITIVE AND NEGATIVE DESIGN PRESSURES CALCULATED FOR USE WITH THIS SYSTEM SHALL BE DETERMINED BY OTHERS ON A JOB-SPECIFIC BASIS IN ACCORDANCE WITH THE GOVERNING CODE.
4. MULTIPLE UNITS MUST BE INSTALLED USING MIAMI-DADE COUNTY BCCO-APPROVED STRUCTURAL MULLIONS
5. THE SYSTEM DETAILED HEREIN IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SPECIFIC SITE. FOR SITE CONDITIONS DIFFERENT FROM THE CONDITIONS DETAILED HEREIN, A LICENSED ENGINEER OR REGISTERED ARCHITECT SHALL PREPARE SITE SPECIFIC DOCUMENTS FOR USE IN CONJUNCTION WITH THIS DOCUMENT.
6. PERMIT HOLDER SHALL VERIFY THE ADEQUACY OF THE EXISTING STRUCTURE TO WITHSTAND SUPERIMPOSED LOADS. WOOD BUCKS (BY OTHERS) SHALL BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE EXISTING STRUCTURE.
7. ALL EXTRUSIONS SHALL BE 6063-T5 ALUMINUM ALLOY, UNLESS NOTED OTHERWISE.
8. UNITS GLAZED WITH 5/16" OR 7/16" LAMINATED GLASS ARE LARGE MISSILE IMPACT RESISTANT AND DO NOT REQUIRE IMPACT RESISTANT SHUTTERS.
9. EXTERIOR SEAM OF FRAME CORNERS, INSTALLATION SCREWS AND GLAZING BEAD SHALL BE SEALED WITH SILICONE. FRAME CORNERS SHALL BE SEALED WITH SHNEE MOREHEAD 5731 SEALANT.
10. ALL BOLTS & WASHERS SHALL BE ZINC COATED STEEL, GALVANIZED STEEL, OR STAINLESS STEEL WITH A MINIMUM TENSILE YIELD STRENGTH OF 60 KSI.
11. ALL STEEL IN CONTACT WITH ALUMINUM SHALL BE PAINTED OR PLATED.



7/16" OVERALL LAM. GLASS LAMINATED BY DLUBAK

5/16" OVERALL LAM. GLASS LAMINATED BY DLUBAK




PRODUCT RENEWED
as complying with the Florida
Building Code
Accepted: 07-03/3.01
Expiration: 04/25/12
By: *[Signature]*
Miami Dade: *[Signature]*

DRWN	CHKD	DATE
		01/26/07

06-TRA-0007

SCALE: 01
PAGE DESCRIPTION:

03/05/2007 - 10:14am clangley F:\01 Project Files\Traco (TRA)\2006 Jobs\06-TRA-0007 PW-545 (5758).LMI (NOA)\06-TRA-0007_00c_PW-545 (5758).dwg




ANCHOR SCHEDULE:


- INTO HOLLOW BLOCK OR CONCRETE:**
- 1/4" TAPCONS (ELCO OR ITW) THRU WOOD BUCKS OR DIRECTLY INTO MASONRY/ CONCRETE WITH 1-1/4" MIN EMBED.
 - 3/16" TAPCONS (ELCO OR ITW) THRU WOOD BUCKS OR DIRECTLY INTO MASONRY/ CONCRETE WITH 1-1/4" MIN EMBED.
- INTO WOOD BUCK OR WOOD STRUCTURE:**
- 3/16" TAPCONS (ELCO OR ITW) OR #12 WOOD SCREWS WITH 1-1/2" MIN. THREAD PENETRATION.
 - 1/4" TAPCONS (ELCO OR ITW) OR #14 WOOD SCREWS WITH 1-1/2" MIN. THREAD PENETRATION.
- INTO METAL STRUCTURES OR INTO APPROVED MULLIONS (MIN. 1/8" THICKNESS):**
- #12 SMS/SELF-DRILLING METAL SCREWS (1/8" MIN THICKNESS).

ANCHOR NOTES:

1. SEE EXTERIOR ELEVATION FOR ANCHOR LOCATIONS AND/OR SPACING.
2. ANCHORS SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURERS' RECOMMENDATIONS.
3. ENSURE MINIMUM 2-1/2" EDGE DISTANCE FOR ALL ANCHORS TO CONCRETE & TO HOLLOW BLOCK. EDGE DISTANCE OF 1/2" IS ACCEPTABLE FOR ANCHORS TO STEEL OR ALUMINUM AND 1" MINIMUM FOR ANCHORS TO WOOD.
4. WOOD HOST STRUCTURE SHALL BE "SOUTHERN PINE" G=0.55 OR GREATER DENSITY.
5. MINIMUM EMBEDMENT SHALL BE AS NOTED IN ANCHOR SCHEDULE. MINIMUM EMBEDMENT AND EDGE DISTANCE EXCLUDES STUCCO, FOAM, BRICK, AND OTHER WALL FINISHES.
6. WHERE EXISTING STRUCTURE IS WOOD FRAMING, EXISTING CONDITIONS MAY VARY. FIELD VERIFY THAT FASTENERS ARE INTO ADEQUATE WOOD FRAMING MEMBERS, NOT INTO PLYWOOD.



TYPICAL CORNER CONSTRUCTION



PRODUCT RENEWED
 07-0313-01
 04/25/12
 By *M. Thacker*
 Miami Dade Product Control

FRANK L. BENNARDO, P.E.
 # PE0046549
 03/05/2007
ENGINEERING EXPRESS
 160 SW 12th AVENUE, #106
 DEERFIELD BEACH, FL 33442
 PH: (954) 354-0660 FAX: (954) 354-0443
 WWW.ENGEXP.COM
 CERT OF AUTH #9885
 A FRANK L. BENNARDO, P.E., INC. INNOVATION

71 Progress Avenue
 Cranberry Township, PA 16166
 Tel: (724) 776-7000
TRACO
 Windows & Doors Inc.
 SERIES 5758 (545) FIXED WINDOW
 LARGE MISSILE IMPACT RESISTANT

DATE	01/26/07
DRAWN	JEM
CHKD	CL
INIT	ISSUE

06-TRA-0007
 SCALE: 1/8" = 1'-0"
 PAGE DESCRIPTION: 01

03/05/2007

ENGINEERING EXPRESS
160 SW 12th AVENUE, #106
DEERFIELD BEACH, FL 33442
PH: (954) 354-0660 FAX: (954) 354-0443
WWW.ENGEXP.COM
CERT OF AUTH #885
A FRANK L. BENNARDO, P.E., INC. INNOVATION

TRACO
Windows & Doors Inc.
71 Progress Avenue,
Cranberry Township, PA 16166
Tel. (724) 776-7000
SERIES 5758 (545) FIXED WINDOW
LARGE MISSILE IMPACT RESISTANT

DRWN	CHKD	DATE
JEM	CL	01/26/07
REMARKS	INIT	ISSUE

06-TRA-0007
SCALE: 1/8" = 1'-0"
PAGE DESCRIPTION:
3

TABLE ①


LARGE MISSILE IMPACT RESISTANT WINDOWS SHUTTERS NOT REQUIRED										
WINDOW DIMENSIONS		DESIGN LOAD CAPACITY								
		7/16" LAMINATED GLASS				5/16" LAMINATED GLASS				
		3/16" TAPCONS		1/4" TAPCONS		3/16" TAPCONS		1/4" TAPCONS		
DIM 'A'	DIM 'B'	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	
18"	36"	180.0 PSF	177.6 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
24"		180.0 PSF	133.2 PSF	180.0 PSF	140.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
30"		180.0 PSF	106.6 PSF	180.0 PSF	112.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
36"		180.0 PSF	88.8 PSF	180.0 PSF	93.5 PSF	100.0 PSF	88.8 PSF	100.0 PSF	93.5 PSF	
42"		180.0 PSF	101.5 PSF	180.0 PSF	106.8 PSF	100.0 PSF	100.0 PSF	100.0 PSF	93.5 PSF	
48"		180.0 PSF	88.8 PSF	180.0 PSF	93.5 PSF	100.0 PSF	88.8 PSF	100.0 PSF	93.5 PSF	
54"		180.0 PSF	98.7 PSF	180.0 PSF	103.9 PSF	100.0 PSF	98.7 PSF	100.0 PSF	93.5 PSF	
60"		180.0 PSF	88.8 PSF	180.0 PSF	93.5 PSF	100.0 PSF	88.8 PSF	100.0 PSF	93.5 PSF	
18"	48"	180.0 PSF	177.6 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
24"		180.0 PSF	133.2 PSF	180.0 PSF	140.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
30"		180.0 PSF	106.6 PSF	180.0 PSF	112.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
36"		180.0 PSF	88.8 PSF	180.0 PSF	93.5 PSF	100.0 PSF	88.8 PSF	100.0 PSF	93.5 PSF	
42"		180.0 PSF	76.1 PSF	180.0 PSF	80.1 PSF	100.0 PSF	76.1 PSF	100.0 PSF	80.1 PSF	
48"		180.0 PSF	66.6 PSF	180.0 PSF	70.1 PSF	100.0 PSF	66.6 PSF	100.0 PSF	70.1 PSF	
54"		180.0 PSF	74.0 PSF	180.0 PSF	77.9 PSF	100.0 PSF	74.0 PSF	100.0 PSF	70.1 PSF	
60"		180.0 PSF	66.6 PSF	180.0 PSF	70.1 PSF	100.0 PSF	66.6 PSF	100.0 PSF	70.1 PSF	
18"	60"	180.0 PSF	177.6 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
24"		180.0 PSF	133.2 PSF	180.0 PSF	140.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
30"		180.0 PSF	106.6 PSF	180.0 PSF	112.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
36"		180.0 PSF	88.8 PSF	180.0 PSF	93.5 PSF	100.0 PSF	88.8 PSF	100.0 PSF	93.5 PSF	
42"		180.0 PSF	76.1 PSF	180.0 PSF	80.1 PSF	100.0 PSF	76.1 PSF	100.0 PSF	80.1 PSF	
48"		180.0 PSF	66.6 PSF	180.0 PSF	70.1 PSF	100.0 PSF	66.6 PSF	100.0 PSF	70.1 PSF	
54"		180.0 PSF	59.2 PSF	180.0 PSF	62.3 PSF	100.0 PSF	59.2 PSF	100.0 PSF	62.3 PSF	
60"		180.0 PSF	53.3 PSF	180.0 PSF	56.1 PSF	100.0 PSF	53.3 PSF	100.0 PSF	56.1 PSF	
18"	72"	180.0 PSF	177.6 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
24"		180.0 PSF	133.2 PSF	180.0 PSF	140.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
30"		180.0 PSF	106.6 PSF	180.0 PSF	112.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
36"		180.0 PSF	88.8 PSF	180.0 PSF	93.5 PSF	100.0 PSF	88.8 PSF	100.0 PSF	93.5 PSF	
42"		180.0 PSF	76.1 PSF	180.0 PSF	80.1 PSF	100.0 PSF	76.1 PSF	100.0 PSF	80.1 PSF	
48"		168.8 PSF	66.6 PSF	168.8 PSF	70.1 PSF	100.0 PSF	66.6 PSF	100.0 PSF	70.1 PSF	
18"		84"	180.0 PSF	177.6 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
24"			180.0 PSF	133.2 PSF	180.0 PSF	140.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
30"	180.0 PSF		106.6 PSF	180.0 PSF	112.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	
36"	180.0 PSF		88.8 PSF	180.0 PSF	93.5 PSF	100.0 PSF	88.8 PSF	100.0 PSF	93.5 PSF	
42"	171.4 PSF		76.1 PSF	171.4 PSF	80.1 PSF	100.0 PSF	76.1 PSF	100.0 PSF	80.1 PSF	
18"	96"		180.0 PSF	177.6 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
24"			180.0 PSF	133.2 PSF	180.0 PSF	140.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
30"			180.0 PSF	106.6 PSF	180.0 PSF	112.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
36"		180.0 PSF	88.8 PSF	180.0 PSF	93.5 PSF	100.0 PSF	88.8 PSF	100.0 PSF	93.5 PSF	

TABLE ②

LARGE MISSILE IMPACT RESISTANT WINDOWS SHUTTERS NOT REQUIRED									
WINDOW DIMENSIONS		DESIGN LOAD CAPACITY							
		7/16" LAMINATED GLASS				5/16" LAMINATED GLASS			
		3/16" TAPCONS		1/4" TAPCONS		3/16" TAPCONS		1/4" TAPCONS	
DIM 'A'	DIM 'B'	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)
19.125"	26.000"	180.0 PSF	180.0 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
26.500"		180.0 PSF	180.0 PSF	180.0 PSF	175.9 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
37.000"		180.0 PSF	159.5 PSF	180.0 PSF	167.9 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
53.125"		180.0 PSF	138.9 PSF	180.0 PSF	146.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
19.125"	38.375"	180.0 PSF	180.0 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
26.500"		180.0 PSF	150.9 PSF	180.0 PSF	158.9 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
37.000"		180.0 PSF	108.1 PSF	180.0 PSF	113.8 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
53.125"		180.0 PSF	94.1 PSF	180.0 PSF	99.1 PSF	100.0 PSF	94.1 PSF	100.0 PSF	99.1 PSF
19.125"	50.625"	180.0 PSF	180.0 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
26.500"		180.0 PSF	143.0 PSF	180.0 PSF	150.5 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
37.000"		180.0 PSF	102.4 PSF	180.0 PSF	107.8 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
53.125"		180.0 PSF	71.3 PSF	180.0 PSF	75.1 PSF	100.0 PSF	71.3 PSF	100.0 PSF	75.1 PSF
19.125"	57.000"	180.0 PSF	176.0 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
26.500"		180.0 PSF	127.0 PSF	180.0 PSF	133.7 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
37.000"		180.0 PSF	90.9 PSF	180.0 PSF	95.8 PSF	100.0 PSF	90.9 PSF	100.0 PSF	95.8 PSF
53.125"		180.0 PSF	63.3 PSF	180.0 PSF	66.7 PSF	100.0 PSF	63.3 PSF	100.0 PSF	66.7 PSF
19.125"	63.000"	180.0 PSF	180.0 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
26.500"		180.0 PSF	137.9 PSF	180.0 PSF	145.2 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
37.000"		180.0 PSF	98.7 PSF	180.0 PSF	104.0 PSF	100.0 PSF	98.7 PSF	100.0 PSF	100.0 PSF
53.125"		175.7 PSF	68.8 PSF	175.7 PSF	72.4 PSF	100.0 PSF	68.8 PSF	100.0 PSF	72.4 PSF
19.125"	74.250"	180.0 PSF	180.0 PSF	180.0 PSF	180.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
26.500"		180.0 PSF	136.5 PSF	180.0 PSF	143.7 PSF	100.0 PSF	100.0 PSF	100.0 PSF	100.0 PSF
37.000"		180.0 PSF	97.7 PSF	180.0 PSF	102.9 PSF	100.0 PSF	97.7 PSF	100.0 PSF	100.0 PSF

DESIGN LOAD CAPACITY TABLE NOTES

- IF DIM 'A' = WINDOW WIDTH, THEN DIM 'B' = WINDOW HEIGHT, AND VICE-VERSA.



WINDOWS MAY BE ORIENTED VERTICALLY OR HORIZONTALLY AS SHOWN ABOVE.

PRODUCT RENEWED as required by the Florida

07-0313-01
04/25/12
By *M. Khalil*
Miami Dade Product Control