



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Pino Window Corporation.
6860 NW 75th Street
Medley, Fl 33166**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Aluminum Tube Mullion

APPROVAL DOCUMENT: Drawing No. M95-18A, titled "Aluminum Tube Mullion", sheets 1 through 4 of 4, dated 12/07/95, with the latest revision B dated 02/26/07, prepared by Al Farooq Corporation, signed and sealed by Humayoun Farooq, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **renews** and **revises** NOA # **02-0311.07** and, consists of this page 1 as well as approval document mentioned above.

The submitted documentation was reviewed by **Carlos M. Utrera, P.E.**



**NOA No 07-0322.12
Expiration Date: March 28, 2008
Approval Date: May 24, 2007
Page 1**

Pino Windows Corporation

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Drawing No. **M95-18A**, titled "Aluminum Tube Mullion", sheets 1 through 4 of 4, dated 12/07/95, with the latest revision B dated 02/26/07, prepared by Al Farooq Corporation, signed and sealed by Humayoun Farooq, P.E.

B. TESTS

1. See NOA 99-0302.06

C. CALCULATIONS


1. Anchor and Mullion Calculations and Structural Analysis, prepared by Al Farooq Corporation., dated 02/24/07, signed and sealed by Humayoun Farooq, P.E.

D. STATEMENTS

1. Letter of Compliance issued by Al Farooq Corporation, dated 02/23/07, signed and sealed by Humayoun Farooq, P.E.
2. Testing Agreement issued by Fenestration Testing Laboratory, Inc., and signed by Mercy M. Blanco from Pino Window Corporation on 03/19/07.



Carlos M. Utrera, P.E.
Product Control Examiner
NOA No 02-0311.07
Expiration Date: March 28, 2008
Approval Date: May 24, 2007



**MULLIONS CONTAINING TYPICAL GLAZING PRODUCTS
HORIZONTAL OR VERTICAL**

SEE WINDOW OR DOOR APPROVAL FOR FASTENERS SIZES AND SPACING

ALL MULLIONS 6063-T6 MIN.

INSTRUCTIONS:


USE CHARTS AND GRAPHS AS FOLLOWS.

- STEP 1** DETERMINE DESIGN LOAD REQUIRED PER ASCE 7 FOR PARTICULAR OPENING.
- STEP 2** USE DADE COUNTY APPROVED GLAZING PRODUCTS MEETING ABOVE LOAD REQUIREMENTS.
- STEP 3** USE CONNECTION TO MULLION AS PER PRODUCT APPROVAL.
- STEP 4** USING GRAPHS ON SHEET 2 SELECT MULLION SIZE WITH DESIGN RATING MORE THAN DESIGN LOAD SPECIFIED IN STEP 1 ABOVE.
- STEP 5** USING ANCHOR TYPES ON SHEET 4, AND ANCHOR GRAPHS ON SHEET 3, SELECT ANCHOR TYPE WITH DESIGN RATING MORE THAN THE DESIGN LOADS SPECIFIED IN STEP 1 ABOVE.

MULLION SYSTEM IS RATED FOR LARGE MISSILE IMPACT. AND CAN BE USED WITH ALL MIAMI-DADE COUNTY APPROVED IMPACT AND NON-IMPACT RESISTANT PRODUCTS.

Engr. DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557
C.A.N. 3538

MAR 02 2007



ANGLE CLIP (6063-T5)

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 07-0322.12
Expiration Date 03/28/2008
By *[Signature]*
Miami/Dade Product Control
Division

**RECTANGULAR ALUMINUM TUBE MULLIONS
USING MULLION PROPERTIES ONLY**

NOTES:

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 2004 EDITION INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

ALL GLAZING PRODUCTS USED WITH THESE MULLIONS MUST MEET THE APPLICABLE BUILDING CODE REQUIREMENTS I.E: WIND LOAD, WATER INFILTRATION, FORCED ENTRY RESISTANCE, SAFEGUARDS ETC.

WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.

ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS, EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL COVERING (STUCCO, TILE ETC.).

ANCHORING CONDITIONS OTHER THAN THOSE SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

A LOAD DURATION INCREASE IN ALLOWABLE STRESS IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF 2004 FLORIDA BLDG. CODE SECTION 2003.8.4.

af c

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
MULLION M95-18A

ALUMINUM TUBE MULLIONS








PINO WINDOWS CORPORATION
6860 N.W. 75TH STREET
MEDLEY, FL. 33166
TEL. (305) 888-9946 FAX (305) 888-8079

no.	date	by	description
A	02.14.02	T.H.	SHEETS 2 & 3 REV. UPDATED FOR 2004 FBC
B	02.26.07		

date: 12-07-95	scale: 1/2" = 1"	dr. by: HAMID	chk. by:
----------------	------------------	---------------	----------

drawing no.
M95-18A

sheet 1 of 4



TYPICAL MULLION ARRANGEMENTS

$$\text{WIDTH (W)} = \frac{W1 + W2}{2}$$

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 07-0322-12
 Expiration Date 03/28/2008
 By *[Signature]*
 Miami Date Product Control
 Division

NOTE:
 MULLIONS RATED IN THESE CHARTS MAY BE ORIENTED
 VERTICALLY OR HORIZONTALLY.
 (INTERPOLATION BETWEEN WIDTHS ALLOWED)

Engr: DR. HUMAYOON FAROOQ
 STRUCTURES
 FLA. PE # 16557
 C.A.N. 3538

[Signature]
 MAR 6 2 2007

MULLIONS






afC
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 MULLION M95-18A

ALUMINUM TUBE MULLIONS
PINO WINDOWS CORPORATION
 6860 N.W. 75TH STREET
 MEDLEY, FL. 33166
 TEL. (305) 888-9946 FAX (305) 888-8079

revisions:	no	date	by	description
	A	02.14.02	T.H.	ANCHOR TYPE B CHART REV.
	B	02.26.07		UPDATED FOR 2004 FBC

date: 12-07-95
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
M95-18A
 sheet 2 of 4



TYPICAL MULLION ARRANGEMENTS

$$\text{WIDTH (W)} = \frac{W1 + W2}{2}$$

NOTE:
 ANY ANCHOR CONDITION SHOWN HEREIN MAY COVER LOCATIONS AT HEAD, SILL OR JAMB ENDS.
 FOR ANCHORS DESCRIPTION SEE SHEET 4.
 (INTERPOLATION BETWEEN WIDTHS OR SPANS ALLOWED)

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 07-0322-12
 Expiration Date 02/28/2008
 By: *[Signature]*
 Miami Trade Product Control
 Division

Engr. DR. HUMAYUN FAROOQ
 STRUCTURES
 FLA. PE # 16557
 C.A.N. 3538

MAR 02 2007

ANCHORS

afc

AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978

ALUMINUM TUBE MULLIONS
 PINO WINDOWS CORPORATION
 6860 N.W. 75TH STREET
 MEDLEY, FL. 33166
 TEL. (305) 888-9946 FAX (305) 888-8079

no	date	by	description
B	02.26.07		UPDATED FOR 2004 FBC




date: 12-07-95
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
M95-18A




sheet 3 of 4

MULLION M95-18A



ANCHORS TYPE 'A'



ANCHORS TYPE 'B'




ANCHORS TYPE 'C'



WOOD BUCKS NOT BY PINO WINDOWS
MUST SUSTAIN LOADS IMPOSED.

ALUM ANGLE
2 X 3/4 X 1/8"
1-5/8" LONG (FOR 2" TUBE)
2-5/8" LONG (FOR 3" TUBE)
3-5/8" LONG (FOR 4" & 6" TUBES)



ANCHOR DETAIL #1

TAPCONS
INTO 2BY WOOD BUCKS OR WOOD STRUCTURES
1-3/8" MIN. PENETRATION INTO WOOD
THRU 1BY BUCKS INTO CONC. OR MASONRY
1-1/4" MIN. EMBED INTO CONC. OR MASONRY

ANCHOR EDGE DISTANCES:
INTO CONCRETE AND MASONRY = 2-1/2" MIN.
INTO WOOD STRUCTURE = 1" MIN.
INTO METAL STRUCTURE = 5/8" MIN.

Eng: DR. HUSAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557
C.A.N. 3538

MAR 02 2007

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 07-0322.12
Expiration Date 03/28/2008
By: *[Signature]*
Miami Dade Product Control
Division

af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
MULLION M95-18A

ALUMINUM TUBE MULLIONS
PINO WINDOWS CORPORATION
6860 N.W. 75TH STREET
MEDLEY, FL. 33166
TEL. (305) 888-9946 FAX (305) 888-8079

no.	date	description
A	02.14.02	T.H. ANCHOR EMBEDMENT TRV.
B	02.26.07	UPDATED FOR 2004 FBC

revisions:

date: 12-07-95
scale: 1/2" = 1"
dr. by: HAMID
chk. by:

drawing no. **M95-18A**
sheet 4 of 4