



BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 372-6339

NOTICE OF ACCEPTANCE (NOA)

www.miamidade.gov/buldingcode

Cytec Industries, Inc.
1950 Lake Park Drive
Smyrna, GA 30080

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami Dade-County Product Control Division (In Miami-Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone.

DESCRIPTION: Uvekol® S Laminated Glass Interlayer.

APPROVAL DOCUMENT: Drawing No. **07-297**, titled "Uvekol® S Laminated Glass", sheet 1 of 1, dated 12/10/07, prepared by Tilteco, Inc., signed and sealed by Walter A. Tillit Jr., P.E., bearing the Miami Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami Dade County Product Control Division.

MISSILE IMPACT RATING: None.

LABELING: Glass lites laminated under this Product Approval shall be permanently marked in a corner of the glass with: a) Laminator identification mark, b) Glass standard specifications, c) MDCA, standing for Miami Dade County Approved and d) Uvekol® S.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # **03-1117.05** and consists of this page 1, evidence page E-1, as well as the approval document mentioned above.

The submitted documentation was reviewed by **Carlos M. Utrera, P.E.**



Signature
12/13/07

NOA No: 07-0525.06
Expiration Date: February 8, 2009
Approval Date: January 3, 2008
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE PAGE

A. DRAWINGS

1. Drawing No. **07-297**, titled "Uvekol® S Laminated Glass", sheet 1 of 1, dated 12/10/07, prepared by Tilteco, Inc., signed and sealed by Walter A. Tillit Jr., P.E.

B. TESTS

1. Test report of Rate of Burning Test per ASTM D635 on Non-Foam Plastic, prepared by ETC Laboratories, Inc., report # ETC 01-701-10710.0, dated 05/07/01, signed and sealed by J. L. Doldan, PE.
2. Test report of Smoke Density Test per ASTM D 2843 on Laminated Glass, prepared by ETC Laboratories, Inc., report # ETC 01-701-11265.0, dated 11/12/01, signed and sealed by J. L. Doldan, PE.
3. Test report of Flexural Property Test per C 158 of Laminated Glass, prepared by ETC Laboratories, Inc. report # ETC 00-701-10628.0, dated 09/27/01, signed and sealed by J. L. Doldan, PE.
4. Test report of Surface Burning Test per ASTM E84 on Laminated Glass, prepared by Celotex Corporation, report # MTS No. 520444, dated 06/08/00, signed and sealed by R. G. Miller, PE.
5. Test report of Ignition Properties Test per ASTM D1929 on Uvekol plastic, prepared by Celotex Corporation, report # MTS 520444, dated 05/30/00, signed and sealed by R. G. Miller, PE.

(Evidence Submitted under NOA # 03-1117.05)

C. CALCULATIONS

1. None

D. QUALITY ASSURANCE


1. Miami Dade Building Code Compliance Office (BCCO).

E. STATEMENTS.

1. Non Financial Statement Letter prepared by UCB Chemicals Corporation, dated 01/10/01, signed by J. Shaw.
2. Code Compliance Letter by Tilteco, Inc. issued on 02/15/02 and signed by W. A. Tillit Jr., PE.
3. Certification of merger issued by Delaware, The First State on 07/01/03 and signed by H. S. Windsor.
4. No change letter issued by Surface Specialties on 01/02/04 and signed by J. Shaw
(Evidence Submitted under NOA # 03-1117.05)

F. OTHER

1. Certificate of ownership and merger issued by the State of Delaware on 12/19/2006, signed by James P. Cronin and James M. Young.

 12/13/07

Carlos M. Utrera, P.E.
Product Control Examiner
NOA No 07-0525.06

Expiration Date: February 8, 2009

Approval Date: January 3, 2008

DESCRIPTION:

A LAMINATED GLASS CONSISTING OF TWO (2) LITES OF GLASS WITH A CURED UVEKOL® S INTERLAYER BY CYTEC INDUSTRIES, INC. UVEKOL® S IS A LIQUID RESIN USED TO LAMINATE GLASS. IT CURES UPON EXPOSURE TO UV LIGHT AND IN THE ABSENCE OF OXYGEN. AFTER IT IS PUMPED INTO THE AFOAMED SPACE BETWEEN TWO LAYERS OF GLASS AND CURED FOR 20 TO 30 MINUTES. THE CURED RESIN BECOMES THE INTERLAYER OF LAMINATED GLASS.

MATERIAL CHARACTERISTICS

TEST TITLE	DESIGNATION	TEST RESULTS
RATE OF BURNING	ASTM D-635	0.26 in./min. < 1.0 in./Min (C-1) (2)
SMOKE DENSITY RATING	ASTM D-2843	17.6% < 75% (2)
FLASH IGNITION TEMP	ASTM D-1929	626° F (1)
SELF IGNITION TEMP	ASTM D-1929	680° F (1)

WEATHERING *	
BEFORE	AFTER
2211.954 psi.	2195.275 psi.
(0.8% DIFFERENCE < 10%)	

FLEXURAL MODULUS ASTM C-158

* WEATHERING PER SECTION 2612 OF THE F.B.C. 2004.

(1) UVEKOL ONLY.


(2) LAMINATED GLASS WITH UVEKOL.

USE:

LAMINATED GLASS WITH UVEKOL® S FABRICATED BY AN APPROVED LAMINATOR CAN BE USED AS A COMPONENT OF BUILDING SYSTEMS AFTER HAVING A VALID AND CURRENT PRODUCT CONTROL NOTICE ACCEPTANCE. A LIST OF APPROVED LAMINATORS IS KEPT ON FILE WITH THIS OFFICE, UVEKOL® S BY ITSELF DOES NOT COMPLY WITH THE PLASTIC REQUIREMENT OF THE FLORIDA BUILDING CODE, THEREFORE IT SHALL BE COVERED BY GLASS ON BOTH SIDES.

NOTE:

THIS IS COMPONENT APPROVAL AND DOES NOT INCLUDE A STRUCTURAL PERFORMANCE EVALUATION. SYSTEMS INCORPORATING LAMINATED GLASS WITH UVEKOL INTERLAYER SHALL APPLY FOR AN NOA TO THIS OFFICE AND SHALL SUBMIT TEST REPORTS AND OTHER REQUIRED DOCUMENTS SHOWING THAT THE SYSTEM USING THIS COMPONENT WILL RESIST THE LOADS ACCORDING TO CHAPTER 16 OF F.B.C. 2004.



CROSS SECTION

MIAMI-DADE COUNTY

 <p>TILECO INC. TILLIT TESTING & ENGINEERING COMPANY 6595 N.W. 36th, Ste. 217, VIRGINIA GARDENS, FLORIDA 33166 Phone : (305)971-1530 ; Fax : (305)971-15312 EB-0006719 WALTER A. TILLIT, Jr., P. E. FLORIDA Lic. # 44167</p>		<p>UVEKOL® S LAMINATED GLASS</p> <p>CYTEC INDUSTRIES, INC. 1950 LAKE PARK DRIVE SMYRNA, GA 30080 PHONE: (678)255-4743 FAX: (678)255-4745</p>		<p>DRAWN BY: F.P.</p>
<p>DATE 12/10/07</p>		<p>DATE 07-297</p>		<p>SHEET 1 OF 1</p>
REV. No	DESCRIPTION	DATE	REV. No	DESCRIPTION
1	OLD DWG # 03-216	12/10/07	3	
2			4	

07-0525.06
02/08/2009



DEC 11 2007