



BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908
www.buildingcodeonline.com

NOTICE OF ACCEPTANCE (NOA)

Sargent & Greenleaf, Inc.
One Security Drive
Nicholasville, KY 40356

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by the BCCO and accepted by the Building Code and Product Review Committee (BCPRC) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The BCCO (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BCPRC reserves the right to revoke this acceptance, if it is determined by BCCO that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "ARM-A-DOR" Panic Exit Device-Component Approval

APPROVAL DOCUMENT: Drawing No. A100-INS, Sheets 1 through 2 of 2, titled "ARM-A-DOR Panic Device," prepared by manufacturer, dated 9/30/97, signed and sealed by Warren W. Schaefer, P.E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

Limitation: Max Design Pressure = +/- 85 PSF, Single Steel Door (48" x 86" max panel) application
Electrical installation under separate approval, to be reviewed by appropriate Bldg. official.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews # 06-0119.01 consists of this page 1 and evidence pages E-1 as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**

NOA No 07-0618.20
Expiration Date: March 09, 2008
Approval Date: July 19, 2007
Page 1



6/28/07

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

- A. DRAWINGS** (transferred from file # **06-0119.01**)
1. Manufacturer's die drawings and sections.
 2. Drawing No. **A100-INS**, Sheets 1 thru 2 of 2, titled "ARM-A-DOR Panic Device," prepared by manufacturer, dated 9/30/97, signed & sealed by Warren W. Schaefer, P.E.
- B. TESTS** (transferred from file # # **06-0119.01**), tests conducted under SFBC protocols PA 201, 202 & 202-94, now termed as FBC, TAS 201, 202, 203-94
1. Test reports on 1) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
2) Large Missile Impact Test per FBC, TAS 201-94
3) Cyclic Wind Pressure Loading per FBC, TAS 203-94
4) Forced Entry Test, per FBC 2411.3.2.1 and TAS 202-94
Along with installation diagrams of a Panic exit devices, prepared by Hurricane Testing Laboratory, Test Report No(s). **HTL 96097(HTL-0116-1205-96)**, dated 12/10/96, signed and sealed by Timothy S. Marshall, P.E.
- C. CALCULATIONS:** (transferred from file # **06-0119.01**)
1. Structural calculation of door components performed by W .W. Schaefer Engineering & Consulting, P.A., dated 1/27/97, signed and sealed by Warren W. Schaefer, P.E.
- D. QUALITY ASSURANCE**
1. Miami Dade Building Code Compliance Office (BCCO)
- E. MATERIAL CERTIFICATIONS**
1. None
- F. STATEMENTS** (transferred from file # **06-0119.01**)
1. Statement Letter of scheduled dated June01, 2007, issued by Hurricane Testing Lab.
 2. Statement letter of conformance dated 27 January 1997, signed and sealed by Eric S. Nielsen, P.E.
 3. Statement letter of Lab compliance, as part of above test reports.
- G. OTHER**
1. This NOA renews # **06-0119.01 (01-0606.06)**, expired **March 09, 2007**.
 2. Conditional 1-year approval, pending re-verification test at Hurricane Testing Lab.

Ishaq I. Chanda


Ishaq I. Chanda, P.E.
Product Control Examiner
NOA No 07-0618.20

Expiration Date: March 09, 2008

Approval Date: July 19, 2007


Sym	ECO	Revision
—		027 9/30/97

36.00 WIDTH UNIT SHOWN




HINGE SIDE

36.00 WIDTH UNIT SHOWN




HINGE SIDE

48.00 WIDTH UNIT SHOWN



HINGE SIDE

48.00 WIDTH UNIT SHOWN



HINGE SIDE

CROSS SECTION (TOP) VIEW

FOR DOOR JAMB WIDTH ABOVE 40.00, USE EXTENSION COLLAR AS SHOWN

ELEVATION (FRONT) VIEW

PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No. 07-0618-20
Expiration Date MAR 09, 2008
By Chas. L. Chanda
Miami Dade Product Control
Division

PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No. 06-0119-01
Expiration Date MARCH 09, 2007
By Isaac L. Chanda
Miami Dade Product Control
Division

PRODUCT RENEWED
ACCEPTANCE No. 01-0606-06
EXPIRATION DATE November 6, 2005
By Warren W. Schaefer
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE

Warren W. Schaefer
10/1/97

Warren W. Schaefer
Structural Engineer
P.E. #44135

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE NOVEMBER 6, 1997
BY Manuel Perez
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 96-1127-02



Sargent & Greenleaf, Inc.

1 Security Drive, Nicholasville, Kentucky 40356


ARM-A-DOR Panic Device
Installation Drawing

Dwg.
Comp.
9/30/97

A100-INS
Sht 2 of 2

B

Sym	ECO	Revision
-		QAT 9/30/97



Standard Parts

Item	Qty	Description	Item	Qty	Description
NA	2	9-volt alkaline battery	15	1	Strike plate
1	1	Lock assembly	16	1	Release bracket (Auto Units Only)
2	1	Tailpiece	17	5	Self-tapping screw (#10 x 3/4" lg)
3	1	Extension rod (Auto Units Only)	NA	1	Drill template
4	8	Thread-forming screw (#6 x 3/8" lg)	19	2	End cap (for push bar)
5	1	End cap (for tailpiece)	20	8	Screw (#6 x 3/4" lg)
6	4	Door bracket (3 1/2" x 2")	21	1	Emergency label
7	2	Hex head bolt (3/8" x 2 1/2" lg)	22	1	Extension collar
8	8	Flat washer (3/8")	23	2	Split lock washer (3/8")
9	4	Star lock washer (3/8")	24	5	Star lock washer (#10)
10	6	Hex nut (3/8"-16)	25	4	Door spacer
11	2	Support sleeve (1 1/4" lg)	26	4	Door bracket (1 1/2" x 2")
12	4	Carriage bolt (3/8" x 2 1/2" lg)	27	4	Carriage bolt (3/8" x 3 1/2" lg)
13	4	Support tube (1 1/8" lg)	28	4	Cap (gray)
14	4	Bolt washer			

PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No. 07-0618.20
Expiration Date MAR 09, 2008
By Isleg I. Chanda
Miami Code Product Control
Division

Model Number	Description
A101-001	Automatic Lock Assembly
A102-001	Manual Lock Assembly
A101-002	Automatic Lock Assembly with Alarm
A102-002	Manual Lock Assembly with Alarm

PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No. 06-0119.01
Expiration Date MARCH 09, 2007
By Isleg I. Chanda
Miami Code Product Control
Division

PRODUCT RENEWED
ACCEPTANCE No. 01-0606.06
EXPIRATION DATE November 6, 2005
By [Signature]
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE

[Signature]
10/11/97
Warren W. Schaefer
Structural Engineer
P.E. #44135

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE NOVEMBER 6, 1997
BY [Signature]
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 96-1127.02

Sargent & Greenleaf, Inc.
1 Security Drive, Nicholasville, Kentucky 40356

**ARM-A-DOR Panic Device
Installation Drawing**

Dwg. Comp. 9/30/97
A100-INS
Sht 1 of 2

B

48.00 WIDTH UNIT SHOWN

DRAWING 40 5253 523645