



MIAMI-DADE COUNTY
BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA

METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
 MIAMI, FLORIDA 33130-1563
 (305) 375-2901 FAX (305) 375-2908

www.buildingcodeonline.com

NOTICE OF ACCEPTANCE (NOA)

ODL, Inc.
215 East Roosevelt Avenue.
Zeeland, MI 49464

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: "HP Polypropylene" series High Performance Door lite material-Component Approval

APPROVAL DOCUMENT: Drawing No.18264-000, Sheets 1 of 1, titled "High Performance Doorlight Material", prepared by ODL Inc., dated 10/05/01 and last revision on 07-05-07, signed and sealed by Lyndon. F. Schmidt, P. E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

Limitation: This approval does not include an evaluation of structural performance of this component. Test reports and other required documents shall be submitted to Dade County Product Control; showing that the systems using this interlayer sheet will resist the loads according to Chapter 16 of the F.B.C., in order to issue an specific product approval for the system.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises & replaces # 05-0921.09** consists of this page 1 and evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**



9/5/17

NOA No 07-0801.05
Expiration Date: January 17, 2011
Approval Date: September 27, 2007
 Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS (transferred from file # 05-0921.09)

1. Manufacturer's parts and sections drawings.
2. Drawing No.18264-000, Sheets 1 of 1, titled "High Performance Doorlight Material", prepared by ODL Inc ., dated 10/05/01 and last revision on 07-05-07, signed and sealed by L. F. Schmidt, P. E.

B. TESTS (transferred from file # 05-0921.09)

Laboratory Report	Test	Date	Signature
1. ETC-02-872-12598.1	ASTM D1929	10/28/02	J.L. Doldan PE
2. ETC-02-872-12598.1	ASTM D635	10/28/02	J.L. Doldan PE
3. ETC-02-872-12598.1	ASTM D2843	10/28/02	J.L. Doldan PE
4. MTS-CAE-00137	ASTM D638	08/25/00	R.G. Miller PE
5. ETC-02-811-12570.0	ASTM D1929	12/06/02	J.L. Doldan PE
6. ETC-02-811-12570.0	ASTM D635	12/06/02	J.L. Doldan PE
7. ETC-02-811-12570.0	ASTM D2843	12/06/02	J.L. Doldan PE
8. ETC-02-811-12570.0	ASTM D638	12/06/02	J.L. Doldan PE
9. MTS-CAE-00141	ASTM D638	08/24/00	R.G. Miller PE
10. MTS-CAE-00071	ASTM D1929	05/19/00	R.G. Miller PE
11. ETC-00-679-9954.0	ASTM 2843	09/11/00	J. L.Doldan PE
12. MTS-CAE-00074	ASTM 635	05/19/00	J.L. Doldan PE
13. PRI-100032	ASTM D638	12/14/00	C.L. Thomas PE
14. MTS-CAE-00142	ASTM D638	08/24/00	R.G. Miller PE
15. PRI-100031	ASTM D638	12/14/00	R.G. Miller PE
16. MTS-CAE-00070	ASTM D1929	05/18/00	R.G. Miller PE
17. MTS-CAE 00075	ASTM D635	05/19/00	R.G. Miller PE
18. ETC-00-679-9827.0	ASTM D2843	09/11/00	J.L. Doldan PE.

C. CALCULATIONS:

1. Not applicable

D. QUALITY ASSURANCE

1. Miami Dade Building Code Compliance Office (BCCO)

E. MATERIAL CERTIFICATIONS

1. None

F. STATEMENTS

1. Statement letter of conformance and "No financial interest" dated 09-13-07 prepared, signed and sealed by L. F. Schmidt, P. E.
2. Statement of Lab compliance, as a part of above referenced test reports.

G. OTHER:

1. This NOA revises & replaces NOA # 05-0921.09, issued to ODL Inc., expiring January 07, 2011.

Ishaq I. Chanda

Ishaq I. Chanda, P.E.

Product Control Examiner

NOA No 07-0801.05

Expiration Date: January 17, 2011

Approval Date: September 27, 2007

HP POLYPROPYLENE
 MADE FROM SPARTECH, BASF, THERMOFIL OR NOVOPLAST TO
 BE USED AS LITE FRAME MATERIAL FOR DOOR ASSEMBLIES.

MATERIAL PROPERTIES

SPARTECH-PP5330-C13

SELF IGNITION TEMP.	700°F > 650°F	ASTM D-1929
SMOKE DENSITY RATING	59.6% < 75	ASTM D-2843
BURNING RATE	0.97 IN/MIN-C1	ASTM D-635
TENSILE STRESS (BEFORE)*	6682 PSI	ASTM D-638
(AFTER)*	6315 PSI	ASTM D-638

BASF-HP PRO

SELF IGNITION TEMP.	860°F > 650°F	ASTM D-1929
SMOKE DENSITY RATING	64.7% < 75	ASTM D-2843
BURNING RATE	0.97 IN/MIN-C1	ASTM D-635
TENSILE STRESS (BEFORE)*	6793 PSI	ASTM D-638
(AFTER)*	6551 PSI	ASTM D-638

THERMOFIL-P6-30FM0391

SELF IGNITION TEMP.	680°F > 650°F	ASTM D-1929
SMOKE DENSITY RATING	25.1% < 75	ASTM D-2843
BURNING RATE	0.83 IN/MIN-C1	ASTM D-635
TENSILE STRESS (BEFORE)*	7625 PSI	ASTM D-638
(AFTER)*	7377 PSI	ASTM D-638

NOVAPLAST-WF-LS

SELF IGNITION TEMP.	680°F > 650°F	ASTM D-1929
SMOKE DENSITY RATING	7.4% < 75	ASTM D-2843
BURNING RATE	0.73 IN/MIN-C1	ASTM D-635
TENSILE STRESS (BEFORE)*	4848 PSI	ASTM D-638
(AFTER)*	4560 PSI	ASTM D-638

*Weathering per Section 2612.2 of the FBC 2004

GENERAL NOTES:

1. HP POLYPROPYLENE DOORLIGHT ASSEMBLIES
 ARE DESIGNED TO MEET THE REQUIREMENTS OF
 THE 2004 FLORIDA BUILDING CODE. (FBC)

2. THIS APPROVAL DOES NOT INCLUDE AN EVALUATION OF THE
 STRUCTURAL PERFORMANCE OF THIS COMPONENT. TEST REPORTS AND
 ALL REQUIRED DOCUMENTS MUST BE SUBMITTED SHOWING THE SYSTEM
 USING THIS COMPONENT WILL RESIST LOADS ACCORDING TO CHAPTER 16
 OF THE FLORIDA BUILDING CODE 2004.



Lyndon F. Schmidt, P.E. 43409
 19506 French Lace Drive
 Lutz, FL 33558 7/05/07

6535	E	REV. SPARTECH TENSILE STRESS	MSE	RD	7/05/07
----	D	REVISED GENERAL NOTES	RW	RW	8/13/08
----	C	REVISED GENERAL NOTES	RW	RW	1/7/08
4925	B	ADDED SPARTECH & HP PRO	JB	DDB	12/08/02
4631	A	RELEASE FOR PRODUCTION	JB	DDB	10/05/07
REV	REV	DESCRIPTION	CHK BY	APPD BY	DATE

FOR OFFICE USE

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 07-0801.05
 Expiration Date JAN 17, 2011
 By Ishaq I. Chaudhry
 Miami Dade Product Control
 Division



215 EAST ROOSEVELT
 ZEELAND, MI 49464
 616-772-9111

DESCRIPTION:
 HIGH PERFORMANCE DOORLIGHT MATERIAL

MATERIAL:
 HP POLYPROPYLENE

DRAWING NUMBER: 18264-000	SHEET NUMBER: 1 OF 1	DRAWING DATE: 10/05/07	REVISION DATE: 10/05/07
------------------------------	-------------------------	---------------------------	----------------------------