



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**Loadmaster Systems, Inc.
4295-D International Boulevard
Norcross, GA 30093**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by the BCCO and accepted by the Building Code and Product Review Committee to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The BCCO (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BCCO reserves the right to revoke this acceptance, if it is determined by BCCO that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code and the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Loadmaster Duraflex Mineral Board

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA No. 02-0507.02 and consists of pages 1 through 3.
The submitted documentation was reviewed by Jorge L. Acebo



**NOA No.: 07-0820.09
Expiration Date: 09/12/12
Approval Date: 11/15/07
Page 1 of 3**

ROOFING COMPONENT APPROVAL

Category: Roofing
Sub-Category: Insulation
Materials: Gypsum

TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
Loadmaster Duraflex Mineral Board	4' x 12.5' x ½" & 4' x 12.5' x 5/8" Approx. weight of 2 lbs/ft ²	ASTM C79	A non-structural, high density, fire-resistant, gypsum base core, fiberglass reinforced mineral board, with tongue and groove edges, for use as an overlayment, underlayment, bonding surface or fire barrier.

EVIDENCE SUBMITTED

<u>Test Agency/Identifier</u>	<u>Name</u>	<u>Report</u>	<u>Date</u>
Factory Mutual Research Corporation	4450	28275	12/06/77
Exterior Research & Design, LLC	ASTM C79/C79M	10073.03.02-1	03/15/02

PHYSICAL PROPERTIES OF COMPONENTS:

Tradename: Loadmaster Duraflex Mineral Board

Thickness: Minimum ½" thick

Board Size(s): 4' x 12.5' (1.2 x 3.7m)

Core: Gypsum

Facer: Heavy bonded paper

Decks: Concrete, Cementitious Wood Fiber, Steel, Wood, Lightweight Concrete, Gypsum

Special Application: Duraflex Mineral Board may be secured with ASTM D 312 type III asphalt at an application Rate of 25 lbs./sq. \pm 15%. Maximum board size for asphalt securement is 4' x 4'.



NOA No.: 07-0820.09
Expiration Date: 09/12/12
Approval Date: 11/15/07
Page 2 of 3

COMPONENT APPLICATION:

Loadmaster Duraflex Mineral Board

1. Refer to specific roof assembly NOA for minimum dimensions and for type and pattern of mechanical attachment, and/or adhesive.

COMMENTS AND LIMITATIONS:

1. Loadmaster products are components used in approved roof assemblies.
2. Roof assemblies are approved under specific roof cover's Product Control Notice of Acceptance.
3. Loadmaster Duraflex Mineral Board may be used with any approved roof covering listing Loadmaster Duraflex Mineral Board as a component part of a roof assembly Notice of Acceptance. If a Loadmaster Duraflex Mineral Board is not listed, a request may be made to the authority having jurisdiction or the Miami Dade Building Code Compliance Office for approval provided that appropriate documentation is provided.
4. Fire classification is not a part of this Notice of Acceptance

END OF THIS ACCEPTANCE

