



BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 372-6339

NOTICE OF ACCEPTANCE (NOA)

www.miamidade.gov/buildingcode

AWP, LLC
8130 NW 74th Avenue
Medley, FL 33166

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Aluminum Dual Action Window – N.I.

APPROVAL DOCUMENT: Drawing No. **W07-99**, titled Series “Aluminum Dual Action Window- N.I.”, sheets 1 through 7 of 7, dated 12/11/2007, prepared by Al-Farooq Corporation, signed and sealed by Yiping Wang, P.E., with revision A dated 02/21/2008, signed and sealed by Dr. Humayoun Farooq, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

LIMITATION: Miami-Dade County approved shutters are required.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises and renews** NOA # **07-0102.01** and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Jaime D. Gascon, P.E.**



J. Gascon
3/6/08

NOA No. 08-0118.14
Expiration Date: December 10, 2008
Approval Date: March 20, 2008
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
2. Drawing No **W07-99**, titled Series "Aluminum Dual Action Window- N.I.", sheets 1 through 7 of 7, dated 12/11/2007, prepared by Al-Farooq Corporation, signed and sealed by Yiping Wang, P.E., with revision A dated 02/21/2008, signed and sealed by Dr. Humayoun Farooq, P.E.

B. TESTS

1. Test reports on: 1) Air Infiltration Test, per PA 202-94
2) Uniform Static Air Pressure Test, Loading per PA 202-94
3) Water Resistance Test, per PA 202-94
4) Forced Entry Test, per PA 202-94

Along with marked-up drawings and installation diagram of an aluminum single hung, awning and fixed egress window, prepared by Fenestration Testing Laboratory, Inc., Test Reports No. **FTL-1660, FTL-1661 and FTL-1704** respectively, dated 06/23/1997, signed and sealed by Gilbert Diamond, P.E.
(Submitted under NOA# 07-0102.01)

C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with FBC-2004, prepared by Al-Farooq Corporation, dated 12/17/2007 with the latest revision dated 02/21/2008, signed and sealed by Dr. Humayoun Farooq, P.E.
Complies with ASTM E1300-02

D. QUALITY ASSURANCE

1. Miami Dade Building Code Compliance Office (BCCO).

E. MATERIAL CERTIFICATIONS

1. None.

F. STATEMENTS

1. Statement letter of compliance, dated January 04, 2008, signed and sealed by Yiping Wang, P.E.
2. Statement letter of conformance, dated December 6, 2006, signed and sealed by Dr. Humayoun Farooq, P.E.
(Submitted under NOA# 07-0102.01)
3. Statement letter of no financial interest, dated December 06, 2006, signed and sealed by Dr. Humayoun Farooq, P.E.
(Submitted under NOA# 07-0102.01)



Jaime D. Gascon, P.E.
Chief, Product Control Division
NOA No. 08-0118.14

Expiration Date: December 10, 2008
Approval Date: March 20, 2008

AWP, LLC

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

F. STATEMENTS (Continued)

4. Statement letter from manufacturer stating that the product has not changed and requesting a One-Year Renewal to allow the time to perform a verification test, dated December 08, 2006, signed by Roberto Perez, Engineering Dept.
(Submitted under NOA# 07-0102.01)
5. Letter from laboratory confirming manufacturer has contracted and scheduled verification tests, issued by Fenestration Testing Laboratory, Inc., dated 12/08/2006, signed by Leigh B. Sanchez.
(Submitted under NOA# 07-0102.01)
6. Testing agreement letter, dated 11/07/2007 between Fenestration Testing Laboratory (FTL) and Yale Ogron Manufacturing Co., Inc., issued by FTL.


G. OTHER

1. Notice of Acceptance No. **07-0102.01**, issued to Yale Ogron Manufacturing Co., Inc. for their Aluminum Frame Egress Window, approved on 03/01/2007 and expiring on 12/10/2007.
2. One year conditional approval, subjected to successful verification test.



Jaime D. Gascon, P.E.
Chief, Product Control Division
NOA No. 08-0118.14


Expiration Date: December 10, 2008
Approval Date: March 20, 2008



TYPICAL ELEVATION

SERIES 800 OUTSWING AWNING WINDOW

MAXIMUM DESIGN LOAD RATING = + 65.0 PSF
 (FOR SIZES SHOWN OR SMALLER) - 65.0 PSF



TYPICAL ELEVATION

SERIES 580 OUTSWING SINGLE HUNG WINDOW

MAXIMUM DESIGN LOAD RATING = + 60.0 PSF
 (FOR SIZES SHOWN OR SMALLER) - 60.0 PSF

ALUMINUM DUAL ACTION WINDOWS

APPROVAL APPLIES TO SINGLE UNITS OR SIDE BY SIDE COMBINATIONS OF DUAL ACTION/DUAL ACTION OR DUAL ACTION WDW. WITH OTHER WINDOW TYPES IN MODULES OF TWO OR MORE WINDOWS USING MIAMI-DADE COUNTY APPROVED MULLIONS IN BETWEEN. LOWER DESIGN PRESSURE FROM WINDOWS OR MULLION APPROVAL WILL APPLY TO ENTIRE SYSTEM.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 2004 EDITION INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.

ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS, ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

A LOAD DURATION INCREASE IN ALLOWABLE STRESS IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF 2004 FLORIDA BLDG. CODE SECTION 2003.8.4.

NOTE:
 GLASS CAPACITIES ARE BASED ON
 ASTM E1300-02 (3 SEC. GUSTS)
 AND FLORIDA BUILDING COMMISSION
 DECLARATORY STATEMENT DCA05-DEC-219

WINDOWS NOT RATED FOR IMPACT.
 INSTALLATION OF THIS PRODUCT IN THE HVHZ AREA REQUIRES THE USE OF APPROVED SHUTTERS OR EXTERNAL PROTECTION DEVICES COMPLYING WITH HVHZ REQUIREMENTS.
 INSTALLATION OF THIS SYSTEM OUTSIDE THE HVHZ AREA SHALL MEET THE APPLICABLE REQUIREMENTS FOR WIND BORNE DEBRIS PROTECTION.

Engr: DR. HUMAYOON FAROOQ
 STRUCTURES
 FLA. PE # 16557
 C.A.N. 3536

FEB 22 2008

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 08-0118-14
 Expiration Date 12/10/2008
 By: *[Signature]*
 Miami Dade Product Control
 Division






afc
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 12335 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W07-99AWP

ALUMINUM DUAL ACTION WINDOW (N.I.)
AWP, LLC
 Manufacturers of Yale Ogron Windows and Doors
 8130 N.W. 74TH AVE.
 MEDLEY, FL. 33166
 TEL (305) 887-2646 FAX (305) 883-1309

no	date	description	REV. PER	COMMENTS
A	02.21.08			

date:	12-11-07
scale:	1"=1'-0"
dr. by:	K.Y.
chk. by:	

drawing no.	W07-99
sheet 1 of	7



WOOD BUCKS AND METAL STRUCTURE NOT BY YALE OGRON MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

TYPICAL ANCHORS: SEE ELEV. FOR SPACING
1/4" ULTRACONS BY 'ELCO'
 INTO 2BY WOOD BUCKS OR WOOD STRUCTURES
 1-3/8" MIN. PENETRATION INTO WOOD
 THRU 1BY BUCKS INTO CONC. OR MASONRY
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY
 DIRECTLY INTO CONC. OR MASONRY
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY

#14 SMS OR SELF DRILLING SCREWS
 INTO METAL STRUCTURES
 STEEL : 12 GA. MIN. (Fy = 36 KSI MIN.)
 ALUMINUM : 1/8" THK. MIN. (6063-T5 MIN.)
 (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

#14 SMS OR SELF DRILLING SCREWS
 INTO MIAMI-DADE COUNTY APPROVED MULLIONS
 (NO SHIM SPACE)

ANCHOR EDGE DISTANCES
 INTO CONCRETE AND MASONRY = 1" MIN.
 INTO WOOD STRUCTURE = 1" MIN.
 INTO METAL STRUCTURE = 3/4" MIN.

SEALANTS:
 FRAME CORNERS AND VENT CORNER SEAMS TO BE SEALED WITH 'SCHNEE MOREHEAD 5504' SEALANT.

Engr. DR. HLMAYOUM FAROOQ
 STRUCTURES
 FLA. PE # 15557
 C.A.N. 3538
 FEB 22 2008

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 08-0118.14
 Expiration Date 12/10/2008
 By: *[Signature]*
 Miami Dade Product Control
 Division

afc
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W07-99AWP


ALUMINUM DUAL ACTION WINDOW (N.I.)
 AWP, LLC
 Manufacturers of Yale Ogron Windows and Doors
 8130 N.W. 74TH AVE.
 MEDLEY, FL. 33166
 TEL. (305) 887-2646 FAX (305) 883-1309

no	date	description
A	02.21.08	REV. PER BCCO COMMENTS


revisions:

date: 12-11-07
 scale: 1/2" = 1"
 dr. by: K.Y.
 chk. by:

drawing no. **W07-99**
 sheet 2 of 7






EGRESS FRAME ASSEMBLY



VENT CORNER ASSEMBLY

FRAME CORNER ASSEMBLY

FRAME AND VENTS ARE ASSEMBLED USING STAKED MORTISE AND TENON FABRICATION



Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557
C.A.N. 3538

[Signature]
FEB 22 2008

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 08-0119.14
Expiration Date 12/10/2008

By *[Signature]*
Miami Dade Product Control
Division

af c

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP - ANL \ W07 - 99AWP

ALUMINUM DUAL ACTION WINDOW (N.I.)
AWP, LLC
Manufacturers of Yole Ogron Windows and Doors
8130 N.W. 74TH AVE.
MEDLEY, FL. 33166
TEL. (305) 887-2646 FAX (305) 883-1309










no	date	by	description
A	02.21.08		REV. PER BCCO COMMENTS

revisions:

date: 12-11-07
scale: 1/2" = 1"
dr. by: K.Y.
chk. by:

drawing no.
W07-99

sheet 3 of 7



GLAZING OPTIONS

ITEM #	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER
1	YE-5B	1	FRAME HEAD	ALUM. (6063-T5)	-
2	YE-1	1/VENT	VENT TOP	ALUM. (6063-T5)	-
3	YH-818	1/VENT	BULB WEATHERSTRIPPING (.155 X .265)	VINYL	WIBORG OR EQUAL
4	YH-817	1	FRAME HEAD WEATHERSTRIPPING (.150 X .200)	VINYL	WIBORG OR EQUAL
5	YB-2	AS REQD.	GLAZING BEAD	ROLL FORMED ALUM.	FLORIDA SCREEN
6	YE-2	1/VENT	CENTER & TOP VENT BOTTOM	ALUM. (6063-T5)	-
7	YE-14	1	BOTTOM VENT BOTTOM	ALUM. (6063-T5)	-
8	YE-4A	1	FRAME SILL	ALUM. (6063-T5)	-
9	YE-3	2/VENT	VENT JAMB	ALUM. (6063-T5)	-
10	YE-18	2/VENT	VENT HINGE	ALUM. (6063-T5)	YALE OGRON FAB.
11	YH-819	2/VENT	VENT LOCKING PIN	ALUM.	PAN-AMERICAN
12	YE-8	2/VENT	HINGE LINK	ALUM. (6063-T6)	YALE OGRON FAB.
13	YH-811	1/HINGE	HINGE LINK RIVET	ALUM.	PAN-AMERICAN
14	YH-809	2/VENT	SLIDE BAR RETAINER	NYLON	M & M PLASTICS
15	YE-10	2	FRAME JAMB	ALUM. (6063-T5)	-
16	YE-6	1/JAMB	SLIDE BAR	ALUM. (6063-T6)	YALE OGRON FAB.
17	YH-806	2/WINDOW	CONNECTING LINK RIVET	ALUMINUM	PAN-AMERICAN
18	YH-805	AS REQD.	'E' RING	ARC STEEL	INTERSTATE SCREW
19	YH-810	2/VENT	CAM LOCK	ZINC DIE CAST	SOUTHERN DIE CAST
20	YE-59	1/BAR	CONNECTING LINK ARM	ALUM. (6063-T5)	YALE OGRON FAB.
21	YE-173	4	EGRESS HEAD/SILL/JAMB	ALUM. (6063-T5)	-
22	YH-815	1	ATW OFFSET ANGLE OPERATOR (LH OR RH)	ZINC DIE CAST	SOUTHERN DIE CAST
23	YH-803	2	CROSS SHAFT ARM	ZINC DIE CAST	SOUTHERN DIE CAST
24	YH-801	2	CROSS SHAFT BEARING	NYLON	M & M PLASTICS
25	YH-826	1	CROSS SHAFT	STEEL	GALVANIZED
26	YF-10	3	SCREW #8 X 1" PH SMS (AT 10" FROM ENDS & AT CENTER)	CRS	INTERSTATE SCREW
27	YH-804	1/ARM	CROSS SHAFT ARM PIN	ALUMINUM	PAN-AMERICAN
28	YH-820	2/VENT	SLIDE BAR PIN-UPPER	ALUMINUM	PAN-AMERICAN
29	YH-807	2/VENT	SLIDE BAR RIVET	ALUMINUM	PAN-AMERICAN
30	YH-569	2	BUTT HINGE	ZINC ALLOY	GUDEN
31	YE-1020	1	1 X 2 X 1/8" X 48" LONG TUBE	ALUM. (6063-T6)	-
32	YH-814	1/LOCK	CAM LOCK RIVET	ALUMINUM	PAN-AMERICAN
33	YH-813	2/HINGE	VENT HINGE RIVET	ALUMINUM	PAN-AMERICAN
34	YH-812	AS REQD.	HINGE LINK RIVET BUSHING	NYLON	M & M PLASTICS
35	YF-1	8	#10 X 3/4" PH SMS (EGRESS FRAME ASSY)	ZINC PLATED	INTERSTATE SCREW
36	YH-870	AS REQD.	EGRESS FRAME W'STRIPPING	VINYL	-
37	YH-622	AS REQD.	EGRESS FRAME W'STRIPPING AT JAMB (HINGE SIDE)	BULB VINYL	-
38	YH-1420	2	FACE MOUNT LOCK AT 7" FROM ENDS	CAST	TRUTH
39	YH-1419	2	KEEPER AT WDW. FRAME JAMB	ST. STEEL	TRUTH
40	YF-18	6/ HINGE	SCREW #10 X 3/8" PH SMS	CRS	-

Engr. DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557
C.A.N. 3538

FEB 22 2008

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 08-018-14
Expiration Date 12/10/2008

By *[Signature]*
Miami Trade Product Control
Division

af c

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W07-99AWP

ALUMINUM DUAL ACTION WINDOW (N.I.)



AWP, LLC
Manufacturers of Yale Ogron Windows and Doors
8130 N.W. 74TH AVE.
MEDLEY, FL. 33166
TEL. (305) 887-2646 FAX (305) 883-1309

revisions:
no. date by description
A 02.21.08 REV. PER. BCCO COMMENTS

date: 12-11-07
scale: 1/2" = 1"
dr. by: K.Y.
chk. by:

drawing no.
W07-99

sheet 4 of 7



WOOD BUCKS AND METAL STRUCTURE NOT BY YALE OGRON MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

TYPICAL ANCHORS: SEE ELEV. FOR SPACING

1/4" ULTRACONS BY 'ELCO'
 INTO 2BY WOOD BUCKS OR WOOD STRUCTURE
 1-3/8" MIN. PENETRATION INTO WOOD
 THRU 1BY BUCKS INTO CONC. OR MASONRY
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY
 DIRECTLY INTO CONC. OR MASONRY
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY

#14 SMS OR SELF DRILLING SCREWS
 INTO METAL STRUCTURES
 STEEL : 12 GA. MIN. (Fy = 36 KSI MIN.)
 ALUMINUM : 1/8" THK. MIN. (6063-T5 MIN.)
 (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

#14 SMS OR SELF DRILLING SCREWS
 INTO MIAMI-DADE COUNTY APPROVED MULLIONS
 (NO SHIM SPACE)

ANCHOR EDGE DISTANCES
 INTO CONCRETE AND MASONRY = 1" MIN.
 INTO WOOD STRUCTURE = 1" MIN.
 INTO METAL STRUCTURE = 3/4" MIN.

SEALANT:
 ALL LOWER FRAME AND VENT CORNERS, AND HEADS OF INSTALLATION
 SCREWS AT SILL TO BE SEALED WITH ALUMINUM COLORED SEALANT,
 SCHNEE MOREHEAD 5504 OR EQUIV.

PADS:
 ONE 1/4" X 3/4" ADHESIVE CLOSED CELL FOAM PAD AT
 EACH END OF FIXED MTG. RAIL.

WEEPHOLES:
 W1 = 3/4" WEEP NOTCH AT EACH END

Engr: DR. HUMAYOUN FAROOQ
 STRUCTURES
 FLA. PE # 16557
 C.A.N. 3538
 FEB 22 2008

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No 08-0118.14
 Expiration Date 12/10/2008
 By: *[Signature]*
 Miami Dade Product Control
 Division


af c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W07-99AWP

ALUMINUM DUAL ACTION WINDOW (N.I.)
 AWP, LLC
 Manufacturers of Yale Ogron Windows and Doors
 8130 N.W. 74TH AVE.
 MEDLEY, FL. 33166
 TEL (305) 887-2846 FAX (305) 883-1308


no.	date	by	description
A	02.21.08		REV. PER BCCO COMMENTS

date: 12-11-07
 scale: 1/2" = 1"
 dr. by: K.Y.
 chk. by:


drawing no.
W07-99
 sheet 5 of 7




EGRESS FRAME ASSEMBLY




S.H. FRAME CORNER DETAIL



S.H. VENT CORNER DETAIL



3/4" WEEP NOTCH
AT EACH END OF
SCREEN RETAINING LEG



TYPICAL ANCHORS
SEE ELEV. FOR SPACING

1BY
WOOD BUCKS

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557
C.A.N. 3538

[Signature]
FEB 22 2008

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. **08-0118.14**
Expiration Date **12/10/2008**
By *[Signature]*
Miami Dade Product Control
Division

af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP -ANL\W07-99AWP











ALUMINUM DUAL ACTION WINDOW (N.I.)
AWP, LLC
Manufacturers of Yale Ogron Windows and Doors
8130 N.W. 74TH AVE.
MEDLEY, FL. 33166
TEL. (305) 887-2646 FAX (305) 883-1309

revisions:

no	date	by	description
A	02.21.08		REV. PER BCCO COMMENTS

date: 12-11-07
scale: 1/2" = 1"
dr. by: K.Y.
chk. by:

drawing no.
W07-99
sheet 6 of 7



GLAZING OPTIONS

ITEM	PART #	QUANTITY	DESCRIPTION	MATERIAL/REMARKS
1	YE-169	1	FRAME HEAD	ALUM. (6063-T6)
2	YE-165	1	FRAME SILL	ALUM. (6063-T6)
3	YE-102	2	FRAME JAMB	ALUM. (6063-T6)
4	YE-152	1	MEETING RAIL	ALUM. (6063-T6)
5	YE-151	1	VENT TOP RAIL	ALUM. (6063-T6)
6	YE-163	1	VENT BOTTOM RAIL	ALUM. (6063-T6)
7	YE-92	2	VENT JAMB	ALUM. (6063-T6)
8	YB-6	AS REQ'D.	ROLL FORMED GLAZING BEAD	ALUMINUM
9	YH-528	2/VENT	SASH STOP (3-1/4" LONG)	RIGID VINYL
10	-	2/VENT	BLOCK & TACKLE BALANCE ASSEMBLY	-
11	YH-505	2/VENT	BALANCE CLIP	ALUMINUM
12	YH-622	AS REQ'D.	BULB VINYL WEATHERSTRIP (VENT/MEETING RAIL)	SINGLE ROW
13	YH-4004	AS REQ'D.	ULTRAFAB .187" x .250" FIN SEAL WEATHERSTRIP	WOOL (SINGLE ROW)
14	YH-504	2/VENT	SPRING LOADED VENT CAM LOCK	NYLON OR CELCON
14A	YH-515	2	SWEEP LOCK (OPTIONAL)	CAST (ZAMAK)
15	YF-1	16	#10 x 3/4" PH. SMS. FRAME/SUB-FRAME ASSY. SCREW	CAD PLATED CRS.
16	YF-10	2	#8 x 1" PH. SMS. MEETING RAIL	CAD PLATED CRS.
17	YF-12	4/VENT	#8 x 1-1/4" PH. SMS. VENT ASSY. SCREW	CAD PLATED CRS.
18	YH-569	2	BUTT HINGE	ZINC ALLOY (GUDEN)
19	YF-6	1/CLIP	#10 x 1/4" PH. SMS. POINT "B" BALANCE CLIP SCREW	CAD PLATED CRS.
20	YF-14	2/LOCK	#8 x 5/8" OH. SMS. SWEEP LOCK SCREW	CAD PLATED CRS.
21	YC-15SP	2/VENT	SELF-ADHESIVE FOAM PAD (0.375 x 0.31 x 0.75" LG.)	-
22	YH-519	2/VENT	BALANCE CAM (RIGHT AND LEFT)	PLASTIC
23	YE-173	4	SUB-FRAME HEAD/JAMB/SILL	ALUM. (6063-T5)
24	YH-1420	2	FACE MOUNT LOCK, AT SUB-FRAME 7" FROM EACH END	CAST (TRUTH)
25	YH-1419	2	KEEPER, AT WINDOW FRAME JAMB FACING LOCK	S. STEEL (TRUTH)
26	YE-1020	1	1 x 2 x 1/8 x 48" LONG TUBE	ALUM. (6063-T6)
27	YF-10	3	#8 x 1" PH. SMS. (10" EA. END & CENTER)	CAD PLATED CRS.
28	YF-18	6/HINGE	#10 x 3/8" PH. SMS.	CAD PLATED CRS.

Eng.: DR. HUMAYOUN FAROOQ
 STRUCTURES
 FLA. PE # 16557
 C.A.N. 3538

date: FEB 22 2008

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 08-0118.4
 Expiration Date 12/10/2008

By: *[Signature]*
 Miami Dade Product Control
 Division

af c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL W07-99AWP

ALUMINUM DUAL ACTION WINDOW (N.I.)
 AWP, LLC
 Manufacturers of Yale Ogron Windows and Doors
 8130 N.W. 74TH AVE.
 MEDLEY, FL 33166
 TEL (305) 887-2646 FAX (305) 883-1309

no	date	description
A	02.21.08	REV. PER BCCO COMMENTS

revisions:

date: 12-11-07
 scale: 1/2" = 1"
 dr. by: K.Y.
 chk. by:

drawing no. **W07-99**
 sheet 7 of 7