



MIAMI-DADE COUNTY, FLORIDA
 METRO-DADE FLAGLER BUILDING
 140 WEST FLAGLER STREET, SUITE 1603
 MIAMI, FLORIDA 33130-1563
 (305) 375-2901 FAX (305) 372-6339
www.miamidade.gov/buildingcode

BUILDING CODE COMPLIANCE OFFICE (BCCO)
 PRODUCT CONTROL DIVISION
NOTICE OF ACCEPTANCE (NOA)

Pinecrest Industries
7457 Commercial Circle
Fort Pierce, FL 34951

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Series "Wellington, Savoy & Verona" Outswing Wood Door - L.M.I.
 w/ and w/o Transom & Sidelite(s)**

APPROVAL DOCUMENT: Drawing No. **PIWC-02-1000**, titled "Wellington, Savoy & Verona Series Outswing Double/ Single Wood Door", sheets 1 through 14 of 14, dated 03/25/08, prepared by Engineering & Construction Services, Inc., signed and sealed by Jose F. Vazquez, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

REVISION of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises and renews NOA # 02-0503.04** and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Manuel Perez, P.E.**



NOA No. 08-0229.07
Expiration Date: February 27, 2013
Approval Date: April 17, 2008
 Page 1

Pinecrest Industries


NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
2. Drawing No **PIWC-02-1000**, titled "Outswing Double/ Single Wood Door w/ or w/o Transom a/o w/ or w/o Sidelite(s)", sheets 1 through 14 of 14, prepared by Engineering & Construction Services, Inc., signed and sealed by Jose F. Vazquez, P.E.

B. TESTS

1. Test reports on:
 - 1) Air Infiltration Test, per PA 202-94
 - 2) Uniform Static Air Pressure Test, Loading per PA 202-94
 - 3) Water Resistance Test, per PA 202-94
 - 4) Forced Entry Test, per PA 202-94along with marked-up drawings and installation diagram of Wellington series **outswing wood door w/transom**, prepared by Hurricane Engineering & Testing, Inc., Test Report No. **HETI-00-1168**, dated August 07, 2000, signed and sealed by Hector Medina, P.E. (*Submitted under NOA# 02-0503.04*)
2. Test reports on:
 - 1) Forced Entry Test, per PA 202-94
 - 2) Large Missile Impact Test per PA 201-94
 - 3) Cyclic Wind Pressure Loading per PA 203-94along with marked-up drawings and installation diagram of Wellington series **outswing wood door w/transom**, prepared by Hurricane Engineering & Testing, Inc., Test Report No. **HETI-00-919**, dated August 07, 2000, signed and sealed by Hector Medina, P.E. (*Submitted under NOA# 02-0503.04*)
3. Test reports on:
 - 1) Forced Entry Test, per PA 202-94
 - 2) Large Missile Impact Test per PA 201-94
 - 3) Cyclic Wind Pressure Loading per PA 203-94along with marked-up drawings and installation diagram of Savoy series **outswing wood doors**, prepared by Hurricane Engineering & Testing, Inc., Test Report No. **HETI-00-919B**, dated August 15, 2000, signed and sealed by Hector Medina, P.E. (*Submitted under NOA# 02-0503.04*)
4. Test reports on:
 - 1) Forced Entry Test, per PA 202-94
 - 2) Large Missile Impact Test per PA 201-94
 - 3) Cyclic Wind Pressure Loading per PA 203-94along with marked-up drawings and installation diagram of Verona series **outswing wood door with sidelites**, prepared by Hurricane Engineering & Testing, Inc., Test Report No. **HETI-00-935**, dated October 27, 2000, signed and sealed by Hector Medina, P.E. (*Submitted under NOA# 02-0503.04*)


Manuel Perez, P.E.
Product Control Examiner
NOA No. 08-0229.07
Expiration Date: February 27, 2013
Approval Date: April 17, 2008

Pinecrest Industries

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

5. Test reports on: 1) Air Infiltration Test, per PA 202-94
2) Uniform Static Air Pressure Test, Loading per PA 202-94
3) Water Resistance Test, per PA 202-94
along with marked-up drawings and installation diagram of Verona series **outswing wood door with sidelites**, prepared by Hurricane Engineering & Testing, Inc., Test Report No. **HETI-00-1169** dated September 27, 2000, signed and sealed by Hector Medina, P.E. (*Submitted under NOA# 02-0503.04*)

C. CALCULATIONS

1. Anchor verification, complying with FBC-2004, prepared by Engineering & Construction Services, Inc., dated 03/12/2006 with the latest revision dated 03/19/2008, signed and sealed by Jose F. Vazquez, P.E.
Complies with ASTM E1300-98

D. QUALITY ASSURANCE

1. Miami Dade Building Code Compliance Office (BCCO).

E. MATERIAL CERTIFICATIONS


1. Notice of Acceptance No. **03-0225.10** issued to Glasslam NGI Inc. for their "**Safety-Plus II - Laminated Glass**" dated 08/07/03, expiring on 08/07/08.


F. STATEMENTS

1. Statement letter of conformance and no financial interest, dated March 25, 2008, prepared by Engineering & Construction Services, Inc., signed and sealed by Jose F. Vazquez, P.E.
2. Laboratory compliance letter for Test Report No.'s **HETI-00-1168** and **HETI-00-1169**, issued by Hurricane Engineering & Testing, Inc., dated September 27, 2000, signed and sealed by Hector Medina, P.E.
3. Statement letter of clarification has been issued by Hurricane Engineering Testing Inc. for measurement gauges and impact locations, dated October 11, 2002, signed and sealed by Arshad Viqar, P.E.
4. Testing agreement letter, dated March 21, 2008 between Hurricane Engineering & Testing, Inc. (HETI) and Pinecrest Industries, issued by HETI, signed by Dr. Nasreen K. Ali.

G. OTHER

1. Notice of Acceptance No. **02-0503.04**, issued to Pinecrest Industries for their Series "**Wellington, Savoy & Verona Outswing Wood Door w/Transom & Sidelite - Impact**", approved on 02/27/03 and expiring on 02/27/08.


Manuel Perez, P.E.
Product Control Examiner
NOA No. 08-0229.07
Expiration Date: February 27, 2013
Approval Date: April 17, 2008



1 WELLINGTON SERIES - OUTSWING DOUBLE WOOD DOOR W/TRANSOM

ALL ELEVATIONS VIEWED FROM EXTERIOR

DESIGN LOADS (PSF)
+50, -55
IMPACT RESISTANT

- NOTES:
- 1- THIS WINDOW IS IMPACT RESISTANT. HURRICANE PROTECTION IS NOT REQUIRED.
 - 2- PROVIDE 1/4" MAXIMUM SHIM SPACE.
 - 3- MATERIAL : MAHOGANY WOOD.
 - 4- GLAZING: GLASSLAM SAFESTY - PLUS ® LAMINATED GLASS (US PAT # 5778629). 1/2" OVERALL THICKNESS CONSISTING OF:
3/16" ANNEALED GLASS +
0.062" RESIN BY GLASSLAM +
0.010" POLYESTER INTERLAYER +
0.062" RESIN BY GLASSLAM AND
3/16" ANNEALED GLASS.
 - 5- O/H: OPPOSITE HAND.
 - 6- WINDOW CAN BE FASTENED TO 2X WOOD BUCKS PER FASTENER SCHEDULE SHOWN IN THIS DRAWING.
 - 7- ATTACHMENT OF 2X WOOD BUCKS TO STRUCTURE SHALL BE DESIGNED BY A LICENSED ARCHITECT OR REGISTERED PROFESSIONAL ENGINEER.
 - 8- WINDOW HAS BEEN DESIGNED PER 2004 FLORIDA BUILDING CODE WITH 2006 AMENDMENTS.

LOCATION	FASTENER TYPE, SPACING AND QUANTITY FOR WELLINGTON SERIES
TRANSOM HEADER	USE (7) #14 SMS AT 11" O.C. STARTING 3" FROM CORNERS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK
TRANSOM JAMB	USE (4) #14 SMS AT 10" O.C. STARTING 3" FROM CORNERS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK
DOOR JAMB	USE (2) #14 SMS AT 6" ABOVE AND BELOW EACH HINGE CENTER (TOTAL 8 SCREWS) WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK
THRESHOLD	USE (9) #14 SMS WOOD SCREWS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY 'ELCO' WITH 1-1/2" MIN. EMBEDMENT INTO CONCRETE.


PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 08-0229.07
Expiration Date 02/27/2013
By *Manuel Serrano*
Miami Dade Product Control
Division

ENGINEERING & CONSTRUCTION SERVICES, INC.
STRUCTURAL ENGINEERING SERVICES
CIVIL ENGINEERING
4834 South U. S. Highway 1
Fort Pierce, Florida 34982
Telephone: (772) 468 - 7068

AUTHORIZATION NO. 26322
Jose F. Vazquez
3/25/08
JOSE F. VAZQUEZ, P.E.
LICENSE NO. 036912

PROJECT
PINECREST INDUSTRIES OF FLORIDA
7457 COMMERCIAL CIRCLE
FORT PIERCE, FL 34951
SHEET TITLE:
WELLINGTON SERIES
OUTSWING DOUBLE WOOD DOOR
W/ TRANSOM

DATE 03-25-08
SCALE AS NOTED
DWN. BY MM CKD. BY JFV
JOB NO. 826-01
DRAWING NO.
PIWC-02-1000
1 OF 14



- NOTES:**
- 1- THIS WINDOW IS IMPACT RESISTANT. HURRICANE PROTECTION IS NOT REQUIRED.
 - 2- PROVIDE 1/4" MAXIMUM SHIM SPACE.
 - 3- MATERIAL : MAHOGANY WOOD.
 - 4- GLAZING: GLASSLAM SAFESTY - PLUS ® LAMINATED GLASS (US PAT # 5778629). 1/2" OVERALL THICKNESS CONSISTING OF:
3/16" ANNEALED GLASS +
0.062" RESIN BY GLASSLAM +
0.010" POLYESTER INTERLAYER +
0.062" RESIN BY GLASSLAM AND
3/16" ANNEALED GLASS.
 - 5- O/H: OPPOSITE HAND.
 - 6- WINDOW CAN BE FASTENED TO 2X WOOD BUCKS PER FASTENER SCHEDULE SHOWN IN THIS DRAWING.
 - 7- ATTACHMENT OF 2X WOOD BUCKS TO STRUCTURE SHALL BE DESIGNED BY A LICENSED ARCHITECT OR REGISTERED PROFESSIONAL ENGINEER.
 - 8- WINDOW HAS BEEN DESIGNED PER 2004 FLORIDA BUILDING CODE WITH 2006 AMENDMENTS.

LOCATION	FASTENER TYPE, SPACING AND QUANTITY FOR WELLINGTON SERIES
TRANSOM HEADER	USE (4) #14 SMS AT 11" O.C. STARTING 3" FROM CORNERS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK
TRANSOM JAMB	USE (4) #14 SMS AT 10" O.C. STARTING 3" FROM CORNERS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK
DOOR JAMB	USE (2) #14 SMS AT 6' ABOVE AND BELOW EACH HINGE CENTER (TOTAL 8 SCREWS) WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK
THRESHOLD	USE (4) #14 SMS WOOD SCREWS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY 'ELCO' WITH 1-1/2" MIN. EMBEDMENT INTO CONCRETE.
DOOR JAMB @ LOCK SIDE	USE (7) #14 SMS WOOD SCREWS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK

1A WELLINGTON SERIES - OUTSWING SINGLE WOOD DOOR W/TRANSOM

ALL ELEVATIONS VIEWED FROM EXTERIOR

DESIGN LOADS (PSF)
+50, -55
IMPACT RESISTANT


PRODUCT REVISED
as complying with the Florida Building Code
Acceptance No 08-0229.07
Expiration Date 02/27/2013
By *Mauricio Perez*
Miami Dade Product Control Division

ENGINEERING & CONSTRUCTION SERVICES, INC.
 CIVIL STRUCTURAL ENGINEERING SERVICES
 4834 South U. S. Highway 1
 Fort Pierce, Florida 34982
 Telephone: (772) 468 - 7068

AUTHORIZATION NO. 28322
Jose F. Vazquez
 JOSE F. VAZQUEZ, P.E.
 LICENSE NO. 036912

PROJECT: PINECREST INDUSTRIES OF FLORIDA
 7457 COMMERCIAL CIRCLE
 FORT PIERCE, FL 34951
 SHEET TITLE: WELLINGTON SERIES
 OUTSWING SINGLE WOOD DOOR
 W/ TRANSOM

DATE: 03-25-08
 SCALE: AS NOTED
 DWN. BY: MM CKD. BY: JFV
 JOB NO.: 826-01
 DRAWING NO.: PIWC-02-1000
 2 OF 14



1B WELLINGTON SERIES - OUTSWING SINGLE WOOD DOOR W/1 SIDELITE & TRANSM

$\frac{O}{XO}$ OR $\frac{O}{OX}$

ALL ELEVATIONS VIEWED FROM EXTERIOR

DESIGN LOADS (PSF)
+50, -55
IMPACT RESISTANT

NOTES:

- 1- THIS WINDOW IS IMPACT RESISTANT. HURRICANE PROTECTION IS NOT REQUIRED.
- 2- PROVIDE 1/4" MAXIMUM SHIM SPACE.
- 3- MATERIAL : MAHOGANY WOOD.
- 4- GLAZING: GLASSLAM SAFESTY - PLUS ® LAMINATED GLASS (US PAT # 5778629). 1/2" OVERALL THICKNESS CONSISTING OF:
3/16" ANNEALED GLASS +
0.062" RESIN BY GLASSLAM +
0.010" POLYESTER INTERLAYER +
0.062" RESIN BY GLASSLAM AND
3/16" ANNEALED GLASS.
- 5- O/H: OPPOSITE HAND.
- 6- WINDOW CAN BE FASTENED TO 2X WOOD BUCKS PER FASTENER SCHEDULE SHOWN IN THIS DRAWING.
- 7- ATTACHMENT OF 2X WOOD BUCKS TO STRUCTURE SHALL BE DESIGNED BY A LICENSED ARCHITECT OR REGISTERED PROFESSIONAL ENGINEER.
- 8- WINDOW HAS BEEN DESIGNED PER 2004 FLORIDA BUILDING CODE WITH 2006 AMENDMENTS.

LOCATION	FASTENER TYPE, SPACING AND QUANTITY FOR WELLINGTON SERIES
TRANSON HEADER	USE (7) #14 SMS AT 11" O.C. STARTING 3" FROM CORNERS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK
TRANSON JAMB	USE (4) #14 SMS AT 10" O.C. STARTING 3" FROM CORNERS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK
DOOR JAMB	USE (2) #14 SMS AT 6" ABOVE AND BELOW EACH HINGE CENTER (TOTAL 8 SCREWS) WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK
DOOR	USE (4) #14 SMS WOOD SCREWS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY "ELCO" WITH 1-1/2" MIN. EMBEDMENT INTO CONCRETE.
SIDE LITE JAMB	USE (7) #14 SMS AT 15" O.C. STARTING 3" FROM CORNERS WITH 1-1/2" MIN. EMBEDMENT INTO WOOD BUCK WITH 1-1/2" MIN. INTO WOOD BUCK
SIDE LITE SILL	USE (4) #14 SMS WITH 1-1/2" EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS WITH 1-1/2" MIN. EMBEDMENT INTO CONCRETE.

PRODUCT REVISED
as complying with the Florida Building Code

Acceptance No 08-0229.07
Expiration Date 02/27/2013


By *Manuel M...*
Miami Code Product Control Division

ENGINEERING & CONSTRUCTION SERVICES, INC.
STRUCTURAL ENGINEERING SERVICES
CIVIL
4834 South U. S. Highway 1
Fort Pierce, Florida 34982
Telephone: (772) 468 - 7068


AUTHORIZATION NO. 26322
Jose F. Vazquez
3/25/08
JOSE F. VAZQUEZ, P.E.
LICENSE NO. 036912

PROJECT
PINECREST INDUSTRIES OF FLORIDA
7457 COMMERCIAL CIRCLE
FORT PIERCE, FL 34951
SHEET TITLE
WELLINGTON SERIES
OUTSWING SINGLE WOOD DOOR
W/ SIDE LITE & TRANSM


DATE 03-25-08
SCALE AS NOTED
DWN. BY MM CKD. BY JFV
JOB NO. 826-01
DRAWING NO.
PIWC-02-1000
3 OF 14




A TYP. DOOR JAMB
SCALE: 3"=1'-0"




A1 TYP. DOOR HEADER
SCALE: 3"=1'-0"




B TYP. ASTRAGAL
SCALE: 3"=1'-0"




C MULLION FRAME AT HINGE SIDE
SCALE: 3"=1'-0"




C1 MULLION FRAME AT LOCK SIDE
SCALE: 3"=1'-0"




D FIXED PANEL HEAD
SCALE: 3"=1'-0"




D1 FIXED PANEL SILL
SCALE: 3"=1'-0"



E TRANSOM FRAME
SCALE: 3"=1'-0"



F TYP. THRESHOLD
SCALE: 3"=1'-0"



G DOOR CORNER ATTACHMENT
SCALE: 3"=1'-0"


ENGINEERING & CONSTRUCTION SERVICES, INC.
 CIVIL STRUCTURAL ENGINEERING SERVICES
 4834 South U. S. Highway 1
 Fort Pierce, Florida 34982
 Telephone: (772) 468 - 7068

AUTHORIZATION NO. 26322
Jose F. Vazquez
 3/25/08
 JOSE F. VAZQUEZ, P.E.
 LICENSE NO. 035812


PROJECT: PINECREST INDUSTRIES OF FLORIDA
 7457 COMMERCIAL CIRCLE
 FORT PIERCE, FL 34951
 SHEET TITLE: WELLINGTON SERIES
 DOOR DETAILS

DATE: 03-25-08
 SCALE: AS NOTED
 DWN. BY: MM CKD. BY: JFV
 JOB NO.: 826-01
 DRAWING NO.: PIWC-02-1000
 4 OF 14


PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 08-0229.07
 Expiration Date 02/27/2013
 By: *Manuel Perez*
 Miami Code Product Control
 Division




H T-ASTRAGAL TOP PLATE ACTIVE
SCALE: 3"=1'-0"



I SILL / HEADER PLATE
SCALE: 3"=1'-0"



T BOTTOM ASTRAGAL PLATE
SCALE: 3"=1'-0"



U HINGES (4 PER PANEL)
SCALE: 3"=1'-0"


ENGINEERING & CONSTRUCTION SERVICES, INC.
STRUCTURAL ENGINEERING SERVICES
CIVIL
4834 South U. S. Highway 1
Fort Pierce, Florida 34982
Telephone: (772) 468 - 7068

AUTHORIZATION NO. 26322
Jose F. Vazquez, P.E.
JOSE F. VAZQUEZ, P.E.
LICENSE NO. 036912


PROJECT: **PINECREST INDUSTRIES OF FLORIDA**
7457 COMMERCIAL CIRCLE
FORT PIERCE, FL 34951
SHEET TITLE: **WELLINGTON SERIES**
DOOR DETAILS

DATE: 03-25-08
SCALE: AS NOTED
DWN. BY: MM CKD. BY: JFV
JOB NO. 826-01
DRAWING NO.


By *Manuel Perez*
Miami Dade Product Control
Division
PWC-02-1000
5 OF 14




V TYP. GLAZING DETAIL
HALF SCALE



M TRANSOM JAMB
SCALE: 3"=1'-0"



M1 FIXED PANEL JAMB
SCALE: 3"=1'-0"




Y TYP. WEATHER STRIP
FULL SCALE

R 3 - POINT LOCK
ALL DIMENSIONS IN MM

US CREMONA G.U. HARDWARE 50 MM G-17567 19-0-3 AT ACTIVE
ASTRAGAL MORTISE LOCK G.U. HARDWARE K-15213-00-0-8
W/ GUIDO SERIES RODS AT INACTIVE

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 08-0229.07
Expiration Date 02/29/2013



FDR FASTENING SEE FASTENER CHART

ALL WOOD PARTS BONDED W/ 1/16\" SERPENTINE LIQUID NAIL ADHESIVE (TYP.)

2 SAVOY SERIES - OUTSWING DOUBLE WOOD DOOR
SCALE: 1/2\"=1'-0\"
XX

ALL ELEVATIONS VIEWED FROM EXTERIOR

DESIGN LOADS (PSF)
+50, -55
IMPACT RESISTANT

NOTES:

- 1- THIS WINDOW IS IMPACT RESISTANT. HURRICANE PROTECTION IS NOT REQUIRED.
- 2- PROVIDE 1/4\" MAXIMUM SHIM SPACE.
- 3- MATERIAL : MAHOGANY WOOD.
- 4- GLAZING: GLASSLAM SAFESTY - PLUS © LAMINATED GLASS (US PAT # 5778629). 1/2\" OVERALL THICKNESS CONSISTING OF:
3/16\" ANNEALED GLASS +
0.062\" RESIN BY GLASSLAM +
0.010\" POLYESTER INTERLAYER +
0.062\" RESIN BY GLASSLAM AND
3/16\" ANNEALED GLASS.
- 5- O/H: OPPOSITE HAND.
- 6- WINDOW CAN BE FASTENED TO 2X WOOD BUCKS PER FASTENER SCHEDULE SHOWN IN THIS DRAWING.
- 7- ATTACHMENT OF 2X WOOD BUCKS TO STRUCTURE SHALL BE DESIGNED BY A LICENSED ARCHITECT OR REGISTERED PROFESSIONAL ENGINEER.
- 8- WINDOW HAS BEEN DESIGNED PER 2004 FLORIDA BUILDING CODE WITH 2006 AMENDMENTS.

LOCATION	FASTENER TYPE, SPACING AND QUANTITY FOR VERONA SERIES
THRESHOLD	USE (9) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2\" EMBEDMENT INTO WOOD BUCK OR 1/4\" TAPCONS BY 'ELCO' WITH 1-1/2\" MIN. EMBEDMENT INTO CONCRETE.
HEADER	USE (9) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2\" EMBEDMENT INTO WOOD BUCK OR 1/4\" TAPCONS BY 'ELCO' WITH 1-1/2\" MIN. EMBEDMENT INTO CONCRETE.
JAMB	USE (2) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2\" EMBEDMENT INTO WOOD BUCK 6\" ABOVE AND BELOW EACH HINGE CENTER (TOTAL 8 SCREWS)


PRODUCT REVISED
as complying with the Florida Building Code
Acceptance No 08-0229.07
Expiration Date 02/27/2013
By *Manuel Suarez*
Miami Trade Product Control Division

ENGINEERING & CONSTRUCTION SERVICES, INC.
STRUCTURAL ENGINEERING SERVICES
CIVIL ENGINEERING
4834 South U. S. Highway 1
Fort Pierce, Florida 34982
Telephone: (772) 468 - 7068

AUTHORIZATION NO. 26322
Jose F. Vazquez
3/25/08
JOSE F. VAZQUEZ, P.E.
LICENSE NO. 036912

PROJECT: PINECREST INDUSTRIES OF FLORIDA
7457 COMMERCIAL CIRCLE
FORT PIERCE, FL 34951
SHEET TITLE: SAVOY SERIES
OUTSWING DOUBLE WOOD DOOR

DATE 03-25-08
SCALE AS NOTED
DWN. BY MM CKD. BY JFV
JOB NO. 826-01
DRAWING NO. PIWC-02-1000
6 OF 14



2A SAVOY SERIES - OUTSWING WOOD DOOR
SCALE: 1/2"=1'-0"

ALL ELEVATIONS VIEWED FROM EXTERIOR

DESIGN LOADS (PSF)
+50, -55
IMPACT RESISTANT

- NOTES:
- 1- THIS WINDOW IS IMPACT RESISTANT. HURRICANE PROTECTION IS NOT REQUIRED.
 - 2- PROVIDE 1/4" MAXIMUM SHIM SPACE.
 - 3- MATERIAL : MAHOGANY WOOD.
 - 4- GLAZING: GLASSLAM SAFESTY - PLUS ® LAMINATED GLASS (US PAT # 5778629). 1/2" OVERALL THICKNESS CONSISTING OF:
3/16" ANNEALED GLASS +
0.062" RESIN BY GLASSLAM +
0.010" POLYESTER INTERLAYER +
0.062" RESIN BY GLASSLAM AND
3/16" ANNEALED GLASS.
 - 5- O/H: OPPOSITE HAND.
 - 6- WINDOW CAN BE FASTENED TO 2X WOOD BUCKS PER FASTENER SCHEDULE SHOWN IN THIS DRAWING.
 - 7- ATTACHMENT OF 2X WOOD BUCKS TO STRUCTURE SHALL BE DESIGNED BY A LICENSED ARCHITECT OR REGISTERED PROFESSIONAL ENGINEER.
 - 8- WINDOW HAS BEEN DESIGNED PER 2004 FLORIDA BUILDING CODE WITH 2006 AMENDMENTS.

LOCATION	FASTENER TYPE, SPACING AND QUANTITY FOR VERONA SERIES
THRESHOLD	USE (4) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY 'ELCO' WITH 1-1/2" MIN. EMBEDMENT INTO CONCRETE.
HEADER	USE (4) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY 'ELCO' WITH 1-1/2" MIN. EMBEDMENT INTO CONCRETE.
JAMB @ HINGE SIDE	USE (2) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK 6" ABOVE AND BELOW EACH HINGE CENTER (TOTAL 8 SCREWS)
JAMB @ LOCK SIDE	USE (7) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK


PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 08-0229.07
Expiration Date 02/27/2013
By *Manuel Perez*
Miami Trade Product Control
Division

ENGINEERING & CONSTRUCTION SERVICES, INC.
STRUCTURAL ENGINEERING SERVICES
CIVIL
4834 South U. S. Highway 1
Fort Pierce, Florida 34982
Telephone: (772) 468 - 7068


AUTHORIZATION NO. 28322
Jose F. Yaquez
3/25/08
JOSE F. YAQUEZ, P.E.
LICENSE NO. 036912

PROJECT
PINECREST INDUSTRIES OF FLORIDA
7457 COMMERCIAL CIRCLE
FORT PIERCE, FL 34951
SHEET TITLE
SAVOY SERIES
OUTSWING SINGLE WOOD DOOR


DATE 03-25-08
SCALE AS NOTED
DWN. BY MM CKD. BY JFV
JOB NO. 826-01
DRAWING NO.
PIWC-02-1000
7 OF 14




A TYP. DOOR JAMB
SCALE: 3"=1'-0"




A1 TYP. DOOR HEADER
SCALE: 3"=1'-0"




B TYP. ASTRAGAL
SCALE: 3"=1'-0"




C MULLION FRAME AT HINGE SIDE
SCALE: 3"=1'-0"




C1 MULLION FRAME AT LOCK SIDE
SCALE: 3"=1'-0"




D FIXED PANEL HEAD
SCALE: 3"=1'-0"




D1 FIXED PANEL SILL
SCALE: 3"=1'-0"



E TRANSOM FRAME
SCALE: 3"=1'-0"



F TYP. THRESHOLD
SCALE: 3"=1'-0"



G DOOR CORNER ATTACHMENT
SCALE: 3"=1'-0"

ENGINEERING & CONSTRUCTION SERVICES, INC.
STRUCTURAL ENGINEERING
CIVIL
4834 South U. S. Highway 1
Fort Pierce, Florida 34982
Telephone: (772) 468 - 7068


AUTHORIZATION NO. 26322
Jose F. Valdez
JOSE F. VALDEZ, P.E.
LICENSE NO. 036812

PROJECT: **PINECREST INDUSTRIES OF FLORIDA**
7457 COMMERCIAL CIRCLE
FORT PIERCE, FL 34951
SHEET TITLE: **SAVOY SERIES**
DOOR DETAILS


DATE: 03-25-08
SCALE: AS NOTED
DWN. BY: MM CKD. BY: JFV
JOB NO.: 826-01
DRAWING NO.:

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 08-0229.07
Expiration Date 02/27/2013
By: *Manuel*
Miami Dade Product Control
Division


PWC-02-1000
8 OF 14




H T-ASTRAGAL TOP PLATE ACTIVE
SCALE: 3"=1'-0"




I SILL / HEADER PLATE
SCALE: 3"=1'-0"




T BOTTOM ASTRAGAL PLATE
SCALE: 3"=1'-0"




U HINGES (4 PER PANEL)
SCALE: 3"=1'-0"




V TYP. GLAZING DETAIL
HALF SCALE



M TRANSOM JAMB
SCALE: 3"=1'-0"



M1 FIXED PANEL JAMB
SCALE: 3"=1'-0"



Y TYP. WEATHER STRIP
FULL SCALE

R 3 - POINT LOCK
ALL DIMENSIONS IN MM

US CREMONA G.U. HARDWARE 50 MM G-17567 19-0-3 AT ACTIVE
ASTRAGAL MORTISE LOCK G.U. HARDWARE K-15213-00-0-8
W/ GU1010 SERIES RODS AT INACTIVE

ENGINEERING & CONSTRUCTION SERVICES, INC.
CIVIL STRUCTURAL ENGINEERING SERVICES
4834 South U. S. Highway 1
Fort Pierce, Florida 34982
Telephone: (772) 468 - 7068


AUTHORIZATION NO. 26322
Jose F. Vazquez
3/25/08
JOSE F. VAZQUEZ, P.E.
LICENSE NO. 036912

PROJECT: PINECREST INDUSTRIES OF FLORIDA
7457 COMMERCIAL CIRCLE
FORT PIERCE, FL 34951
SHEET TITLE: SAVOY SERIES DOOR DETAILS

DATE: 03-25-08
SCALE: AS NOTED
DWN. BY: MM CKD. BY: JFV
JOB NO. 826-01
DRAWING NO.

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. **08-0229.07**
Expiration Date **02/27/2013**
By *Manuel Perez*
Miami Trade Product Control
Division

PIWC-02-1000
9 OF 14



NOTES:

- 1- THIS WINDOW IS IMPACT RESISTANT. HURRICANE PROTECTION IS NOT REQUIRED.
- 2- PROVIDE 1/4" MAXIMUM SHIM SPACE.
- 3- MATERIAL : MAHOGANY WOOD.
- 4- GLAZING: GLASSLAM SAFESTY - PLUS ® LAMINATED GLASS (US PAT # 5778629). 1/2" OVERALL THICKNESS CONSISTING OF:
 3/16" ANNEALED GLASS +
 0.062" RESIN BY GLASSLAM +
 0.010" POLYESTER INTERLAYER +
 0.062" RESIN BY GLASSLAM AND
 3/16" ANNEALED GLASS.
- 5- O/H: OPPOSITE HAND.
- 6- WINDOW CAN BE FASTENED TO 2X WOOD BUCKS PER FASTENER SCHEDULE SHOWN IN THIS DRAWING.
- 7- ATTACHMENT OF 2X WOOD BUCKS TO STRUCTURE SHALL BE DESIGNED BY A LICENSED ARCHITECT OR REGISTERED PROFESSIONAL ENGINEER.
- 8- WINDOW HAS BEEN DESIGNED PER 2004 FLORIDA BUILDING CODE WITH 2006 AMENDMENTS.

ALL WOOD PARTS BONDED
 W/ 1/16" SERPENTINE
 LIQUID NAIL® ADHESIVE.
 (TYP)

3 VERONA SERIES - OUTSWING DOUBLE WOOD DOOR W/SIDE LITES
 SCALE: 1/2"=1'-0"
 OX XO

LOCATION	FASTENER TYPE, SPACING AND QUANTITY FOR VERONA SERIES
DOOR HEADER AND THRESHOLD	USE (9) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY "ELCO" WITH 1-1/2" MIN. EMBEDMENT INTO CONCRETE
SIDE LITE HEADER AND SILL	USE (4) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY "ELCO" W/ 1 1/2" EMBEDMENT INTO CONCRETE
JAMBS @ SIDE LITE	USE (7) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK

ALL ELEVATIONS VIEWED FROM EXTERIOR

DESIGN LOADS (PSF)
 +50, -55
 IMPACT RESISTANT


ENGINEERING & CONSTRUCTION SERVICES, INC.
 STRUCTURAL ENGINEERING SERVICES
 CIVIL ENGINEERING
 4834 South U. S. Highway 1
 Fort Pierce, Florida 34982
 Telephone: (772) 468 - 7068

AUTHORIZATION NO. 26322
Jose F. Vazquez
 3/25/08
 JOSE F. VAZQUEZ, P.E.
 LICENSE NO. 036912

PROJECT: PINECREST INDUSTRIES OF FLORIDA
 7457 COMMERCIAL CIRCLE
 FORT PIERCE, FL 34951
 SHEET TITLE: VERONA SERIES
 OUTSWING DOUBLE WOOD DOOR
 W/ SIDE LITES

DATE 03-25-08
 SCALE AS NOTED
 DWN. MM CKD. BY JFV
 JOB NO. 626-01
 DRAWING NO. PWC-02-1000
 10 OF 14

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 06-0229-07
 Expiration Date 02/27/2013
 By *Manuel Cruz*
 Miami Dade Product Control
 Division



NOTES:

- 1- THIS WINDOW IS IMPACT RESISTANT. HURRICANE PROTECTION IS NOT REQUIRED.
- 2- PROVIDE 1/4" MAXIMUM SHIM SPACE.
- 3- MATERIAL : MAHOGANY WOOD.
- 4- GLAZING: GLASSLAM SAFESTY - PLUS ® LAMINATED GLASS (US PAT # 5778629). 1/2" OVERALL THICKNESS CONSISTING OF:
 3/16" ANNEALED GLASS +
 0.062" RESIN BY GLASSLAM +
 0.010" POLYESTER INTERLAYER +
 0.062" RESIN BY GLASSLAM AND
 3/16" ANNEALED GLASS.
- 5- O/H: OPPOSITE HAND.
- 6- WINDOW CAN BE FASTENED TO 2X WOOD BUCKS PER FASTENER SCHEDULE SHOWN IN THIS DRAWING.
- 7- ATTACHMENT OF 2X WOOD BUCKS TO STRUCTURE SHALL BE DESIGNED BY A LICENSED ARCHITECT OR REGISTERED PROFESSIONAL ENGINEER.
- 8- WINDOW HAS BEEN DESIGNED PER 2004 FLORIDA BUILDING CODE WITH 2006 AMENDMENTS.

3A VERONA SERIES - OUTSWING SINGLE WOOD DOOR W/1 SIDE LITE
 SCALE: 1/2"=1'-0" OX OR XO

LOCATION	FASTENER TYPE, SPACING AND QUANTITY FOR VERONA SERIES
DOOR HEADER AND THRESHOLD	USE (9) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY 'ELCO' WITH 1-1/2" MIN. EMBEDMENT INTO CONCRETE
SIDE LITE HEADER AND SILL	USE (4) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY 'ELCO' W/ 1 1/2" EMBEDMENT INTO CONCRETE
JAMBS @ SIDE LITE	USE (7) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK
DOOR JAMB	USE (2) #14 SMS WOOD SCREWS AT 6" ABOVE AND BELOW EACH HINGE CENTER (TOTAL (8 SCREWS) WITH 1 1/2" MIN. EMBEDMENT INTO WOOD BUCK

ALL ELEVATIONS VIEWED FROM EXTERIOR

DESIGN LOADS (PSF)
 +50, -55
IMPACT RESISTANT

ENGINEERING & CONSTRUCTION SERVICES, INC.
 CIVIL STRUCTURAL ENGINEERING SERVICES
 4834 South U. S. Highway 1
 Fort Pierce, Florida 34982
 Telephone: (772) 468 - 7068


AUTHORIZATION NO. 26322

 03/25/2008
 JOSE F. VAZQUEZ, P.E.
 LICENSE NO. 036912

PROJECT: PINECREST INDUSTRIES OF FLORIDA
 7457 COMMERCIAL CIRCLE
 FORT PIERCE, FL 34951
 SHEET TITLE: VERONA SERIES
 OUTSWING SINGLE WOOD DOOR
 W/ SIDE LITE

DATE 03-25-08
 SCALE AS NOTED
 DWN. MM CKD. BY JFV
 JOB NO. 826-01
 DRAWING NO. PIWC-02-1000
 11 OF 14

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 08-0229.07
 Expiration Date 02/27/2013
 By
 Miami Dade Product Control
 Division



3B VERONA SERIES - OUTSWING SINGLE WOOD DOOR W/2 SIDE LITES
OXO

LOCATION	FASTENER TYPE, SPACING AND QUANTITY FOR VERONA SERIES
DOOR HEADER AND THRESHOLD	USE (4) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY 'ELCO' WITH 1-1/2" MIN. EMBEDMENT INTO CONCRETE
SIDE LITE HEADER AND SILL	USE (4) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK OR 1/4" TAPCONS BY 'ELCO' WITH 1-1/2" MIN. EMBEDMENT INTO CONCRETE
JAMBS @ SIDE LITE	USE (7) #14 SMS WOOD SCREW WITH MINIMUM 1 1/2" EMBEDMENT INTO WOOD BUCK

ALL ELEVATIONS VIEWED FROM EXTERIOR

DESIGN LOADS (PSF)
+50, -55
IMPACT RESISTANT

NOTES:

- 1- THIS WINDOW IS IMPACT RESISTANT. HURRICANE PROTECTION IS NOT REQUIRED.
- 2- PROVIDE 1/4" MAXIMUM SHIM SPACE.
- 3- MATERIAL : MAHOGANY WOOD.
- 4- GLAZING: GLASSLAM SAFESTY - PLUS ® LAMINATED GLASS (US PAT # 5778629). 1/2" OVERALL THICKNESS CONSISTING OF:
3/16" ANNEALED GLASS +
0.062" RESIN BY GLASSLAM +
0.010" POLYESTER INTERLAYER +
0.062" RESIN BY GLASSLAM AND
3/16" ANNEALED GLASS.
- 5- O/H: OPPOSITE HAND.
- 6- WINDOW CAN BE FASTENED TO 2X WOOD BUCKS PER FASTENER SCHEDULE SHOWN IN THIS DRAWING.
- 7- ATTACHMENT OF 2X WOOD BUCKS TO STRUCTURE SHALL BE DESIGNED BY A LICENSED ARCHITECT OR REGISTERED PROFESSIONAL ENGINEER.
- 8- WINDOW HAS BEEN DESIGNED PER 2004 FLORIDA BUILDING CODE WITH 2006 AMENDMENTS.

ENGINEERING & CONSTRUCTION SERVICES, INC.

STRUCTURAL ENGINEERING SERVICES

CIVIL
4834 South U. S. Highway 1
Fort Pierce, Florida 34982
Telephone: (772) 468 - 7068

AUTHORIZATION NO. 26522

Jose F. Vazquez
2/25/08
JOSE F. VAZQUEZ, P.E.
LICENSE NO. 038912

PROJECT
PINECREST INDUSTRIES OF FLORIDA
7457 COMMERCIAL CIRCLE
FORT PIERCE, FL 34951

SHEET TITLE:
VERONA SERIES
OUTSWING SINGLE WOOD DOOR
W/2 SIDE LITES

DATE 03-25-08

SCALE AS NOTED


DWN. MM CKD. BY JPV

JOB NO. 826-01


DRAWING NO.

PIWC-02-1000
12 OF 14


PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 08-0229-07
Expiration Date 02/27/2013
By *Manuel Cruz*
Miami Trade Product Control
Division




A TYP. DOOR JAMB
SCALE: 3"=1'-0"




A1 TYP. DOOR HEADER
SCALE: 3"=1'-0"




B TYP. ASTRAGAL
SCALE: 3"=1'-0"




C MULLION FRAME AT HINGE SIDE
SCALE: 3"=1'-0"




C1 MULLION FRAME AT LOCK SIDE
SCALE: 3"=1'-0"




D FIXED PANEL HEAD
SCALE: 3"=1'-0"




D1 FIXED PANEL SILL
SCALE: 3"=1'-0"



E TRANSOM FRAME
SCALE: 3"=1'-0"



F TYP. THRESHOLD
SCALE: 3"=1'-0"



G DOOR CORNER ATTACHMENT
SCALE: 3"=1'-0"

ENGINEERING & CONSTRUCTION SERVICES, INC.
 CIVIL STRUCTURAL ENGINEERING SERVICES
 4834 South U. S. Highway 1
 Fort Pierce, Florida 34982
 Telephone: (772) 468 - 7068

AUTHORIZATION NO. 26322

 JOSE F. VAZQUEZ, P.E.
 LICENSE NO. 036912


PROJECT: PINECREST INDUSTRIES OF FLORIDA
 7457 COMMERCIAL CIRCLE
 FORT PIERCE, FL 34951

SHEET TITLE: VERONA SERIES
 DOOR DETAILS


DATE: 03-25-08
 SCALE: AS NOTED
 DWN. BY: MM CKD. BY: JFV
 JOB NO. 826-01
 DRAWING NO.

PIWC-02-1000
 13 OF 14


PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 08-0229.07
 Expiration Date 02/27/2013
 By:
 Miami Dade Product Control
 Division




H T-ASTRAGAL TOP PLATE ACTIVE
SCALE: 3"=1'-0"




I SILL / HEADER PLATE
SCALE: 3"=1'-0"




T BOTTOM ASTRAGAL PLATE
SCALE: 3"=1'-0"




U HINGES (4 PER PANEL)
SCALE: 3"=1'-0"




V TYP. GLAZING DETAIL
HALF SCALE



M TRANSOM JAMB
SCALE: 3"=1'-0"



M1 FIXED PANEL JAMB
SCALE: 3"=1'-0"



Y TYP. WEATHER STRIP
FULL SCALE

R 3 - POINT LOCK
ALL DIMENSIONS IN MM

US CREMONA G.U. HARDWARE 50 MM G-17567 19-0-3 AT ACTIVE
ASTRAGAL MORTISE LOCK G.U. HARDWARE K-15213-00-0-8
W/ GUIDO SERIES RODS AT INACTIVE

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 08-0229.07
Expiration Date 02/27/2013
By *Maurice*
Miami Date Product Control
Division

ENGINEERING & CONSTRUCTION SERVICES, INC.
STRUCTURAL ENGINEERING SERVICES
CIVIL ENGINEERING
4834 South U. S. Highway 1
Fort Pierce, Florida 34982
Telephone: (772) 468 - 7068

AUTHORIZATION NO. 26322
Jose F. Valquez
3/25/08
JOSE F. VALQUEZ, P.E.
LICENSE NO. 036912

PROJECT: PINECREST INDUSTRIES OF FLORIDA
7457 COMMERCIAL CIRCLE
FORT PIERCE, FL 34951
SHEET TITLE: VERONA SERIES
DOOR DETAILS

DATE: 03-25-08
SCALE: AS NOTED
DWN. BY: MM CKD. BY: JFV
JOB NO.: 826-01
DRAWING NO.: PWC-02-1000
14 OF 14