



BUILDING CODE COMPLIANCE OFFICE (BCCO)  
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908

**NOTICE OF ACCEPTANCE (NOA)**

**SMI-System by Pande Pane**  
11305 NW 128 Street  
Miami, FL 33178

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Series "SM-2/K-2 breeze" Single Outswing Aluminum Entrance Door w/wo SHW**

**APPROVAL DOCUMENT:** Drawing No. **W03-62**, titled "Series SM-2/K-2 Breeze Alum Entrance Door (L.M.I.)", prepared by AL-Farooq Corporation, sheets 1 through 7 of 7, dated 08/07/03 and last revised on June 12, 2008, signed and sealed by Dr. Humayoun Farooq, P.E., bearing the Miami-Dade County Product Control renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

**MISSILE IMPACT RATING: Large and Small Missile Impact**

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises & renews** NOA # **03-0925.02** consists of this page 1 and evidence sheet E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**



NOA No 08-0505.08  
Expiration Date: December 04, 2013  
Approval Date: July 03, 2008  
Page 1

7/11/13

**SMI-System by Pande Pane**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

**A. DRAWINGS**

1. Manufacturer's die drawings and sections.
2. Drawing No. **W03-62**, titled "Series SM-2/K-2 Breeze" Alum Entrance Door (L.M.I.)", prepared by AL-Farooq Corporation, sheets 1 through 7 of 7, dated 08/07/03 and last revised on June 12, 2008, signed and sealed by Dr. Humayoun Farooq, P.E.

**B. TESTS**

1. Test reports on
  - 1) Air Infiltration Test, per FBC, TAS 202-94
  - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
  - 3) Water Resistance Test, per FBC, TAS 202-94
  - 4) Large Missile Impact Test per FBC, TAS 201-94
  - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
  - 6) Forced Entry Test, Per FBC 2411 3.2.1 and TAS 202-94

along with marked-up drawings and installation diagram of a terrace door, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-5406**, dated 04/18/08, signed and sealed by Carlos Rionda P.E.

2. Test reports on
  - 1) Air Infiltration Test, per FBC, TAS 202-94
  - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
  - 3) Water Resistance Test, per FBC, TAS 202-94
  - 4) Large Missile Impact Test per FBC, TAS 201-94
  - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
  - 6) Forced Entry Test, Per FBC 2411 3.2.1 and TAS 202-94

along with marked-up drawings and installation diagram of a terrace door, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-3824**, dated 06/19/03, signed and sealed by Joseph Chan, P.E. (transferred from file # **03-0925.02**)

**C. CALCULATIONS**

1. Anchor Verification Calculations and structural analysis, prepared by AL-Farooq Corporation, dated 04/23/08, signed and sealed by Dr. Humayoun Farooq, P.E.
2. Complies with ASTM-E1300-02

**D. MATERIAL CERTIFICATION**

1. Notice of Acceptance No. **06-0216.06** issued to Solutia, for "Saflex IIIG clear & color interlayer", expiring on 05/21/2011.
2. Notice of Acceptance No. **03-1223.04** issued to Surface Specialties Technologies Inc. for "Uvekol Laminated glass, expiring on 02/08/2009.

**E. QUALITY ASSURANCE**

1. Miami-Dade County Building Code Compliance Office.


**F. STATEMENTS**

1. Statement letter of conformance and no financial interest, dated 04/15/08, signed and sealed by Dr. Humayoun Farooq, P.E.
2. Laboratory compliance letter, part of above referenced test reports.


**G. OTHER**

1. This NOA **revises & renews** NOA # **03-0925.02** expires on Dec 04, 2008.
2. Test proposal # 07-3217 dated July 27, 2007 approved by BCCO. *Ishaq I. Chanda*

**Ishaq I. Chanda, P.E.**  
**Product Control Examiner**  
**NOA No 08-0505.08**  
**Expiration Date: December 04, 2013**  
**Approval Date: July 03, 2008**




GLAZING OPTIONS



TYPICAL ELEVATION

MAXIMUM DESIGN LOAD RATING = + 100.0 PSF  
(FOR SIZES SHOWN ABOVE OR SMALLER) - 120.0 PSF  
DOORS WITHOUT WINDOWS



TYPICAL ELEVATION

PRODUCT RENEWED  
as complying with the Florida  
Building Code  
Acceptance No. 08-0505-08  
Expiration Date DEC 04, 2013  
By: *Isaac I. Chandy*  
Miami: Bode Product Control  
Division

MAXIMUM DESIGN LOAD RATING = + 90.0 PSF \*  
(FOR SIZES SHOWN ABOVE OR SMALLER) - 120.0 PSF  
DOORS WITH WINDOWS

\* LOWER RATING OF SINGLE HUNG WINDOW OR SINGLE DOOR SHALL CONTROL

**SERIES SMK-2/K-2 BREEZE ALUMINUM ENTRANCE DOOR**

APPROVAL APPLIES TO SINGLE LEAF (X) DOORS WITH OR WITHOUT WINDOW INSERT.  
SEE SEPARATE NOA FOR WINDOW CAPACITY.  
LOWER DESIGN PRESSURES FROM DOOR OR WINDOW APPROVAL WILL APPLY TO ENTIRE SYSTEM.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 2004/2007 EDITION INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

1BY OR 2BY WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.

ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS, ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

A LOAD DURATION INCREASE IN ALLOWABLE STRESS IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF 2004/2007 FLORIDA BLDG. CODE SECTION 2003.8.4.

THESE DOORS ARE RATED FOR LARGE MISSILE IMPACT.  
SHUTTERS ARE NOT REQUIRED.

NOTE:  
GLASS CAPACITIES ON THIS SHEET ARE  
BASED ON ASTM E1300-02/04 (3 SEC. GUSTS).

Engr: DR. HUMAYOON FAROOQ  
STRUCTURES  
FLA. PE # 16557  
C.A.N. 3538

JUN 12 2008


**afc**  
**AL-FAROOQ CORPORATION**  
ENGINEERS & PRODUCT DEVELOPMENT  
12335 S.W. 87 AVE  
MIAMI, FLORIDA 33174  
TEL. (305) 264-8100 FAX. (305) 262-6978  
COMP-ANL\W03-62SM

SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
**SMITH MOUNTAIN IMPACT SYSTEMS**  
11305 N.W. 128 STREET  
MEDLEY, FL. 33178  
TEL. (305) 888-6288 FAX. (305) 888-6289


no	date	description
A	03.05.08	UPDATED FOR 2004 FBC
B	06.10.08	REV. PER BCC COMMENTS

date: 08-07-03  
scale: 1/2"=1'-0"  
dr. by: HAMID  
chk. by:


drawing no.  
**W03-62**




ADA BUMPER THRESHOLD



ALT. ADA BUMPER THRESHOLD



HI-RISE THRESHOLD



ALT. HI-RISE THRESHOLD

WOOD BUCKS AND METAL STRUCTURE NOT BY SMITH MOUNTAIN MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.

**TYPICAL ANCHORS:** SEE ELEV. FOR SPACING  
**1/4" TAPCONS BY 'ELCO'**  
 INTO 2BY WOOD BUCKS OR WOOD STRUCTURES  
 1-1/2" MIN. PENETRATION INTO WOOD  
 THRU 1BY BUCKS INTO CONC. OR MASONRY  
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY  
 DIRECTLY INTO CONC. OR MASONRY  
 1-1/4" MIN. EMBED INTO CONC. OR MASONRY  
**1/4" DIA. TEKS/DRIL-FLEX SELF DRILLING SCREWS (GRADE 5)**  
 INTO METAL STRUCTURES  
 STEEL : 12 GA. MIN. (Fy = 36 KSI MIN.)  
 ALUMINUM : 1/8" THK. MIN. (6063-T5 MIN.)  
 (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)  
**ANCHOR EDGE DISTANCES:**  
 INTO CONCRETE AND MASONRY = 2" MIN.  
 INTO WOOD STRUCTURE = 1" MIN.  
 INTO METAL STRUCTURE = 3/4" MIN.

**PRODUCT RENEWED**  
 as complying with the Florida  
 Building Code  
 Acceptance No. 08-0505-08  
 Expiration Date DEC 04, 2013  
 By *Khaqil Ullanda*  
 Miami Dade Product Control  
 Division

#8 X 3/4" SMS  
 AT 3" FROM ENDS  
 AND AT MID SPAN

Engr: DR. HUMAYOUN FAROOQ  
 STRUCTURES  
 FLA. PE # 16557  
 C.A.N. 3538

JUN 12 2008

**af c**  
**AL-FAROOQ CORPORATION**  
 ENGINEERS & PRODUCT DEVELOPMENT  
 1235 S.W. 87 AVE  
 MIAMI, FLORIDA 33174  
 TEL. (305) 264-8100 FAX. (305) 262-6978  
 COMP-ANL\W03-62SM



SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
**SMITH MOUNTAIN IMPACT SYSTEMS**  
 11305 N.W. 128 STREET  
 MEDLEY, FL. 33178  
 TEL. (305) 888-6288 FAX. (305) 888-6289

no	date	by	description
A	03.05.08		UPDATED FOR 2004 FBC
B	06.10.08		NO CHANGE THIS SHEET

date: 08-07-03  
 scale: 3/8" = 1"  
 dr. by: HAMID  
 chk. by:

drawing no.  
**W03-62**

sheet 2 of 7



**PRODUCT RENEWED**  
 as complying with the Florida  
 Building Code  
 Acceptance No. *08-0505-08*  
 Expiration Date *DEC 04, 2013*  
 By *Ishag I. Chande*  
 Miami Dade Product Control  
 Division

Engr: DR. HUMAYOON FAROOQ  
 STRUCTURES  
 FLA. PE # 16557  
 C.A.N. 3538

JUN 12 2008

**af c**  
**AL-FAROOQ CORPORATION**  
 ENGINEERS & PRODUCT DEVELOPMENT  
 1235 S.W. 87 AVE  
 MIAMI, FLORIDA 33174  
 TEL. (305) 264-8100 FAX. (305) 262-6978  
 COMP-ANL\W03-62SM



SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
**SMITH MOUNTAIN IMPACT SYSTEMS**  
 11305 N.W. 128 STREET  
 MEDLEY, FL. 33178  
 TEL. (305) 888-6288 FAX. (305) 888-6289

no	date	by	description
A	03.05.08		UPDATED FOR 2004 FBC
B	06.10.08		REV. PER BCCO COMMENTS

date: 08-07-03  
 scale: 3/8" = 1"  
 dr. by: HAMID  
 chk. by:

drawing no.  
**W03-62**

sheet 3 of 7



Engr. DR. HUMAYOUN FAROOQ  
 STRUCTURES  
 FLA. PE # 16557  
 C.A.N. 3538

JUN 12 2008

PRODUCT RENEWED  
 as complying with the Florida  
 Building Code  
 Acceptance No 08-0505-08  
 Expiration Date DEC 04, 2013  
 By *Ishaq I. Chaudhry*  
 Miami Dade Product Division

**af c**  
**AL-FAROOQ CORPORATION**  
 ENGINEERS & PRODUCT DEVELOPMENT  
 1235 S.W. 87 AVE  
 MIAMI, FLORIDA 33174  
 TEL. (305) 264-8100 FAX. (305) 262-6978  
 COMP-ANL\W03-62SM

SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
**SMITH MOUNTAIN IMPACT SYSTEMS**  
 11305 N.W. 128 STREET  
 MEDLEY, FL. 33178  
 TEL. (305) 888-6288 FAX. (305) 888-6289

no	date	by	description
A	03.05.08		UPDATED FOR 2004 FBC
B	06.10.08		REV. PER BCCO COMMENTS

date: 08-07-03  
 scale: 3/8" = 1"  
 dr. by: HAMID  
 chk. by:

drawing no.  
**W03-62**  
 sheet 4 of 7


**SEALANTS:**

ALL FRAME AND LEAF CORNERS AND INSTALLATION SCREWS SEALED WITH SILICONE.  
PERIMETER OF WINDOW FRAME TO DOOR LEAF AT EXTERIOR AND INTERIOR SEALED WITH SILICONE.

**LOCKS:**

**OPTION 1:**



THREE POINT LOCK SYSTEM WITH 5 PLY HOOK LOCK BOLT REGENT 2222, KEY OPERATED ON EXTERIOR AND THUMB-TURN ON INTERIOR, LOCATED AT 34" FROM BOTTOM OF PANEL



**OPTION 2:**

THREE POINT LOCK SYSTEM WITH 4 PLY HOOK LOCK REGENT NO. 206-3P, KEY OPERATED ON EXTERIOR AND THUMB-TURN ON INTERIOR, LOCATED AT 36" FROM BOTTOM OF PANEL

ITEM #	PART #	REQD.	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
1	SMI-006	1	FRAME HEAD	6063-T6	-
2	SMI-005	2	FRAME JAMB	6063-T6	-
3	SMI-023	1	BUMPER THRESHOLD	6063-T6	-
3A	SMI-036	1	ALT. BUMPER THRESHOLD	6063-T6	-
4	SMI-024	1	ADA THRESHOLD COVER	6063-T6	-
4A	SMI-038	1	ALT. ADA THRESHOLD COVER	6063-T6	-
4B	SMI-037	1	ALT. ADA THRESHOLD COVER	6063-T6	-
5	SMI-012	1/ LEAF	TOP RAIL/MID RAIL	6063-T6	-
6	SMI-013	1/ LEAF	BOTTOM RAIL	6063-T6	-
7	SMI-011	1/ LEAF	DOOR STILE	6063-T6	-
8	SMI-008	4/ LEAF	EXTERIOR GLASS STOP (DOOR)	6063-T6	-
9	SMI-007	4/ LEAF	INTERIOR GLASS STOP (DOOR)	6063-T6	-
10	SMI-014	3/ DOOR	DOOR STOP BASE	6063-T6	-
11	SMI-015	3/ DOOR	DOOR STOP COVER	6063-T6	-
12	SMI-004	1/ ANCHOR	FLAT FILLER, 3" LONG	6063-T6	-
13	SMI-105	2	SHEAR BLOCK	6063-T6	-
14	SMI-G04	AS REQD.	GLAZING TAPE	FOAM	FRANK LOWE
14A	SMI-G05	AS REQD.	GLAZING TAPE	FOAM	FRANK LOWE
15	SMI-033	3	FALSE MUNTIN BASE	6063-T6	-
16	SMI-G03	AS REQD.	SETTING BLOCK (3/8" X 1/4" X 1/2" LONG)	-	FRANK LOWE
17	E20510K	AS REQD.	BULB W'STRIPPING	VINYL	ULTRAFAB
18	E23610K	AS REQD.	BULB W'STRIPPING WITH FLAP	VINYL	ULTRAFAB
19	-	2/ LEAF	3/8" THREADED ROD WITH NUT	STEEL	-
20	-	2/ LEAF	FLUSH BOLT GUIDE	ST. STEEL	-
21	-	AS REQD.	PUSH BAR	-	-
22	-	AS REQD.	PULL HANDLE	-	-
23	-	2	THRESHOLD CLIP	ALUMINUM	2" X 2" X 1/8" X 1" LONG
24	-	4/ LEAF	SUPPORT PLATE (1-1/4" X 2" X 1/8")	ALUMINUM	-
26	#12 X 1-1/2"	2/ CORNER	FRAME ASSEMBLY SCREWS	-	HEX H SELF DRILLING
27	#10 X 1"	AS REQD.	GLASS STOP SCREWS AT 4-1/2" O.C. MAX.	-	FH SMS
28	#10 X 1/2"	AS REQD.	THRESHOLD CLIP SCREWS	-	FH SELF DRILLING
29	#8 X 3/4"	AS REQD.	DOOR STOP SCREWS AT 8" O.C. MAX.	-	FH SMS
30	#10 X 5/16"	2/ GUIDE	GUIDE INSTALLATION SCREWS	-	FH MS
31	SMI-025	1	HI-RISE RHRESHOLD COVER	6063-T6	-
31A	SMI-039	1	ALT. HI-RISE RHRESHOLD COVER	6063-T6	-



4-1/2" ST./ST. BUTT HINGES  
REGENT #4002

**PRODUCT RENEWED**  
as complying with the Florida  
Building Code  
Acceptance No. *06-1505-06*  
Expiration Date *DECEMBER 2013*  
By *Ishag J. Lhanda*  
Miami Dade Product Control  
Division

Engr: DR. HUMAYOUN FAROOQ  
STRUCTURES  
FLA. PE # 16557  
C.A.N. 3538

JUN 12 2008


**af c**  
**AL-FAROOQ CORPORATION**  
ENGINEERS & PRODUCT DEVELOPMENT  
1235 S.W. 87 AVE  
MIAMI, FLORIDA 33174  
TEL. (305) 264-8100 FAX. (305) 262-6978  
COMP -ANL\W03-62SM

SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
**SMITH MOUNTAIN IMPACT SYSTEMS**  
11305 N.W. 128 STREET  
MEDLEY, FL. 33178  
TEL. (305) 888-6288 FAX. (305) 888-6289


REVISIONS:	no	date	by	description
	A	03.05.08		UPDATED FOR 2004 FBC
	B	06.10.08		REV. PER BCCO COMMENTS

date: 08-07-03  
scale: 3/8" = 1"  
dr. by: HAMID  
chk. by:


drawing no.  
**W03-62**




1 FRAME HEAD




5 TOP RAIL/MID RAIL




15 FALSE MUNTIN BASE




13 SHEAR BLOCK




2 FRAME JAMB




6 BOTTOM RAIL




10 DOOR STOP BASE




11 DOOR STOP COVER




12 FLAT FILLER




3 BUMPER THRESHOLD




4 ADA THRESHOLD COVER




31 HI-RISE THRESHOLD COVER




8 EXTERIOR GLASS STOP (DOOR)




7 DOOR STILE




3A ALT. BUMPER THRESHOLD



4A ALT. ADA THRESHOLD COVERS



31A ALT. HI-RISE THRESHOLD COVER



9 INTERIOR GLASS STOP (DOOR)

Engr: DR. HUMAYOUN FAROOQ  
STRUCTURES  
FLA. PE # 16557  
C.A.N. 3538

*[Signature]*

JUN 12 2008


**af c**  
**AL-FAROOQ CORPORATION**  
ENGINEERS & PRODUCT DEVELOPMENT  
1235 S.W. 87 AVE  
MIAMI, FLORIDA 33174  
TEL. (305) 264-8100 FAX. (305) 262-6978  
COMP-ANL\W03-62SM

SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
**SMITH MOUNTAIN IMPACT SYSTEMS**  
11305 N.W. 128 STREET  
MEDLEY, FL. 33178  
TEL. (305) 888-6286 FAX. (305) 888-6289


no	date	description
A	03.05.08	UPDATED FOR 2004 FBC
B	06.10.08	NO CHANGE THIS SHEET

PRODUCT RENEWED  
as complying with the Florida  
Building Code  
Acceptance No. 08-0505-08  
Expiration Date DEC 04, 2013  
By J. Shag J. Chand  
Miami Door Product Control  
Division


date: 08-07-03  
scale: 3/8" = 1"  
dr. by: HAMID  
chk. by:  
drawing no.  
**W03-62**  
sheet 6 of 7




MID RAIL CORNER



DOOR LEAF CORNER



FRAME TOP CORNER



FRAME BOTTOM CORNER

Engr: DR. HUMAYOUN FAROOQ  
STRUCTURES  
FLA. PE # 16557  
C.A.N. 3538

JUN 12 2008

**PRODUCT RENEWED**  
as complying with the Florida  
Building Code  
Acceptance No. *08-0705-01*  
Expiration Date *DEC 04, 2012*

By *Ishag I. Chanda*  
Miami Dade Product Control  
Division

**afc**  
**AL-FAROOQ CORPORATION**  
ENGINEERS & PRODUCT DEVELOPMENT  
1235 S.W. 87 AVE  
MIAMI, FLORIDA 33174  
TEL. (305) 264-8100 FAX. (305) 262-6978  
COMP-ANL\W03-62SM

SMK-2/K-2 BREEZE ALUM ENTRANCE DOOR (L.M.I.)  
**SMITH MOUNTAIN IMPACT SYSTEMS**  
11305 N.W. 128 STREET  
MEDLEY, FL. 33178  
TEL. (305) 888-6288 FAX. (305) 888-6289

revisions:	no	date	by	description
	A	03.05.08		UPDATED FOR 2004 FBC
	B	06.10.08		REV. PER BCCO COMMENTS

date: 08-07-03  
scale: 3/8" = 1"  
dr. by: HAMID  
chk. by:

drawing no.  
**W03-62**  
sheet 7 of 7