



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1107
MIAMI, FLORIDA 33130-1563
(305) 375-2902 FAX (305) 372-6339**

NOTICE OF ACCEPTANCE (NOA)

www.miamidade.gov/buildingcode

**Nan Ya Plastics Corporation USA
8989 North Loop East
Suite 800
Houston, TX 77029**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION:

Series "Impact" 6'10" P/E Inswing Glazed White PVC French Door w/ wo Sidelites – L.M.I.

APPROVAL DOCUMENT: Drawing No. NAN0014, titled "Series Impact Glazed Inswing Door w/ wo Sidelites", sheets 1 through 16 of 16, dated 12/10/08 with revision "B" dated 08/25/09, prepared by PTC, LLC, signed and sealed by Robert J. Amoruso, P. E., bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and Approval date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Jaime D. Gascon, P. E.**



*J. Gascon
9/23/09*

**NOA No. 08-1224.06
Expiration Date: September 23, 2014
Approval Date: September 23, 2009
Page 1**

Nan Ya Plastics Corporation USA

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
2. Drawing No **NAN0014**, titled "Series Impact Glazed Inswing Door w/ wo Sidelites", sheets 1 through 16 of 16, dated 12/10/08 with revision "B" dated 08/25/09, prepared by PTC, LLC, signed and sealed by Robert J. Amoruso, P. E.

B. TESTS


1. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94
4) Large Missile Impact Test per FBC, TAS 201-94
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
6) Forced Entry Resistance, per FBC, 2411.3.2.1 and TAS 202-94
along with marked-up drawings and installation diagram of inswing fiberglass french door, prepared by ETC Laboratories, Test Report No. **ETC-07-255-18448.5**, dated June 22, 2007, signed and sealed by Joseph Labora Doldan, P. E.
2. Test reports on: 1) Self Ignition Test, per FBC, ASTM D 1929
2) Smoke Density Test, per FBC, ASTM D 2843
3) Rate of Burning Tests, per FBC, ASTM D 635
4) Tensile Property Tests, per FBC, ASTM D 638
along with marked-up drawings and installation diagram of fiberglass material, prepared by ETC Laboratories, Test Report No. **ETC-05-255-16777.1**, dated January 04, 2006, signed, sealed and dated July 03, 2008 by Joseph Labora Doldan, P. E.
3. Test reports on: 1) Surface Burning Characteristics of Building Materials, per FBC, ASTM E 84
along with marked-up drawings and installation diagram of fiberglass material, prepared by ETC Laboratories, Test Report No. **ETC-06-255-17412.1**, dated April 25, 2006, signed, sealed and dated July 10, 2006 by Joseph Labora Doldan, P. E.

C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with FBC-2007, dated December 18, 2008, prepared by PTC, LLC, signed, sealed and dated July 28, 2009 by Robert J. Amoruso, P. E.
Complies with ASTM E1300-02

D. QUALITY ASSURANCE

1. Miami-Dade Building Code Compliance Office (BCCO).



Jaime D. Gascon, P. E.

Chief, Product Control Division

NOA No. 08-1224.06

Expiration Date: September 23, 2014

Approval Date: September 23, 2009

Nan Ya Plastics Corporation USA

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **08-0206.01** issued to Solutia Inc. for their “**Saflex HP Glass Interlayer**” dated 04/17/2008, expiring on 04/17/2013.
2. Notice of Acceptance No. **07-0214.07** issued to ODL, Inc. for their “**ODL /Western Reflections Series Aluminum glazed Lite-Kit assembly – Impact (Component Approval)**” dated 03/22/2007, expiring on 07/28/2010.

F. STATEMENTS

1. Statement letter of conformance and no financial interest, dated December 18, 2008, prepared by PTC, LLC, signed and sealed by Paul E. Winter, P. E.
2. Statement letter of engineer change, dated July 27, 2009, prepared by PTC, LLC, signed and sealed by Robert J. Amoruso, P. E.
3. Laboratory addendum letters for Test Report No. **ETC-07-255-18448.5**, issued by ETC Laboratories, dated July 15, 2009, signed and sealed by Joseph Labora Doldan, P. E.
4. Laboratory compliance letters for Test Report No.’s **ETC-07-255-18448.5**, **ETC-05-255-16777.1** and **ETC-06-255-17412.1**, issued by ETC Laboratories, dated July 03, 2008, June 22, 2007 and July 10, 2006, signed and sealed by Joseph Labora Doldan, P. E.
5. Proposal No.’s **06-2192** and **07-3867** issued by BCCO, dated November 27, 2006, signed by Ishaq Chanda, P. E.

G. OTHERS

1. None.



Jaime D. Gascon, P. E.
Chief, Product Control Division
NOA No. 08-1224.06

Expiration Date: September 23, 2014
Approval Date: September 23, 2009

NAN YA PLASTICS

IMPACT GLAZED INSWING DOOR W & W/O SIDELITES

INSTALLATION ANCHORAGE DETAILS

GENERAL NOTES:

1. THE PRODUCT ANCHORAGE SHOWN HEREIN IS DESIGNED TO COMPLY WITH THE CURRENT FLORIDA BUILDING CODE (FBC) AND IS IN ACCORDANCE WITH REQUIRED DADE COUNTY PROTOCOLS AND TESTING AT THE DESIGN PRESSURE(S) STATED HEREIN.
2. THE PRODUCT DETAILS CONTAINED HEREIN ARE BASED UPON SIGNED AND SEALED TEST REPORT # ETC-07-255-18448.5 DATED 08/19/08 AND ASSOCIATED LABORATORY STAMPED DRAWINGS. THE PRODUCT HAS BEEN EVALUATED FOR COMPLIANCE WITH THE FLORIDA BUILDING CODE (FBC) AND IS IN COMPLIANCE WITH SAID STANDARDS.
3. ADEQUACY OF THE EXISTING STRUCTURAL CONCRETE MASONRY AND 2X FRAMING AS A MAIN WIND FORCE RESISTING SYSTEM CAPABLE OF WITHSTANDING AND TRANSFERRING APPLIED PRODUCT LOADS TO THE STRUCTURE IS THE RESPONSIBILITY OF THE ENGINEER OR ARCHITECT OF RECORD.
4. 1X AND 2X BUCKS (WHEN USED) SHALL BE DESIGNED AND ANCHORED TO PROPERLY TRANSFER ALL LOADS TO THE STRUCTURE. BUCK DESIGN AND INSTALLATION IS THE RESPONSIBILITY OF THE ENGINEER OR ARCHITECT OF RECORD.
5. IN AREAS WHERE WIND-BORNE DEBRIS PROTECTION REQUIREMENTS EXIST, USE OF AN APPROVED MIAMI DADE IMPACT PROTECTIVE SYSTEM IS NOT REQUIRED.

6. THE INSTALLATION DETAILS DESCRIBED HEREIN ARE GENERIC AND MAY NOT REFLECT ACTUAL CONDITIONS FOR A SPECIFIC SITE. IF SITE CONDITIONS CAUSE INSTALLATION TO DEVIATE FROM THE REQUIREMENTS DETAILED HEREIN, THEN THE BUILDING OFFICIAL MAY ELECT ONE OF THE FOLLOWING OPTIONS:
 - A. OUTSIDE HVHZ: REQUIRE THAT A LICENSED ENGINEER OR ARCHITECT PREPARE AND SUBMIT SITE SPECIFIC DOCUMENTS FOR USE WITH THIS DOCUMENT.
 - B. INSIDE HVHZ: REQUIRE THAT A ONE-TIME SITE SPECIFIC APPROVAL BE APPLIED FOR AND OBTAINED FROM THE MIAMI-DADE COUNTY PRODUCT CONTROL DIVISION.
7. GLASS MEETS THE REQUIREMENTS OF ASTM E1300.
8. DOOR FRAME AND PANEL MATERIAL: PVC & ALUMINUM/WOOD THRESHOLD (REF: TEST REPORT ETC-06-255-16777 DATED 04/26/06)
9. DESIGNATIONS "X" AND "O" STAND FOR THE FOLLOWING:
 - X: OPERABLE PANEL
 - O: FIXED PANEL
10. A 1/3 INCREASE IN ALLOWABLE STRESS FOR WIND LOADS WAS NOT USED IN THE DESIGN OF THE PRODUCT SHOWN HEREIN. WIND LOAD DURATION FACTOR (Cd = 1.0) HAS BEEN USED FOR WOOD ANCHOR DESIGN.

INSTALLATION NOTES:

1. ONE (1) INSTALLATION ANCHOR IS REQUIRED AT EACH ANCHOR LOCATION SHOWN.
2. THE NUMBER OF INSTALLATION ANCHORS DEPICTED IS THE MINIMUM NUMBER OF ANCHORS TO BE USED FOR PRODUCT INSTALLATION. IN ADDITION TO THE INSTALLATION ANCHORS SHOWN, TWO (2) INSTALLATION ANCHORS ARE REQUIRED IN EACH HINGE. LOCATE HINGE ANCHORS IN THE OUTERMOST HOLES OF THE HINGE LEAF INTO THE HINGE JAMB. ANCHORS ARE TO MATCH TYPE, SIZE AND EMBEDMENT OF THOSE SHOWN HEREIN FOR RESPECTIVE SUBSTRATE.
3. SHIM AS REQUIRED AT EACH INSTALLATION ANCHOR WITH LOAD BEARING SHIMS. MAXIMUM ALLOWABLE SHIM SIZE IS 1/4 INCH. SHIM WHERE SPACE OF 1/16 INCH OR GREATER OCCURS. SHIM(S) SHALL BE CONSTRUCTED OF HIGH DENSITY PLASTIC OR BETTER.
4. FOR INSTALLATION INTO WOOD FRAMING, USE #10 WOOD SCREWS OF SUFFICIENT LENGTH TO ACHIEVE 1-1/2 INCH MINIMUM EMBEDMENT. MINIMUM EDGE DISTANCE IS 3/4 INCHES.
5. FOR INSTALLATION THROUGH 1X BUCK TO CONCRETE / MASONRY, OR DIRECTLY INTO CONCRETE / MASONRY, USE 3/16 INCH ITW TAPCONS OF SUFFICIENT LENGTH TO ACHIEVE 1-1/4 INCH MINIMUM EMBEDMENT AT HEAD & JAMBS & FOR SILL USE 1/4 INCH ITW TAPCON OF SUFFICIENT LENGTH TO ACHIEVE 1-1/4 INCH MINIMUM EMBEDMENT. MINIMUM EDGE DISTANCE IS 2-1/2 INCHES FOR THE 1/4 INCH ITW TAPCONS & 2-5/8 INCHES FOR THE 3/16 INCH ITW TAPCONS.
6. MINIMUM EMBEDMENT AND EDGE DISTANCE EXCLUDE WALL FINISHES (INCLUDING BUT NOT LIMITED TO STUCCO, FOAM, BRICK VENEER AND SIDING).
7. INSTALLATION ANCHORS AND ASSOCIATED HARDWARE MUST BE MADE OF CORROSION RESISTANT MATERIAL OR HAVE A CORROSION RESISTANT COATING.
8. FOR HOLLOW BLOCK AND GROUT FILLED BLOCK, DO NOT INSTALL INSTALLATION ANCHORS INTO MORTAR JOINTS. EDGE DISTANCE IS MEASURED FROM FREE EDGE OF BLOCK OR EDGE OF MORTAR JOINT INTO FACE SHELL OF BLOCK.
9. INSTALLATION ANCHORS SHALL BE INSTALLED IN ACCORDANCE WITH ANCHOR MANUFACTURER'S INSTALLATION INSTRUCTIONS AND ANCHORS SHALL NOT BE USED IN SUBSTRATES WITH STRENGTHS LESS THAN THE MINIMUM STRENGTH SPECIFIED BY THE ANCHOR MANUFACTURER.
10. INSTALLATION ANCHOR CAPACITIES FOR PRODUCTS HEREIN ARE BASED ON SUBSTRATE MATERIALS WITH THE FOLLOWING PROPERTIES:
 - A. WOOD - SOUTHERN YELLOW PINE - MINIMUM SPECIFIC GRAVITY OF 0.55
 - B. CONCRETE - MINIMUM COMPRESSIVE STRENGTH OF 3192 psi
 - C. MASONRY - STRENGTH CONFORMANCE TO ASTM C-90, GRADE N, TYPE 1 (OR GREATER)

TABLE OF CONTENTS		
SHEET	REV.	SHEET DESCRIPTION
1	B	GENERAL NOTES, INSTALLATION NOTES & D.P. CHART
2	B	ELEVATION & ANCHOR LAYOUT
3	B	ELEVATION & ANCHOR LAYOUT
4	B	ELEVATION & ANCHOR LAYOUT
5	B	ELEVATION & ANCHOR LAYOUT
6	B	ELEVATION & ANCHOR LAYOUT
7	B	VERTICAL SECTIONS
8	B	VERTICAL SECTIONS
9	B	VERTICAL SECTIONS
10	A	HORIZONTAL SECTIONS AND GLAZING DETAILS
11	A	HORIZONTAL SECTIONS
12	A	HORIZONTAL SECTIONS
13	A	HORIZONTAL SECTIONS
14	B	COMPONENTS AND CORNER DETAIL
15	---	CORNER SECTION & MULLION SECTIONS
16	B	BILL OF MATERIALS

DESIGN PRESSURE RATING (PSF)		IMPACT RATING
* WHERE WATER INFILTRATION REQUIREMENT IS NEEDED	WHERE WATER INFILTRATION REQUIREMENT IS NOT NEEDED	LARGE MISSILE IMPACT
±20.0 *	±50.0	

DOOR ASSEMBLIES INSTALLED WHERE THE OVERHANG RATIO IS EQUAL TO OR MORE THAN 1 NEED TO BE TESTED FOR WATER INFILTRATION PER FBC 1714.5.

Not on.

REV	DESCRIPTION	DATE	BY
B	PER MIAMI DADE COMMENTS 8/11/09	08/25/09	DO
A	PER MIAMI DADE COMMENTS 3/3/09	07/16/09	SMC

NAN YA PLASTICS
8989 NORTH LOOP EAST
HOUSTON, TX 77029

IMPACT GLAZED INSWING DOOR W & W/O SIDELITES
GENERAL NOTES, INSTALLATION NOTES & D.P. CHART

DATE: 12/10/08
DRAWING NO: NAN0014
SHEET: 1 OF 16

PREPARED BY: PTC, LLC
Phone 321.690.1788
Fax 321.690.1789

PROJECT #308-0742.22


Robert J. Amoroso
Florida P.E. No. 43752

PTC, LLC
1535 N. Cogswell Street, Suite C25
Rockledge, Florida 32955
FBPE Certificate of Authorization NO. 25935

Approved as complying with the Florida Building Code


Date: 08/12/09
By: [Signature]

Scale: 1/2" = 1'-0"



ELEVATION

EXTERIOR VIEW



ANCHOR LAYOUT

EXTERIOR VIEW

NOTES:

- 1) D.L.O. FOR DOOR PANELS:
 - A) DOOR PANEL W/ SMC SKIN MADE FROM ONE MOLD: 26-1/4" WIDE X 66" HIGH
 - B) DOOR PANEL W/ ODL INSERT: 20-1/2" WIDE X 62-1/2" HIGH

- 2) D.L.O. FOR SIDELITE PANELS:
 - A) SIDELITE PANEL W/ SMC SKIN MADE FROM ONE MOLD: 6-1/4" WIDE X 65-3/4" HIGH
 - B) SIDELITE PANEL W/ ODL INSERT: 5-1/2" WIDE X 62-1/2" HIGH

		SMC	BY
		08/25/09	DATE
B	PER MIAMI DADE COMMENTS 8/11/09	SMC	
A	PER MIAMI DADE COMMENTS 3/3/09	SMC	
REV	DESCRIPTION		

NAN YA PLASTICS
 8989 NORTH LOOP EAST
 HOUSTON, TX 77029

TITLE: IMPACT GLAZED INSWING DOOR W/ W/O SIDELITES
 ELEVATION & ANCHOR LAYOUT

PREPARED BY: **FPE**
 PTC, LLC
 Phone: 321.690.1788
 Fax: 321.690.1789

DATE: 12/10/08
 DRAWING NO: NAN0014
 SHEET: 2 OF 16

SCALE: N.T.S.
 DRAWN BY: CBIBB
 REV: B

PROJECT #308-0742.22

Robert J. Amoruso
 Florida P.E. No. 49752


Robert J. Amoruso

PTC, LLC
 1535 N. Cogswell Street, Suite C25
 Rockledge, Florida 32955


FBPE Certificate of Authorization NO. 25935

Approved as complying with the Florida Building Code
 Date: **SEP 23 2009**
 NC# **018-1227-06**
 Miami-Dade Product Control Division

By: *[Signature]*



ELEVATION
EXTERIOR VIEW



ANCHOR LAYOUT
EXTERIOR VIEW

		SMC	BY
		08/25/09	DATE
B	PER MIAMI DADE COMMENTS 8/11/09	SMC	
A	PER MIAMI DADE COMMENTS 3/3/09	SMC	
REV	DESCRIPTION		

NAN YA PLASTICS
8989 NORTH LOOP EAST
HOUSTON, TX 77029

TITLE: IMPACT GLAZED INSWING DOOR W & W/O SIDELITES
ELEVATION AND ANCHOR LAYOUT

PREPARED BY: CBIBB
SCALE: N.T.S.
REV: B

DATE: 12/10/08
DRAWING NO: NAN0014
SHEET: 3 OF 16

PIC LLC
Phone 321.690.1788
Fax 321.690.1788

PROJECT #308-0742.22


Robert J. Amoruso
Florida P.E. No. 49752

Robert J. Amoruso


PTC, LLC
1535 N. Cogswell Street, Suite C25
Rockledge, Florida 32955
FBPE Certificate of Authorization NO. 25935

Approved as complying with the
Florida Building Code
Date: *See tem per 23/2009*
NCA# *88-124-06*
Miami Code Product Control
Division *James*

By: *James*



ELEVATION
EXTERIOR VIEW



ANCHOR LAYOUT
EXTERIOR VIEW

		SMC	BY
		08/25/09	
B	PER MIAMI DADE COMMENTS 8/11/09		
A	PER MIAMI DADE COMMENTS 3/3/09	07/16/09	SMC
REV	DESCRIPTION	DATE	

NAN YA PLASTICS
8989 NORTH LOOP EAST
HOUSTON, TX 77029

TITLE: IMPACT GLAZED INSWING DOOR W & W/O SIDELITES
ELEVATION AND ANCHOR LAYOUT

DATE: 12/10/08
DRAWN BY: CBIBB
SCALE: N.T.S.
DRAWING NO: NAN0014
REV: B
SHEET: 4 OF 16

PREPARED BY: **PTC**
PTC, LLC
Phone 321.690.1788
Fax 321.690.1789


PROJECT #308-0742.22

Robert J. Amoroso
Florida P.E. No. 49752


Robert J. Amoroso

PTC, LLC
1535 N. Cogswell Street, Suite C25
Rockledge, Florida 32955
FBPE Certificate of Authorization NO. 25935

Approved as complying with the Florida Building Code
Date **Sept 23, 2009**
NOA# **08-1221-06**
Miami Dade Product Control Division
By *Jane...*



ELEVATION
EXTERIOR VIEW



ANCHOR LAYOUT
EXTERIOR VIEW

PROJECT #308-0742.22

Robert J. Amoroso
Florida P.E. No. 49752

Robert J. Amoroso

PTC, LLC
1535 N. Cogswell Street, Suite C25
Rockledge, Florida 32955

FBPE Certificate of Authorization NO. 25935

Approved as complying with the
Florida Building Code
Date **System 8/23/2009**
NOA# **08-1224-06**
Mineral Products Project Control
Division
By *[Signature]*

NAN YA PLASTICS
8989 NORTH LOOP EAST
HOUSTON, TX 77029

TITLE: IMPACT GLAZED INSWING DOOR W & W/O SIDELITES
ELEVATION AND ANCHOR LAYOUT

PREPARED BY: PTC, LLC

DRAWN BY: CBIBB

DATE: 12/10/08



SCALE: N.T.S.

DRAWING NO: NAN0014

REV: B

SHEET: 5 OF 16

REV	DESCRIPTION	DATE	BY
B	PER MIAMI DADE COMMENTS 8/11/09	08/25/09	SMC
A	PER MIAMI DADE COMMENTS 3/3/09	07/16/09	SMC



PER MIAMI DADE COMMENTS 8/11/09	SMC	08/25/09	BY
PER MIAMI DADE COMMENTS 3/3/09	SMC	07/16/09	DATE
	REV	DESCRIPTION	

NAN YA PLASTICS
8989 NORTH LOOP EAST
HOUSTON, TX 77029

TITLE: IMPACT GLAZED INSWING DOOR W & W/O SIDELITES
ELEVATION AND ANCHOR LAYOUT

PREPARED BY: PTC, LLC
1535 N. Cogswell Street, Suite C25
Rockledge, Florida 32955
Phone 321.650.1788
Fax 321.650.1789

DATE: 12/10/08
DRAWING NO.: NAN0014
SHEET: 6 OF 16

DATE: 08/25/09
BY: SMC





DATE: 07/16/09
BY: SMC

PROJECT #308-0742.22
Robert J. Amoroso
Florida P.E. No. 49752





Robert J. Amoroso

PTC, LLC
1535 N. Cogswell Street, Suite C25
Rockledge, Florida 32955
FBPE Certificate of Authorization NO. 25935


Approved as complying with the
Florida Building Code
Date: September 23, 2009
W.C.A. 08-1224-06
Minimum Data Product Control
By: *James G. ...*




PROJECT #C08-0742.22		NAN YA PLASTICS		DO	SMC	BY
Robert J. Amoroso Florida P.E. No. 49752		8989 NORTH LOOP EAST HOUSTON, TX 77029		08/25/09	07/16/09	DATE
TITLE: IMPACT GLAZED INSWING DOOR W & W/O SIDELITES		VERTICAL SECTIONS		PER MIAMI DADE COMMENTS 8/1/09	PER MIAMI DADE COMMENTS 3/3/09	DESCRIPTION
PREPARED BY: <i>W. Amoroso</i>		DRAWN BY: CBIBB		DATE: 12/10/08	REV: A	REV
PTC, LLC 1535 N. Cogswell Street, Suite C25 Rockledge, Florida 32955 Phone 321.890.1788 Fax 321.890.1788		SCALE: N.T.S.		DRAWING NO: NAN0014	REV: B	DATE
Approved as complying with the Florida Building Code Date <i>08-23-2009</i> NOA# <i>08-1224-061</i> Miami-Dade Product Control Division <i>Juan Jose</i>		FBPE Certificate of Authorization NO. 25835		SHEET: 7 OF 16		




NAN YA PLASTICS 8989 NORTH LOOP EAST HOUSTON, TX 77029		DATE: 12/10/08 DRAWING NO: NAN0014 SHEET: 8 OF 16
TITLE: IMPACT GLAZED INSURING DOOR W & W/O SIDELITES VERTICAL SECTIONS		DRAWN BY: CBIBB SCALE: N.T.S. REV: B
PROJECT #308-0742.22 Robert J. Amoroso Florida P.E. No. 49752		PREPARED BY: PTC, LLC Phone 321.690.1788 Fax 321.690.1789
Approved as complying with the Florida Building Code Date: 08/23/2009 NOA# 088-1224.067 Miami-Dade Product Control Division By:		PER MIAMI DADE COMMENTS 8/11/09 PER MIAMI DADE COMMENTS 3/3/09 DO: 08/25/09 SMC: 07/16/09 BY: DATE DESCRIPTION




K VERTICAL SECTION
CONCRETE / MASONRY SUBSTRATE
ODL SIDELITE PANEL @ HEAD



H VERTICAL SECTION
CONCRETE SUBSTRATE
ODL SIDELITE PANEL @ SILL



I VERTICAL SECTION
WOOD FRAME SUBSTRATE
STANDARD SIDELITE PANEL @ HEAD



L VERTICAL SECTION
WOOD FRAME SUBSTRATE
ODL SIDELITE PANEL @ HEAD

	DO	SMC	BY
	08/25/09	07/16/09	DATE
B	PER MIAMI DADE COMMENTS 8/11/09	PER MIAMI DADE COMMENTS 3/3/09	DESCRIPTION
A			
REV			

NAN YA PLASTICS
8989 NORTH LOOP EAST
HOUSTON, TX 77029

IMPACT GLAZED INSWING DOOR W & W/O SIDELITES
VERTICAL SECTIONS

DATE: 12/10/08
DRAWING NO: NAN0014
SHEET: 9 OF 16

DRAWN BY: CB/BB
SCALE: N.T.S.
REV: B

PREPARED BY:
FBPE
P.T.C., LLC
Phone 321.690.1788
Fax 321.690.1789

PROJECT #308-0742.22

Robert J. Amoruso
Florida P.E. No. 49752


Robert J. Amoruso

P.T.C., LLC
1535 N. Cogswell Street, Suite C25
Rockledge, Florida 32955
FBPE Certificate of Authorization NO. 25935

Approved as complying with the
Florida Building Code

Date: September 23, 2009
NOA# 08-1224-06


Division
by *Jane Price*




M HORIZONTAL SECTION
WOOD FRAME SUBSTRATE
STANDARD SIDELITE PANEL @ JAMB

R HORIZONTAL SECTION
MULLION
STANDARD DOOR & SIDELITE PANELS


S HORIZONTAL SECTION
ASTRAGAL
STANDARD DOOR PANELS



GLAZING DETAIL 1




GLAZING DETAIL 2



N HORIZONTAL SECTION
CONCRETE / MASONRY SUBSTRATE
STANDARD SIDELITE PANEL @ JAMB


<p>NAN YA PLASTICS 8989 NORTH LOOP EAST HOUSTON, TX 77029</p>		<p>DATE: 12/10/08 DRAWING NO: NAN0014 SHEET: 10 OF 16</p>	<p>REV: A DESCRIPTION: PER MIAMI DADE COMMENTS 3/3/09 DATE: 07/16/09 BY: SMC</p>
<p>TITLE: IMPACT GLAZED INSWING DOOR W & W/O SIDELITES HORIZONTAL SECTIONS AND GLAZING DETAILS</p>		<p>PREPARED BY: PTC, LLC Phone: 800.1788 Fax: 321.690.1789</p>	<p>PROJECT #308-0742.22 Robert J. Amoroso Florida P.E. No. 49752</p>
<p>Approved as complying with the Florida Building Code Date: September 23, 2009 NOA: SB-1224.06 Miami Dade Product Control Division: <i>[Signature]</i></p>		<p>PTC, LLC 1535 N. Cogswell Street, Suite C25 Rockledge, Florida 32955 FBPE Certificate of Authorization NO. 25935</p>	




O HORIZONTAL SECTION
WOOD FRAME SUBSTRATE
ODL SIDELITE PANEL

Q HORIZONTAL SECTION
MULLION
ODL SIDELITE & DOOR PANELS

T HORIZONTAL SECTION
ASTRAGAL
ODL DOOR PANELS



Z HORIZONTAL SECTION
MULLION
ODL DOOR & SIDELITE PANELS



P HORIZONTAL SECTION
CONCRETE / MASONRY SUBSTRATE
ODL SIDELITE PANEL @ JAMB

DATE	07/16/09	BY	SMC
DESCRIPTION	PER MIAMI DADE COMMENTS 3/3/09	REV	A

NAN YA PLASTICS
8989 NORTH LOOP EAST
HOUSTON, TX 77029

IMPACT GLAZED INSWING DOOR W & W/O SIDELITES HORIZONTAL SECTIONS

DATE: 12/10/08
DRAWING NO: NAN0014
SHEET: 11 OF 16

DRAWN BY: CB1BB
SCALE: N.T.S.
REV: A

PREPARED BY:
FIE
PTC, LLC
Phone 321.690.1788
Fax 321.690.1789

PROJECT #308-0742.22

Robert C. Amoroso
Florida P.E. No. 49752

Robert C. Amoroso

PTC, LLC
1535 N. Cogswell Street, Suite C25
Rockledge, Florida 32955

FBPE Certificate of Authorization NO. 25835





Approved as complying with the Florida Building Code

Date: *08/19/09* Per *23/2009*


NOA# *08-1224.06*

Miami Dade Product Control


By: *Juan C...*




<p>NAN YA PLASTICS 8989 NORTH LOOP EAST HOUSTON, TX 77029</p>		<p>DATE: 12/10/08 DRAWING NO: NAN0014 SHEET: 12 OF 16</p>	<p>PER MIAMI DADE COMMENTS 3/3/09 DATE: 07/16/09 BY: SMC</p>
<p>TITLE: IMPACT GLAZED INSURING DOOR W & W/O SIDELITES HORIZONTAL SECTIONS</p>		<p>PREPARED BY: CBIBB SCALE: N.T.S. REV: A</p>	<p>DESCRIPTION</p>
<p>PROJECT #308-0742.22 Robert J. Amoroso Florida P.E. No. 49752</p>		<p>PTC, LLC 1535 N. Cogswell Street, Suite C25 Rockledge, Florida 32955 Phone 321.690.1788 Fax 321.690.1789</p>	<p>Approved as complying with the Florida Building Code Date: September 23, 2009 NOA# 08-1224.06 Miami-Dade Product Control Division By: <i>[Signature]</i></p>




EE HORIZONTAL SECTION
 CONCRETE / MASONRY SUBSTRATE
 STANDARD DOOR PANEL @ JAMB



FF HORIZONTAL SECTION
 CONCRETE / MASONRY SUBSTRATE
 ODL DOOR PANEL @ JAMB



HH HORIZONTAL SECTION
 WOOD FRAME SUBSTRATE
 STANDARD DOOR PANEL @ JAMB



GG HORIZONTAL SECTION
 WOOD FRAME SUBSTRATE
 ODL DOOR PANEL @ JAMB

REV	DESCRIPTION	DATE	BY
A	PER MIAMI DADE COMMENTS 3/3/09	07/16/09	SMC

NAN YA PLASTICS
 8989 NORTH LOOP EAST
 HOUSTON, TX 77029

TITLE: **IMPACT GLAZED INSWING DOOR W & W/O SIDELITES**
 HORIZONTAL SECTIONS

PREPARED BY: PTC, LLC
 Phone 321.690.1788
 Fax 321.690.1789

DATE: 12/10/08
 DRAWING NO: NAN0014
 SCALE: N.T.S.
 SHEET: 13 OF 16

PROJECT #308-0742.22

Robert J. Amoroso
 Florida P.E. No. 49752


Robert J. Amoroso

PTC, LLC
 1535 N. Cogswell Street, Suite C25
 Rockledge, Florida 32955
 FBPE Certificate of Authorization NO. 25935


Approved as complying with the Florida Building Code
 Date: September 23, 2009
 NOA# 08-12573-06
 Miami Dade Product Control Division

Janet...


① **1 7/32" STILE**
FOAM PVC
Ⓞ Fy MIN. = 6,000 PSI




② **5/8" STILE**
FOAM PVC
Ⓞ Fy MIN. = 6,000 PSI




③ **TOP / BOTTOM RAIL**
FOAM PVC
Ⓞ Fy MIN. = 6,000 PSI




⑤ **4 9/16" HEAD, JAMB (B FRAME)**
PVC COMPONENT
Ⓞ Fy MIN. = 6,000 PSI




⑥ **1" GLAZING BEAD**
PVC
Ⓞ Fy MIN. = 11,000 PSI




⑦ **ENDURA 4 9/16" INSWING SILL**
Ⓞ ALUMINUM & PVC




⑫ **4" X 4" HINGE**
STEEL




⑬ **ENDURA DOOR BOTTOM SWEEP**
RIGID PVC CO-EX




⑧ ⑨ **ENDURA 4 9/16" INSWING SILL W/ SIDELITE**
Ⓞ ALUMINUM & PVC




⑩ **ENDURA 4 3/8" FATBOY MULLION**
PINE WOOD




⑪ **Q-LON 650 WEATHERSTRIPPER**
FOAM POLYURETHANE, PE FILM




⑰ **25/32" REIN. WOOD-A**
WHITE PINE
Ⓞ SPECIFIC GRAVITY=0.40




⑭ **CORNER PAD**
FOAM SILICONE, PE FILM




⑬ **KEEPER**
STEEL




⑳ **STRIKE SUPPORT COVER**
PVC




④④ **UPPER BOLT**
ABS / 1010




⑲ **1 7/8" REIN. WOOD-C**
WHITE PINE
Ⓞ SPECIFIC GRAVITY=0.40




⑳ **REINFORCING WOOD-D**
WHITE PINE
Ⓞ SPECIFIC GRAVITY=0.40




㉑ **ASTRALGAL BODY**
ALUMINUM (6063-T6)




④① **INTERIOR SIDELITE STILE SKIN**




⑮ **ODL HURRICANE LIGHT FRAME SYSTEM**
ALUMINUM, DOW 995
#10 X 1 3/4" STEEL SCREWS, PLUG
Ⓞ (N.O.A.# 07-0214.07)




③⑨ **EXTERIOR SIDELITE STILE SKIN**




②④ **INTERIOR TOP RAIL SKIN**
FIBERGLASS SKIN
Ⓞ Fy MIN. = 11,000 PSI




⑱ **INTERIOR BOTTOM RAIL SKIN**
FIBERGLASS SKIN
Ⓞ Fy MIN. = 11,000 PSI




⑱ **EXTERIOR BOTTOM RAIL SKIN**
FIBERGLASS SKIN
Ⓞ Fy MIN. = 11,000 PSI




⑲ **INTERIOR DOOR STILE SKIN**
FIBERGLASS SKIN
Ⓞ Fy MIN. = 11,000 PSI




⑲ **EXTERIOR DOOR STILE SKIN**
FIBERGLASS SKIN
Ⓞ Fy MIN. = 11,000 PSI



⑲ **EXTERIOR TOP RAIL SKIN**
FIBERGLASS SKIN
Ⓞ Fy MIN. = 11,000 PSI




④⑤ **BOLT COVER**
PVC



**FRAME SILL & JAMB
DETAIL 4**

EXTERIOR



INTERIOR

NAN YA PLASTICS
8989 NORTH LOOP EAST
HOUSTON, TX 77029

TITLE: **IMPACT GLAZED INSWING DOOR W/ W/O SIDELITES COMPONENTS AND CORNER DETAIL**

DATE: 12/10/08
DRAWING NO: NAN0014
SHEET: 14 OF 16
DRAWN BY: CB/BB
SCALE: N.T.S.
REV: B



PTC, LLC
Phone 321.690.1788
Fax 321.690.1789

PROJECT #308-0742.22
Robert J. Amoroso
Florida P.E. No. 49752


Robert J. Amoroso
PTC, LLC
1595 N. Cogswell Street, Suite C25
Rockledge, Florida 32955
FBPE Certificate of Authorization NO. 28935

Approved as complying with the
Florida Building Code
Date: **September 23, 2009**
NO. **08-1224-06**
Miami Dade Product Control
Division


Robert J. Amoroso

DO	08/25/09	SMC	BY
PER MIAMI DADE COMMENTS 8/11/09		PER MIAMI DADE COMMENTS 3/3/09	DATE
B	A	REV	DESCRIPTION


**FRAME HEAD & JAMB
DETAIL 3**



**FRAME HEAD & MULLION
DETAIL 1**



**SIDELITE SILL & MULLION
DETAIL 2**



PROJECT #308-0742.22

Robert J. Amoroso
Florida P.E. No. 49752

Walter E. Amoroso

PTC, LLC
1535 N. Cogswell Street, Suite C25
Rockledge, Florida 32955
FBPE Certificate of Authorization NO. 25935

Approved as complying with the
Florida Building Code
Date: **September 23, 2009**
NOA# **08-1224-66**
Miami-Dade Product Control
Division
By: *Jane...*

NAN YA PLASTICS
8989 NORTH LOOP EAST
HOUSTON, TX 77029
TITLE: IMPACT GLAZED INSWING DOOR W & W/O SIDELITES
CORNER SECTIONS

PREPARED BY: PTC, LLC
DRAWN BY: CBIBB
SCALE: N.T.S.
REV: -



Phone: 321.690.1788
Fax: 321.690.1789

DATE: 12/10/08
DRAWING NO: NAN0014
SHEET: 15 OF 16

REV	DESCRIPTION	DATE	BY

BILL OF MATERIALS

ITEM #	PART #	DESCRIPTION	MATERIAL	MANUFACTURER
1		1 7/32" STILE	FOAM PVC @Fy MIN. = 6,000 PSI	NAN YA
2		5/8" STILE	FOAM PVC @Fy MIN. = 6,000 PSI	NAN YA
3		1 3/4 TOP / BOTTOM RAIL	FOAM PVC @Fy MIN. = 6,000 PSI	NAN YA
5		4 9/16" FRAME HEAD / JAMB (B FRAME)	PVC COMPONENT @Fy MIN. = 6,000 PSI	NAN YA
6		1" GLAZING BEAD	RIGID PVC @Fy MIN. = 6,000 PSI	NAN YA
7		ENDURA 4 9/16" INSWING SILL SITTING ON 3 KSI (MIN.) GROUT ⊙	ALUMINUM (6063-T5), PVC COMPONENT	ENDURA
8		ENDURA 4 9/16" INSWING SIDELITE BASE	RIGID PVC CO-EX @Fy MIN. = 6,000 PSI	ENDURA
9		ENDURA 4 9/16" INSWING SILL (SIDELITE) SITTING ON 3 KSI (MIN.) GROUT ⊙	ALUMINUM (6063-T5), PVC COMPONENT	ENDURA
10		ENDURA 4 3/8" FATBOY MULLION	PINE WOOD	ENDURA
11		WEATHERSTRIPPER Q-LON 650	FOAM SILICONE, PE FILM	Q-LON
12		4" X 4" BUTT HINGE	STEEL	----
13		ENDURA DOOR BOTTOM SWEEP	RIGID PVC CO-EX	ENDURA
14		CORNER PAD (NOT SHOWN)	FOAM SILICONE, PE FILM	----
⊙15		ODL HURRICANE LIGHT FRAME SYSTEM (N.O.A.# 07-0214.07)	SEE COMPONENTS SHEET	ODL
16		SMC 14P SKIN + 0.0175" FIBERGLASS CLOTH (BOTTOM RAIL-EXTERIOR)	FIBERGLASS SKIN @Fy MIN. = 11,000 PSI	NAN YA
17		25/32" REINFORCEMENT WOOD - A	WHITE PINE @G=0.40	----
18		SMC 14P SKIN + 0.0175" FIBERGLASS CLOTH (BOTTOM RAIL-INTERIOR)	FIBERGLASS SKIN @Fy MIN. = 11,000 PSI	NAN YA
19		1 7/8" REINFORCEMENT WOOD - C	WHITE PINE @G=0.40	----
20		2 11/32" REINFORCEMENT WOOD - D	WHITE PINE OF 20" LOCK STILE @G=0.40	----
21		ENDURA HURRICANE ASTRAGAL ⊙	ALUMINUM (6063-T6)	ENDURA
22		FOAM PHENOLIC	PHONOLIC FOAM	----
23		SMC 14P SKIN + 0.0175" FIBERGLASS CLOTH (TOP RAIL-EXTERIOR)	FIBERGLASS SKIN @Fy MIN. = 11,000 PSI	NAN YA
24		SMC 14P SKIN + 0.0175" FIBERGLASS CLOTH (TOP RAIL-INTERIOR)	FIBERGLASS SKIN @Fy MIN. = 11,000 PSI	NAN YA
25		SMC S00P SKIN + 0.0175" FIBERGLASS CLOTH	FIBERGLASS SKIN @Fy MIN. = 11,000 PSI	NAN YA
26		NOT USED	STEEL	ENDURA
27		SMC 14P SKIN + 0.0175" FIBERGLASS CLOTH (STILE-EXTERIOR)	FIBERGLASS SKIN @Fy MIN. = 11,000 PSI	NAN YA
⊙28		ASTRAGAL SNAP COVER	ALUMINUM (6063-T6) @Fy MIN. = 11,000 PSI	ENDURA
29		SMC 14P SKIN + 0.0175" FIBERGLASS CLOTH (STILE-INTERIOR)	FIBERGLASS SKIN @Fy MIN. = 11,000 PSI	NAN YA
30		#10 X 3" PHILLIPS SQUARE DRIVE SCREWS	STEEL	----
31		#10 X 2 1/2" PHILLIPS FLAT HEAD	STEEL	----
32		#10 X 2" PHILLIPS FLAT HEAD	STEEL	----
33		#10 X 1 1/2" PHILLIPS FLAT HEAD	STEEL	----
34		#8 X 1" PHILLIPS FLAT HEAD	STEEL	----
35		#10 WOOD SCREW INSTALLATION ANCHOR	STEEL	----
36		1/4" ITW TAPCON SCREW INSTALLATION ANCHOR	STEEL	ITW
37	⊙	1" OVER ALL INSULATING GLASS UNIT CONSISTING OF: 1/8" DOUBLE STRENGTH TEMPERED GLASS, 0.555" AIR SPACE, 1/8" ANNEALED GLASS/ 0.090" SOLUTIA PVB INTERLAYER/ 1/8" ANNEALED GLASS/ BY CARDINAL	GLASS	CARDINAL
38		3/16" ITW TAPCON SCREW INSTALLATION ANCHOR	STEEL	ITW
39		SMC 14P SKIN + 0.0175" FIBERGLASS CLOTH (SIDELITE STILE -EXTERIOR)	FIBERGLASS SKIN @Fy MIN. = 11,000 PSI	NAN YA
40		SMC 14P SKIN + 0.0175" FIBERGLASS CLOTH (SIDELITE STILE-INTERIOR)	FIBERGLASS SKIN @Fy MIN. = 11,000 PSI	NAN YA
41		KWIKSET LATCHBOLT/ KNOB	----	KWIKSET
42		KWIKSET DEADBOLT	----	KWIKSET
43		KWIKSET STRIKE PLATE	----	KWIKSET
⊙44		UPPER BOLT	ABS / 1010	ENDURA
⊙45		BOLT COVER	PVC	ENDURA

		DO	SMC	BY
		08/25/09	07/16/09	DATE
	PER MIAMI DADE COMMENTS 8/11/09		PER MIAMI DADE COMMENTS 3/3/09	DESCRIPTION
B	A	REV		

NAN YA PLASTICS
8989 NORTH LOOP EAST
HOUSTON, TX 77029

TITLE: IMPACT GLAZED INSWING DOOR W/ W/O SIDELITES
BILL OF MATERIALS

DRAWN BY: CBIBB	DATE: 12/10/08
SCALE: N.T.S.	DRAWING NO: NAN0014
REV: B	SHEET: 16 OF 16


FPE
PTC, LLC
Phone 321.690.1788
Fax 321.690.1789

PROJECT #308-0742.22

Robert J. Amoruso
Florida P.E. No. 49752


Robert J. Amoruso
PTC, LLC
1535 N. Cogswell Street, Suite C25
Rockledge, Florida 32955
FBPE Certificate of Authorization NO. 25935

Approved as complying with the Florida Building Code
Date: September 23, 2009
10:41 AM '09
08-1224-06
Miami-Dade Product Control
[Signature]



ELEVATION

EXTERIOR VIEW



ANCHOR LAYOUT

EXTERIOR VIEW

NOTES:

- 1) D.L.O. FOR DOOR PANELS:
 - A) DOOR PANEL W/ SMC SKIN MADE FROM ONE MOLD: 26-1/4" WIDE X 66" HIGH
 - B) DOOR PANEL W/ ODL INSERT: 20-1/2" WIDE X 62-1/2" HIGH

- 2) D.L.O. FOR SIDELITE PANELS:
 - A) SIDELITE PANEL W/ SMC SKIN MADE FROM ONE MOLD: 6-1/4" WIDE X 65-3/4" HIGH
 - B) SIDELITE PANEL W/ ODL INSERT: 5-1/2" WIDE X 62-1/2" HIGH

		SMC	BY
		08/25/09	DATE
B	PER MIAMI DADE COMMENTS 8/11/09		DESCRIPTION
A	PER MIAMI DADE COMMENTS 3/3/09	SMC	

NAN YA PLASTICS
 8989 NORTH LOOP EAST
 HOUSTON, TX 77029

TITLE: IMPACT GLAZED INSWING DOOR W/ W/O SIDELITES
 ELEVATION & ANCHOR LAYOUT

PREPARED BY: **FPE**
 PTC, LLC
 Phone: 321.690.1788
 Fax: 321.690.1789

DATE: 12/10/08
 DRAWING NO: NAN0014
 SHEET: 2 OF 16

PROJECT #308-0742.22

Robert J. Amoruso
 Florida P.E. No. 49752

Robert J. Amoruso

PTC, LLC
 1535 N. Cogswell Street, Suite C25
 Rockledge, Florida 32955

FBPE Certificate of Authorization NO. 25935

Approved as complying with the Florida Building Code
 Date: SEP 23 2009
 NCAs: 1227.06
 Division: Product Control
 By: *[Signature]*