



MIAMI-DADE COUNTY
BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 372-6339

NOTICE OF ACCEPTANCE (NOA)

www.miamidade.gov/buildingcode

Solutia Inc.
730 Worcester Street
Springfield, MA 01151

SCOPE: This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Solutia Interlayers for Laminated Glass

APPROVAL DOCUMENT: Drawing No. 1291, titled "Solutia Interlayers for Laminated Glass," sheet 1 of 1, dated 01/14/04, with revision dated 01/12/09, prepared by W.W. Schaefer Engineering & Consulting, P.A., Inc. signed and sealed by Warren W. Schaefer, P.E., bearing the Miami-Dade County Product Control renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: None

LABELING: Glass laminated under this product approval shall be permanently marked in a corner of the glass with: a) Solutia, b) Authorized laminator's name, c) M.D.C.A., that stands for Miami Dade County Approved and d) Markings required by federal law for safety glazing.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA **renews NOA # 03-0827.08** and consists of this page 1 and evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Carlos M. Utrera, P.E.**



[Handwritten Signature]
2/25/09

NOA No. 09-0127.13
Expiration Date: March 4, 2014
Approval Date: March 4, 2009
Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Drawing No. 1291, titled "Solutia Interlayers for Laminated Glass," sheet 1 of 1, dated 01/14/04, with revision dated 01/12/09, prepared by W.W. Schaefer Engineering & Consulting, P.A., Inc. signed and sealed by Warren W. Schaefer, P.E.

B. TESTS

1. Test reports listed on the NOA No. **06-0216.06**, **08-0206.01** and **08-0520.08**.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami Dade Building Code Compliance Office (BCCO)

E. MATERIAL CERTIFICATIONS

1. Saflex IIIIG Product Control Notice of Acceptance No. **06-0216.06**, issued to Solutia Inc. on 05/04/06 and expiring on 05/21/11.
2. Saflex HP Product Control Notice of Acceptance No. **08-0206.01**, issued to Solutia Inc. on 04/17/08 and expiring on 04/14/13.
3. Vanceva Composites Product Control Notice of Acceptance No. **08-0520.08**, issued to Solutia Inc. on 07/17/08 and expiring on 12/11/13.

F. STATEMENTS


1. No change letter issued by Solutia Inc., dated 01/12/09, signed by Julia C. Schimmelpenninck.

"Submitted under NOA # 03-0827.08"

2. Letter listing NOA No. **03-0421.01**, **03-0421.02** and **03-0415.13**.

G. OTHER

1. Notice of Acceptance No. **03-0827.08**, issued to Solutia Inc., approved on 03/04/04 and expiring on 03/04/09.



2/25/09


Carlos M. Utrera, P.E.
Product Control Examiner
NOA No. 09-0127.13

Expiration Date: March 4, 2014
Approval Date: March 4, 2009

SOLUTIA INTERLAYERS

PRODUCT DESCRIPTION

A B:1-4 C



SECTION

MANUFACTURED BY: SOLUTIA INC.
 DESCRIPTION: SOLUTIA INTERLAYERS ARE CLEAR OR COLORED PLASTICIZED POLYVINYL BUTYRAL INTERLAYERS WITH A POLYETHYLENE TERATHALATE CLEAR, COLORED OR PATTERNED CORE FOR LAMINATION BETWEEN TWO OR MORE LITES OF GLASS. A TYPICAL GLAZING IS MADE OF THE FOLLOWING COMPONENTS (MINIMUM THICKNESS INDICATED - MULTIPLE LAYERS OF INTERLAYER TO BE USED AS NECESSARY):

A - 2.3 mm (3/32")	ANNEALED GLASS
B1 - 0.38 mm (0.015")	SAFLEX® IIIIG, SAFLEX® HP, VANCEVA™ AND/OR VANCEVA™ COMPOSITE INTERLAYERS
B2 - 0.38 mm (0.015")	SAFLEX® IIIIG, SAFLEX® HP OR VANCEVA™ COMPOSITE INTERLAYERS
B3 - 0.38 mm (0.015")	SAFLEX® IIIIG, SAFLEX® HP OR VANCEVA™ COMPOSITE INTERLAYERS
B4 - 0.38 mm (0.015")	SAFLEX® IIIIG, SAFLEX® HP OR VANCEVA™ COMPOSITE INTERLAYERS
C - 2.3 mm (3/32")	ANNEALED GLASS

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No 09-0127-13
 Expiration Date 03/04/2014
 By *[Signature]*
 Miami Dade Product Control
 Division

PRODUCT PROPERTIES

INTERLAYER PROPERTIES ARE DESCRIBED AND APPROVED ON INDIVIDUAL PRODUCT NOA DOCUMENTS. THE FOLLOWING INTERLAYERS AND THEIR COMBINATIONS ARE COVERED UNDER THIS NOA:

TITLE	NOA	EXPIRATION DATE
SAFLEX IIIIG	06-0216.06	05/21/2011
SAFLEX HP	08-0206.01	04/14/2013
VANCEVA COMPOSITES	08-0520.08	12/11/2013

SOLUTIA INTERLAYERS BY THEMSELVES (UNPROTECTED) DO NOT COMPLY WITH THE FLORIDA BUILDING CODE.

®SAFLEX IS A REGISTERED TRADEMARK OF SOLUTIA INC.

™VANCEVA IS A TRADEMARK OF SOLUTIA INC.

VANCEVA™ AND/OR SAFLEX® BRAND INTERLAYERS ARE ALSO KNOWN AS: AA THROUGH AZ, CA THROUGH CZ, DA THROUGH DZ, HA THROUGH HZ, LA THROUGH LZ, MA THROUGH MZ, NA THROUGH NZ, RA THROUGH RZ, SA THROUGH SZ, AND/OR VA THROUGH VZ. EACH DESIGNATION IS FOLLOWED BY A TWO CHARACTER CODE "XX" DESIGNATING GAUGE AND TYPE OF INTERLAYER (e.g.: CL41, RB41, NA71, DPF8, VS02).

THIS IS A COMPONENT APPROVAL AND DOES NOT INCLUDE AN EVALUATION OF STRUCTURAL PERFORMANCE OF THIS COMPONENT. SYSTEMS INCORPORATING THIS COMPONENT SHALL APPLY FOR AN NOA TO THE MIAMI-DADE PRODUCT CONTROL DIVISION AND SHALL SUBMIT TEST REPORTS AND OTHER REQUIRED DOCUMENTS SHOWING THAT THE SYSTEMS USING THIS COMPONENT WILL RESIST THE LOADS ACCORDING TO CHAPTER 16 OF THE F.B.C. A LIST OF AUTHORIZED LAMINATORS SHALL BE FILED WITH DADE COUNTY BY SOLUTIA INC.

A	UPDATED PROPERTIES NOA #'S	01/12/09
REV. #	DESCRIPTION	DATE

JAN 12 2009

WARREN W. SCHAEFER, P.E.
 STRUCTURAL ENGINEER
 P.E. NO. 44135

W. W. SCHAEFER ENGINEERING & CONSULTING, P.A.
 STRUCTURAL CONSULTING ENGINEERS
 8895 N. MILITARY TRAIL, SUITE C-204
 PALM BEACH GARDENS, FL 33410
 PNONE: 561-775-4902

SOLUTIA, INC.

730 WORCESTER STREET
 SPRINGFIELD, MA 01151
 PHONE: 508-867-3029; FAX: 508-861-0127

TITLE:

**SOLUTIA INTERLAYERS
 FOR LAMINATED GLASS**

DRAWING NO. 1291	DRAWN BY: K.P.S.	DRAWING DATE: 01/14/04	SHEET NO. 1 OF 1
---------------------	---------------------	---------------------------	---------------------