



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 372-6339**

NOTICE OF ACCEPTANCE (NOA)

www.miamidadade.gov/buildingcode

**Korus USA, Inc.
1959 Tigertail Blvd.
Dania Beach, FL 33304**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "Firenze – Venezia – Roma" Outswing Aluminum Casement Window – L.M.I.

APPROVAL DOCUMENT: Drawing No. **W07-70**, titled "Firenze – Venezia - Roma Alum. Casement Wdw. (L.M.I.)", sheets 1 through 10 of 10, dated 09/13/07, with revision B dated 05/19/09, prepared by Al-Farooq Corporation, signed and sealed by Arshad Viqar, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA **revises NOA # 07-1029.03** and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by **Manuel Perez, P.E.**



**NOA No. 09-0128.11
Expiration Date: December 27, 2012
Approval Date: July 1, 2009
Page 1**

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Manufacturer's die drawings and sections.
2. Drawing No **W07-70**, Sheets 1 through 10 of 10, titled "Firenze – Venezia - Roma Alum. Casement Wdw. (L.M.I.)", dated 09/13/07, with revision B dated 05/19/09, prepared by Al-Farooq Corporation, signed and sealed by Arshad Viqar, P.E.

B. TESTS

1. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
3) Water Resistance Test, per FBC, TAS 202-94
4) Large Missile Impact Test per FBC, TAS 201-94
5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
6) Forced Entry Test, per ASTM F588, FBC, TAS 202-94

along with marked-up drawings and installation diagram of aluminum venting and stationary casement windows, **specimens #3, #4, #6A & #6B**, prepared by Hurricane test Laboratory LLC, Test Reports No. **HTL-0458-0108-07** and **HTL-0458-0604-07**, dated 1/9/07 to 6/13/07, signed and sealed by Vinu J. Abraham, P.E.

(Submitted under previous NOA#07-1029.03)

C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with FBC-2004 and 2007, prepared by Al-Farooq Corporation, dated 12/18/08, signed and sealed by Humayoun Farooq, P.E.

Complies with ASTM E1300-02/04

D. QUALITY ASSURANCE

1. Miami Dade Building Code Compliance Office (BCCO).

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **09-0312.03** issued to E.I. DuPont DeNemours & Co., Inc. for their "**DuPont Sentry Glass® Interlayer**" dated 05/13/09, expiring on 01/14/12.
2. Notice of Acceptance No. **08-0520.08** issued to Solutia Inc. for their "**Vanceva Composites Glass Interlayer**" dated 7/17/08, expiring on 12/11/13.



Manuel Perez, P.E.
Product Control Examiner
NOA No. 09-0128.11

Expiration Date: December 27, 2012

Approval Date: July 1, 2009

Korus USA, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED


F. STATEMENTS

1. Statement letter of conformance, dated May 20, 2009, signed and sealed by Arshad Viqar, P.E.
2. Statement letter of no financial interest, dated May 20, 2009, signed and sealed by Arshad Viqar, P.E.
3. Letter of *Adoption of as his Own, the Work of Another Engineer* per Section 61G15-27 of the FBPE, dated May 21, 2009 signed and sealed by Arshad Viqar, P.E.


G. OTHERS

1. Notice of Acceptance No. **07-1029.03**, issued to Korus USA, Inc. for their Series Firenze – Venezia – Roma Outswing Aluminum Casement Window – L.M.I., approved on 12/27/07 and expiring on 12/27/12.



Manuel Perez, P.E.
Product Control Examiner
NOA No. 09-0128.11
Expiration Date: December 27, 2012
Approval Date: July 1, 2009



VENTING (X)



STATIONARY (O)



DOUBLE (XX)

TYPICAL ELEVATIONS

FIRENZE-VENEZIA-ROMA
ALUMINUM CASEMENT WINDOW

DESIGN LOAD RATINGS FOR THESE WINDOWS TO BE AS PER CHARTS SHOWN ON SHEET 3.

APPROVAL APPLIES TO SINGLE, DOUBLE OR TRIPLE WINDOWS IN ANY COMBINATIONS OF VENTING OR STATIONARY UNITS.

ALSO COMBINATIONS OF CASMT/CASMT OR CASMT WITH OTHER WINDOW TYPES IN MODULES OF TWO OR MORE WINDOWS USING MIAMI-DADE COUNTY APPROVED MULLIONS IN BETWEEN.

LOWER DESIGN PRESSURE FROM WINDOWS OR MULLION APPROVAL WILL APPLY TO ENTIRE SYSTEM.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 2004/2007 EDITION INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.

ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS, ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF 2004/2007 FLORIDA BLDG. CODE SECTION 2003.8.4.

THESE WINDOWS ARE RATED FOR LARGE & SMALL MISSILE IMPACT. SHUTTERS ARE NOT REQUIRED.

Engr: ARSHAD VIQAR
CIVIL
FLA. PE # 38863
C.A.N. 3538

JUN 30 2009

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 09-0128-11
Expiration Date DEC. 21, 2012

By: *Mamun Karim*
Miami-Dade Product Control
Division

afC

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W07-70KUI

FIRENZE-VENEZIA-ROMA ALUM CASEMENT WDW. (L.M.I.)

KORUS USA INC.
1959 TIGERTAIL BLVD.
DANIA BEACH, FL. 33304
TEL. (954) 888-9370 FAX. (954) 888-9371

no	date	by	description
A	11.10.08		UPDATED FOR 2007 FBC
B	05.19.09		REV. PER BCCO COMMENTS

date: 09-13-07
scale: 1/2"=1'-0"
dr. by: HAMID
chk. by:

drawing no. **W07-70**
sheet 1 of 10

SEALANTS:


VENT CORNERS SEALED WITH DOW CORNING 899 SEALANT.

HINGES:


(3) PER OPERATING VENT EQUALLY SPACED,
EACH HASP FASTENED TO VENT AND FRAME WITH (2) #14 X 3/8" SMS

LOCKS:

10 POINT LOCK ASSEMBLY BY SIEGENIA WITH ADJACENT KEEPERS
(3) KEEPERS AT HEAD
(3) KEEPERS AT SILL
(4) KEEPERS AT JAMB
EACK KEEPER FASTENED TO FRAME WITH #8 X 5/8" SMS



TRIPLE (XOX)



GLAZING OPTIONS

Engr: ARHAD VIQAR
CIVIL
FLA. PE # 38863
C.A.N. 3538

JUN 30 2009

PRODUCT DESIGNED
as complying with the Florida
Building Code
Acceptance No. 09-0128.11
Expiration Date DEC. 21, 2012
By: *Manuel Perez*
Product Development
Division

af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W07-70KUI

FRENZE-VENEZIA-ROMA ALUM CASEMENT WDW. (L.M.I.)
KORUS USA INC.
1959 TIGERTAIL BLVD.
DANIA BEACH, FL. 33304
TEL. (954) 888-9370 FAX. (954) 888-9371

no.	date	description
A	11.10.08	UPDATED FOR 2007 FBC
B	05.19.09	REV. PER BCCO COMMENTS

date:	09-13-07
scale:	1/2" = 1'-0"
dr. by:	HAMID
chk. by:	

drawing no.	W07-70
sheet	2 of 10

DESIGN LOAD CAPACITY - PSF (SINGLE UNITS) VENTING (X), STATIONARY (O)					
WINDOW DIMS.		GLASS TYPE 'A'		GLASS TYPE 'B'	
WIDTH	HEIGHT	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)
19-1/8"	26" (3)	75.0	75.0	75.0	75.0
26-1/2"		75.0	75.0	75.0	75.0
37"		75.0	75.0	75.0	75.0
19-1/8"	38-3/8" (4)	75.0	75.0	75.0	75.0
26-1/2"		75.0	75.0	75.0	75.0
19-1/8"	50-5/8" (5)	75.0	75.0	75.0	75.0
26-1/2"		75.0	75.0	75.0	75.0
37"		75.0	75.0	75.0	75.0
19-1/8"	63" (6)	75.0	75.0	75.0	75.0
26-1/2"		75.0	75.0	75.0	75.0
37"		75.0	75.0	75.0	75.0
19-1/8"	74-1/4" (7)	75.0	75.0	75.0	75.0
26-1/2"		75.0	75.0	75.0	75.0
18"	24" (2)	75.0	75.0	75.0	75.0
24"		75.0	75.0	75.0	75.0
30"		75.0	75.0	75.0	75.0
36"		75.0	75.0	75.0	75.0
18"	36" (3)	75.0	75.0	75.0	75.0
24"		75.0	75.0	75.0	75.0
30"		75.0	75.0	75.0	75.0
36"		75.0	75.0	75.0	75.0
18"	48" (4)	75.0	75.0	75.0	75.0
24"		75.0	75.0	75.0	75.0
30"		75.0	75.0	75.0	75.0
36"		75.0	75.0	75.0	75.0
18"	60" (5)	75.0	75.0	75.0	75.0
24"		75.0	75.0	75.0	75.0
30"		75.0	75.0	75.0	75.0
36"		75.0	75.0	75.0	75.0
18"	72" (6)	75.0	75.0	75.0	75.0
24"		75.0	75.0	75.0	75.0
30"		75.0	75.0	75.0	75.0

() = NO. OF ANCHORS PER JAMB


DESIGN LOAD CAPACITY - PSF (TRIPLE UNITS) XOX, OXO, OXX OR XXX					
WINDOW DIMS.		GLASS TYPE 'A'		GLASS TYPE 'B'	
WIDTH	HEIGHT	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)
111"	72" (6)	75.0	75.0	75.0	75.0

() = NO. OF ANCHORS PER JAMB

NOTE:
GLASS CAPACITIES ON THIS SHEET ARE
BASED ON ASTM E1300-02/04 (3 SEC. GUSTS)
AND FLORIDA BUILDING COMMISSION
DECLARATORY STATEMENT DCA05-DEC-219

DESIGN LOAD CAPACITY - PSF (DOUBLE UNITS) XX, OX OR XO					
WINDOW DIMS.		GLASS TYPE 'A'		GLASS TYPE 'B'	
WIDTH	HEIGHT	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)
26-1/2"	26" (3)	75.0	75.0	75.0	75.0
37"		75.0	75.0	75.0	75.0
53-1/8"		75.0	75.0	75.0	75.0
74"		75.0	75.0	75.0	75.0
26-1/2"	38-3/8" (4)	75.0	75.0	75.0	75.0
37"		75.0	75.0	75.0	75.0
53-1/8"		75.0	75.0	75.0	75.0
26-1/2"	50-5/8" (5)	75.0	75.0	75.0	75.0
37"		75.0	75.0	75.0	75.0
53-1/8"		75.0	75.0	75.0	75.0
74"		75.0	75.0	75.0	75.0
26-1/2"	63" (6)	75.0	75.0	75.0	75.0
37"		75.0	75.0	75.0	75.0
53-1/8"		75.0	75.0	75.0	75.0
26-1/2"	74-1/4" (7)	75.0	75.0	75.0	75.0
37"		75.0	75.0	75.0	75.0
53-1/8"		75.0	75.0	75.0	75.0
24"	24" (2)	75.0	75.0	75.0	75.0
36"		75.0	75.0	75.0	75.0
48"		75.0	75.0	75.0	75.0
60"		75.0	75.0	75.0	75.0
24"	36" (3)	75.0	75.0	75.0	75.0
36"		75.0	75.0	75.0	75.0
48"		75.0	75.0	75.0	75.0
60"		75.0	75.0	75.0	75.0
24"	48" (4)	75.0	75.0	75.0	75.0
36"		75.0	75.0	75.0	75.0
48"		75.0	75.0	75.0	75.0
60"		75.0	75.0	75.0	75.0
24"	60" (5)	75.0	75.0	75.0	75.0
36"		75.0	75.0	75.0	75.0
48"		75.0	75.0	75.0	75.0
60"		75.0	75.0	75.0	75.0
24"	72" (6)	75.0	75.0	75.0	75.0
36"		75.0	75.0	75.0	75.0
48"		75.0	75.0	75.0	75.0
60"		75.0	75.0	75.0	75.0

() = NO. OF ANCHORS PER JAMB



Engr: ARSHAD VIQAR
CIVIL
FLA. PE # 38863
C.A.N. 3538
JUN 30 2009

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 09-0128.11
Expiration Date DEC 31, 2012
Miami State Product Control
Division



af c
AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL \ W07 - 70KUJ

FRENZE-VENEZIA-ROMA ALUM CASEMENT WDW. (L.M.I.)
KORUS USA INC.
1959 TIGERTAIL BLVD.
DANIA BEACH, FL. 33304
TEL. (954) 888-9370 FAX. (954) 888-9371

no	date	description
A	11.10.08	UPDATED FOR 2007 FBC
B	05.19.09	REV. PER BCCO COMMENTS

date: 09-13-07
scale: 1/2" = 1'-0"
dr. by: HAMID
chk. by:

drawing no.
W07-70
sheet 3 of 10



WOOD BUCKS AND METAL STRUCTURE NOT BY KORUS
MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM
AND TRANSFER THEM TO THE BUILDING STRUCTURE.

TYPICAL ANCHORS: SEE ELEV. FOR SPACING
1/4" DIA. ULTRACON BY 'ELCO' ($F_u=177$ KSI, $F_y=155$ KSI)
 INTO 2BY WOOD BUCKS OR WOOD STRUCTURES
 1-1/2" MIN. PENETRATION INTO WOOD
1/4" DIA. TEKS OR SELF DRILLING SCREWS (GRADE 5 CRS)
 INTO MIAMI-DADE COUNTY APPROVED MULLIONS (MIN. THK. = .090")
 INTO METAL STRUCTURES
 STEEL : 12 GA. MIN. ($F_y = 36$ KSI MIN.)
 ALUMINUM : 1/8" THK. MIN. (6063-T5 MIN.)
 (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

TYPICAL EDGE DISTANCE
 INTO CONCRETE AND MASONRY = 1-1/2" MIN.
 INTO WOOD STRUCTURE = 3/4" MIN.
 INTO METAL STRUCTURE = 1/2" MIN.

CONCRETE $f'_c = 3000$ PSI MIN.
 MASONRY $f'_m = 1500$ PSI MIN.

SEALANTS:
 VENT CORNERS SEALED WITH DOW CORNING 899 SEALANT.

Engr: ARSHAD VIQAR
 CIVIL
 FLA. PE # 38863
 C.A.N. 3538

By: *Arshad Viqar*
 JUN 30 2009

REC'D BY: [Signature]
 as co. engineer with the Florida
 Building Code
 Acceptance No. 09-0128-11
 Expiration Date DEC. 27, 2012

By: *Manuel Perez*
 Miami Dade Product Control
 Division

al f c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W07-70KUI

FIRENZE-VENEZIA-ROMA ALUM CASEMENT WDW. (L.M.I.)
KORUS USA INC.
 1959 TIGERTAIL BLVD.
 DANIA BEACH, FL. 33304
 TEL. (954) 888-9370 FAX. (954) 888-9371




no	date	by	description
A	11.10.08		UPDATED FOR 2007 FBC
B	05.19.09		REV. PER BCCO COMMENTS

revisions:

date: 09-13-07
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W07-70

sheet 4 of 10



Engr: ARSHAD VIQAR
CIVIL
FLA. PE # 38863
C.A.N. 3538

Arj

JUN 30 2009

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 09-0128-11
Expiration Date DEC. 21, 2012

By *Manuel Perez*
Miami Trade Product Control
Division

af c

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP - ANL \ W07 - 70KUI

FIRENZE-VENEZIA-ROMA ALUM CASEMENT WDW. (L.M.I.)


KORUS USA INC.
1959 TIGERTAIL BLVD.
DANIA BEACH, FL. 33304
TEL. (954) 888-9370 FAX. (954) 888-9371

no	date	description	by
A	11.10.08	UPDATED FOR 2007 FBC	
B	05.19.09	REV. PER BCCO COMMENTS	


revisions:

date: 09-13-07
scale: 1/2" = 1"
dr. by: HAMID
chk. by:

drawing no. **W07-70**
sheet 5 of 10



VENTING (X)



Engr: ARSHAD VIQAR
 CIVIL
 FLA. PE # 38863
 C.A.N. 3538

Arshad Viqar
 JUN 30 2009

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 09-0128.11
 Expiration Date DEC-27, 2012

Manuel Jerez
 Miami Dade Product Control
 Division

af c
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL \ W07-70KUI


FIRENZE-VENEZIA-ROMA ALUM CASEMENT WDW. (L.M.I.)
KORUS USA INC.
 1959 TIGERTAIL BLVD.
 DANIA BEACH, FL. 33304
 TEL. (954) 888-9370 FAX. (954) 888-9371

revisions:

no.	date	by	description
A	11.10.08		UPDATED FOR 2007 FBC
B	05.19.09		REV. PER BCCO COMMENTS

date: 09-13-07
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W07-70
 sheet 6 of 10




IMPOST END SCREWS
 #10 X 1-1/2" SMS
 (2) AT FRAME HEAD
 (2) AT FRAME SILL
 TYP.

TYPICAL ANCHORS
 SEE ELEV.
 FOR SPACING

WINDOW WIDTH

DOUBLE (XX)



Engr. ARSHAD VIQAR
 CIVIL
 FLA. PE # 38863
 C.A.N. 3538

Arj
 JUN 30 2009

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. **09-0128-11**
 Expiration Date **DEC. 27, 2012**
 By *Mamad Jeroz*
 Miami Code Product Control
 Division



afc
AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL\W07-70KUI

FIRENZE-VENEZIA-ROMA ALUM CASEMENT WDW. (L.M.I.)
KORUS USA INC.
 1959 TIGERTAIL BLVD.
 DANIA BEACH, FL. 33304
 TEL. (954) 888-9370 FAX. (954) 888-9371

revisions:	no	date	by	description
	A	11.10.08		UPDATED FOR 2007 FBC
	B	05.19.09		REV. PER BCCO COMMENTS

date: 09-13-07
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:

drawing no.
W07-70
 sheet 7 of 10



TRIPLE (XOX)

Engr: ARSHAD VIQAR
 CIVIL
 FLA. PE # 38863
 C.A.N. 3538

Arq

JUN 30 2009

PRODUCT REVISED
 so complying with the Florida
 Building Code
 Acceptance No. 09-0128.11
 Expiration Date DEC. 31, 2012

By *Manuel Perez*
 Miami Dade Product Control
 Division

af c

AL-FAROOQ CORPORATION
 ENGINEERS & PRODUCT DEVELOPMENT
 1235 S.W. 87 AVE
 MIAMI, FLORIDA 33174
 TEL. (305) 264-8100 FAX. (305) 262-6978
 COMP-ANL W07-70KUI


FIRENZE-VENEZIA-ROMA ALUM CASEMENT WDW. (L.M.I.)

KORUS USA INC.
 1959 TIGERTAIL BLVD.
 DANIA BEACH, FL. 33304
 TEL. (954) 888-9370 FAX. (954) 888-9371


no	date	by	description
A	11.10.08		UPDATED FOR 2007 FBC
B	05.19.09		REV. PER BCCO COMMENTS

date: 09-13-07
 scale: 1/2" = 1"
 dr. by: HAMID
 chk. by:


drawing no.
W07-70
 sheet 8 of 10




① WINDOW FRAME




⑤ GLASS STOP




⑥ GLASS STOP COVER




② OPER. VENT FRAME




⑰ INTERIOR FRAME COVER




③ FIX. VENT FRAME




⑱ INTERIOR VENT COVER




⑳ COVER RECEIVER CHANNEL




④ IMPOST



⑲ INTERIOR GLASS STOP COVER



㉒ COVER LATCH



㉓ INTERIOR IMPOST COVER

ITEM	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
1	KA001	4/ WDW.	WINDOW FRAME	6060-T5	KORUS
2	KA002	4/ VENT	OPER VENT FRAME	6060-T5	KORUS
3	KA010	4/ VENT	FIX. VENT FRAME	6060-T5	KORUS
4	KA009	AS REQD.	IMPOST	6060-T5	KORUS
5	KA006	4/ VENT	GLASS STOP	6060-T5	KORUS
6	KA007	AS REQD.	GLASS STOP COVER	6060-T5	KORUS
7	COP8069	4/ VENT	EXTERIOR GASKET	EPDM	COMPLASTEX
8	COPOUP4W	4/ VENT	INTERIOR GLAZING GASKET	EPDM	COMPLASTEX
8A	COPOUP5W	4/ VENT	INTERIOR GLAZING GASKET	EPDM	COMPLASTEX
8B	COPOUP6W	4/ VENT	INTERIOR GLAZING GASKET	EPDM	COMPLASTEX
9	COP2217	AS REQD.	GLASS STOP HOOK GASKET	EPDM	COMPLASTEX
10	COP02666	AS REQD.	EXTERIOR FRAME GASKET	EPDM	COMPLASTEX
11	ALF7340	AS REQD.	INTERNAL GASKET	EPDM	ALFASOLARE
12	FAP5603A	3/ VENT	HINGE	CAST ALUM	FAPIM
13	MON5007	AS REQD.	VENT JOINING BRACKET	CAST ALUM	MONTICELLI
14	MON5002	AS REQD.	FRAME JOINING BRACKET	CAST ALUM	MONTICELLI
15	SIG896068	AS REQD.	CORNER JOINT	STEEL	SIEGENIA
16	PONK20	AS REQD.	ALIGNING BRACKET	PA6	PONTINA STAMPI
17	-	AS REQD.	INTERIOR FRAME COVER	WOOD	DECORATIVE
18	-	AS REQD.	INTERIOR VENT COVER	WOOD	DECORATIVE
19	-	AS REQD.	INTERIOR GLASS STOP COVER	WOOD	DECORATIVE
20	-	AS REQD.	INTERIOR IMPOST COVER	WOOD	DECORATIVE
21	C71808	AS REQD.	COVER RECEIVER CHANNEL (CONT.)	6060-T5	KORUS
22	PS002	AS REQD.	COVER LATCH AT 12" O.C.	CAST ALUM	MONTICELLI
23	#6 X 3/4"	1/ LATCH	LATCH INSTALLATION SCREWS	-	FH SMS

Engr: ARSHAD VIQAR
CIVIL
FLA. PE # 38863
C.A.N. 3538

Arp

JUN 30 2009

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 09-0128.11
Expiration Date DEC. 27, 2012
By *Manuel Perez*
Miami Dade Product Control
Division

af c

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP - ANL \ W07 - 70KUI

FIRENZE - VENEZIA - ROMA ALUM CASEMENT WDW. (L.M.I.)
KORUS USA INC.
1959 TIGERTAIL BLVD.
DANIA BEACH, FL. 33304
TEL. (954) 888-9370 FAX. (954) 888-9371


no	date	by	description
A	11.10.08		UPDATED FOR 2007 FBC
B	05.19.09		REV. PER BCCO COMMENTS

date: 09-13-07
scale: 1/2" = 1"
dr. by: HAMID
chk. by:

drawing no.
W07-70
sheet 9 of 10

no	date	by	description
A	11.10.08		UPDATED FOR 2007 FBC
B	05.19.09		REV. PER BCCO COMMENTS

date:	09-13-07
scale:	1/2" = 1"
dr. by:	HAMID
chk. by:	



FRAME CORNER

OPER. VENT CORNER

FIX. VENT CORNER

MITER CUT FRAME AND VENT CORNERS

Engr: ARSHAD IQAR
 CIVIL
 FLA. PE # 38863
 C.A.N. 3538
 JUN 30 2009
Ar

PRODUCT REVISED
 as complying with the Florida
 Building Code
 Acceptance No. 09-0128.11
 Expiration Date DEC. 27, 2012
 By: *Manuel Perez*
 Miami Made Product Control
 Division