



BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908
www.miamidade.gov/buildingcode

NOTICE OF ACCEPTANCE (NOA)

Securitech Group Inc.
54-45 44th Street
Maspeth, NY 11378

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "Tel-100/200" Trident Lock (Hardware)-Component Approval-Impact

APPROVAL DOCUMENT: Drawing No. "10-1308-00", titled "Multi-Point Auxiliary Lock ", sheets 1 through 4 of 4, prepared by manufacturer, dated 06/01/09, signed and sealed by Thomas Gordon, P.E., bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

Limitation:

1. This component is approved to be used as an alternate with an approved single or double Steel doors, having current NOA (Notice of Acceptance).
2. Lowest design pressure of doors or this component may control.
3. See limitations of the component approval, in the drawing, water infiltration rating is limited to **+75.0 PSF**.
4. Electrical device installation is not part of this approval, such installation to be reviewed by AHJ.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of this page 1 and evidence pages E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**



611719

NOA No 09-0203.05
Expiration Date: July 08, 2014
Approval Date: July 08, 2009
Page 1

Securitech Group Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS (transferred from file # 05-1102.12)

1. Manufacturer's parts and sections drawings.
2. Drawing No. "10-1308-00", titled "Multi-Point Auxiliary Lock", sheets 1 through 4 of 4, prepared by manufacturer, dated 06/01/09, signed and sealed by Thomas Gordon, P.E.

B. TESTS

1. Test reports on
 - 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
 - 3) Water Resistance Test per FBC, TAS 202-94
 - 4) Forced Entry Test, per FBC 2411 3.2.1 and TAS 202-94
 - 5) Large Missile Impact Test per FBC, TAS 201-94
 - 6) Cyclic Wind Pressure Loading per FBC, TAS 203-94

Along with installation diagrams of a multi-point Trident locks tested in outswing double Steel doors, prepared by National Certified Testing Laboratories, Test Report No(s). **NCTLA-210-3527-1**, dated 11/18/08 and revised on 03/25/09, signed and sealed by Gerald J. Ferrara, P.E.

C. CALCULATIONS

1. Anchor and stress verification calculations dated 06/01/09, prepared, signed and sealed by Thomas Gordon, P.E.

D. QUALITY ASSURANCE

1. Miami Dade Building Code Compliance Office (BCCO).

E. MATERIAL CERTIFICATIONS


1. None

F. STATEMENTS


1. Statement letter of product compliance to FBC 2007 & "No Financial interest" dated 12/06/2008, issued, signed & sealed by Thomas Gordon, P.E.
2. Statement letter of Lab compliance, as part of above test reports.
3. Addendum letter dated 03/04/09, issued by National Certified Testing Laboratories, signed and sealed by Gerald J. Ferrara, P.E.

G. OTHER

1. Test proposal dated 02/26/08 approved by BCCO.
2. Trident technical publications and catalogs




Ishaq I. Chanda, P.E.
Product Control Examiner
NOA No 09-0203.05
Expiration Date: July 08, 2014
Approval Date: July 08, 2009




1 HORIZONTAL CROSS SECTION
2 MAIN LOCK BODY TO STRIKE

Approved as complying with the
Florida Building Code
Date: July 08, 2009
NOA# 09-0203-Q5
Miami Dade Product Control
Division
By: Shaq Clapham






2 HORIZONTAL CROSS SECTION
2 MODULE BOLT TO FRAME

Approved by
6/11/09
FL46715



INTERIOR VIEW (OUTSIDE DOOR)

3 HORIZONTAL CROSS SECTION
2 HINGE SIDE BOLT TO FRAME




- LIMITATIONS:
1. INSTALLATION OF THIS MULTI-POINT LOCK REQUIRES STEEL DOOR NOA WITH MIN. 16 GA. FRAME & 16 GA. STEEL DOOR.
 2. 16 GA. STEEL REINFORCEMENT AT LOCK STILES & HINGE STILES ARE REQUIRED.
 3. LOWER DESIGN PRESSURE OF STEEL DOOR NOA OR THIS LOCK SHALL GOVERN.
 4. ELECTRICAL INSTALLATION IS NOT PART OF THIS APPROVAL & SUCH INSTALLATION MUST BE REVIEWED BY CORRESPONDING BUILDING AUTHORITY.
 5. APPROVED STEEL DOOR PANELS CAN NOT BE WIDER THAN 36" OR HIGHER THAN 86".

- GENERAL NOTES:
1. DEVICE(S) HAVE BEEN TESTED WITH HVHZ TAS-201, TAS-202 & TAS-203.
 2. DEVICE(S) TO BE USED WITH DOORS HOLDING ABOVE MENTIONED CODE.
 3. PRESSURE RATING:

PRESSURE RATING TABLE	
DEVICE	PRESSURE
MANUAL LOCKING MULTI-POINT DEADBOLT EXT LOCK (TEL-100)	± 100 PSF
SELF-LOCKING MULTI-POINT DEADBOLT EXT LOCK (TEL-200)	± 100 PSF

DESIGNED BY:	AV.
DRAWN BY:	SECURITECH GROUP, INC.
DATE:	5-4-05
PROJECT:	44TH STREET MASPEITH, NY, 11367
PHONE:	(718) 392-9000 / FAX: (718) 392-8944
ADDRESS:	100 RIVER ST. E. C. H. O. M.
WEBSITE:	WWW.SECURITECHGROUP.COM
REVISIONS:	TRIDENT (TEL-100/200)
DATE:	09.05.11
SCALE:	NONE
SHEET:	2 OF 4
PART NUMBER:	101308 00
SIZE:	B

STEEL DOORS UNDER SEPARATE APPROVAL.




B I L L O F M A T E R I A L S

NO.	DESCRIPTION	MATERIAL	QTY
1	MULTI-POINT AUXILIARY LOCK, WITH CYLINDER (TEL-481)	VARIOUS	1
2	MULTI-POINT AUXILIARY LOCK, WITH THUMB-TURN (TEL-482 SHOWN)	C.R. STEEL	1
3	MECHANISM COVER	VARIOUS	1
4	CYLINDER (FOR TEL-481)	CAST STEEL	1
5	THUMB-TURN (FOR TEL-482 SHOWN)	C.R. STEEL	2
6	CHANNEL MOUNTING BRACKET	C.R. STEEL	2
7	MOUNTING BRACKET UNDERPLATE	C.R. STEEL	2
8	DUST PROOF FLOOR STRIKE	VARIOUS	3
9	INACTIVE DOOR STRIKE (TEL-DDA)	EXTRUDED ALUMINUM	1
10	STRIKE ASSEMBLY	VARIOUS	1
11	HINGE SIDE BOLT ASSEMBLY	VARIOUS	1
12	THRU BOLT PLATE	STAINLESS STEEL	3
13	FLAT UNDER CUT MACH. SCREW, 10-24 x .500 LING.	STEEL	4
14	SELF DRILLING SCREW, HEX WASHER HEAD, #8 X .500 LING.	STEEL	4
15	SELF DRILLING SCREW, HEX WASHER HEAD, #14 X 1.500 LING.	STEEL	4
16	1/4" LOCK NUT, 1/4-20	STEEL	8
17	ACORN CAP NUT, 1/4-20	STEEL	8
18	CARRIAGE BOLT, 1/4-20 X 2.500 LING.	STEEL	6
19	CARRIAGE BOLT, 1/4-20 X 1.750 LING.	STEEL	6
20	ACORN CAP NUT, 1/4-20	STEEL	7
21	MACHINE SCREW, HEX WASHER HEAD, 1/4-20 x .750 LING.	STEEL	7
22	MACHINE SCREW, HEX WASHER HEAD, 1/4-20 x .750 LING.	STEEL	2
23	SHEET METAL SCREW, PAN HEAD PHILLIPS, #8 X .500 LING.	STEEL	2

Approved as complying with the Florida Building Code
 Date July 08, 2009
 NOA# 07-02205
 Miami Dade Product Control
 Division
 By Shaq J. Clavette

*Full list
 6/1/09
 FC 46715*

DRAWN BY:	SECURITECH GROUP, INC.
A.V.	54-49 44TH STREET MASPETH, N.Y. 11367
DESIGNED BY:	W. W. (718) 392-8000/FAX: (718) 392-8844
MATERIAL:	M. S. E. C. O. R. I. E. C. H. A. S. E. O. M.
N/A	DESCRIPTION: MULTI-POINT AUXILIARY LOCK - COMPONENT APPROVAL
N/A	LOOK SERIES: TRIDENT (TEL-1A)
HEAT TREATING:	SHEET
N/A	FINISH: NONE
N/A	DATE: 09.05.11
3 OF 4	PORT NUMBER: 101308 00



STEEL DOORS UNDER SEPARATE APPROVAL.

ACTIVE PANEL

B I L L O F M A T E R I A L S

NO.	DESCRIPTION	MATERIAL	QTY
1	SELF LOCKING LOCK BODY ASSEMBLY (TEL-200)	VARIOUS	1
2	MANUAL LOCKING LOCK BODY ASSEMBLY (TEL-100)	VARIOUS	1
3	CHANNEL	ANODIZED ALUMINUM (EXT.)	2
4	TOP MODULE ASSEMBLY	VARIOUS	1
5	BOTTOM MODULE ASSEMBLY	VARIOUS	1
6	ANTI-PRY PLATE	STAINLESS STEEL	1
7	THRU BOLT PLATE	STAINLESS STEEL	3
8	HINGE SIDE BOLT ASSEMBLY	VARIOUS	1
9	STRIKE ASSEMBLY	VARIOUS	1
10	ALLEN KEY CAP. 1/4-20	STEEL	4
11	ACORN CAP NUT, 1/4-20	STEEL	6
12	ACORN CAP NUT, 1/4-20	STEEL	6
13	WASHER, 1/4	STEEL	6
14	CARRIAGE BOLT, 1/4-20 X 2.750 LING.	STEEL	2
15	CARRIAGE BOLT, 1/4-20 X 2.500 LING.	STEEL	4
16	CARRIAGE BOLT, 1/4-20 X 1.750 LING.	STEEL	2
17	CARRIAGE BOLT, 1/4-20 X 3.250 LING.	STEEL	2
18	SELF DRILLING SCREW, PAN HEAD PHILLIPS, #8 X .750 LING.	STEEL	2
19	SELF DRILLING SCREW, HEX WASHER HEAD, #14 X 1.500 LING.	STEEL	2
MANUAL LOCKING VERSION (TEL-100) ONLY			
19	PULL HANDLE	ALUMINUM	1
20	SHEET METAL SCREW, PAN HEAD PHILLIPS, #10 X .500 LING.	STEEL	2

Approved as complying with the Florida Building Code
 Date July 08, 2007
 NOA# 09-0203-05
 Miami Dade Product Control
 Division
 By Shag | Chandy

Handwritten signature and date:
 July 10, 2007
 File 78

DRAWN BY: _____
 A.V.
 DESCRIBED BY: _____
 54-43 14TH STREET WASHINGTON, N.W. 20004-1804
 WASHINGTON, D.C. 20004
 MATERIAL: _____
 N/A
 HEAT TREATING: _____
 N/A
 FINISH: _____
 N/A

SECURITECH GROUP, INC.
 DESCRIPTION: MULTI-POINT AUXILIARY LOCK - COMPONENT APPROVAL
 LOOK SERIES: TRIDENT (TEL-100/200)
 SIZE: B
 SHEET: 4 OF 4
 SCALE: NONE
 DATE: 09.05.11
 PART NUMBER: 101308.00