



**MIAMI-DADE COUNTY**  
**BUILDING CODE COMPLIANCE OFFICE (BCCO)**  
**PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA**  
**METRO-DADE FLAGLER BUILDING**  
**140 WEST FLAGLER STREET, SUITE 1603**  
**MIAMI, FLORIDA 33130-1563**  
**(305) 375-2901 FAX (305) 375-2908**

**NOTICE OF ACCEPTANCE (NOA)**

**Stanley Security Solutions**  
**6161 East 75<sup>th</sup> Street**  
**Indianapolis, IN 46250**

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

**DESCRIPTION: Series 9k Cylindrical Lockset Hardware (Component Approval)**

**APPROVAL DOCUMENT:** Drawing No. "07-BAS-003", titled "Series 9k Cylindrical Lockset-Component Approval", sheets 1 through 2 of 2, prepared by manufacture, dated 03/22/04 and last revised on 01/13/09, signed and sealed by Frank L. Bennardo, P.E., bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division.

**MISSILE IMPACT RATING: Large and Small Missile Impact**

**Limitation:**

1. This component is approved to be used as an alternate with an approved single or double Steel doors, having current NOA (Notice of Acceptance).
2. Lowest design pressure of doors or this component may control.
3. Electrical device installation is not part of this approval, such installation to be reviewed by AHJ.

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises & renews** NOA # **03-0128.11** (Best Access System) consists of this page 1 and evidence pages E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Ishaq I. Chanda, P.E.**



**NOA No 09-0209.05**  
**Expiration Date: April 29, 2010**  
**Approval Date: May 06, 2009**  
**Page 1**

4/15/10

**Stanley Solution Solutions**

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

- A. DRAWINGS** (transferred from file # 03-0128.11)
1. Manufacturer's parts and sections drawings.
  2. Drawing No. "07-BAS-003", titled "Series 9k Cylindrical Lockset-Component Approval", sheets 1 through 2 of 2, prepared by manufacture, dated 03/22/04 and last revised on 01/13/09, signed and sealed by Frank L. Bennardo, P.E.
- B. TESTS** (transferred from file # 03-0128.11)
1. Test Reports No. **FTL- 1684 & FTL-1860**, prepared by Fenestration Testing Laboratory, Inc., dated September 22, 1997 and February 25, 1998 respectively, signed and sealed by Late Gilbert Diamond, P.E., for the following tests:
    - 1) Air Infiltration Test, per FBC, PA 202-94
    - 2) Uniform Static Air Pressure Test, Loading per FBC, PA 202-94
    - 3) Water Resistance Test per FBC, PA 202-94
    - 4) Large Missile Impact Test per FBC, PA 201-94
    - 5) Cyclic Wind Pressure Loading per FBC, PA 203-94
    - 6) Forced Entry Test, per FBC 2411.3.2.1 (b) and PA 202-94along with manufacturer's parts and section drawings marked by Fenestration Testing Laboratory, Inc.
- C. CALCULATIONS**
1. None
- D. QUALITY ASSURANCE**
1. Miami Dade Building Code Compliance Office (BCCO).
- E. MATERIAL CERTIFICATIONS**
1. None
- F. STATEMENTS**
- 1 Statement letter of product compliance to FBC 2007, issued by Engineering Express dated Feb 03, 2009, signed & sealed by Frank L. Bennardo, P.E
  - 2 Letter of conformance & "No financial interest" dated March 22, 2004 issued by Frank L. Bennardo, P.E., Inc., Consulting Engineers, signed by Frank L. Bennardo, P.E. (transferred from file # 03-0128.11)
  - 3 Statement letter dated Jan 29, 2007 of Stanley Works acquired shares of Best Lock dba Best Access system, signed by Kara J. Dean, Council Stanley Access.
  - 4 Certificate of amendment of Best Lock to Stanley Security Solution Inc, issued by State of Indiana on Aug. 30, 2003.
  - 5 Statement letter by Republic Builder Products dated October 30, 2002, authorizing Best Access System to use above referenced test reports for obtaining component approval of the hardware that were used in Republic Bldg Product test report.
- G. OTHER**
1. This NOA **revises & renews** NOA # **03-0128.11** (Best Access System), expiring 04/29/09.
  2. Statement letter issued by Intertek Lab, dated April 15, 2009 for schedule test for Stanley Security Solution, signed by Jim Turgeson.
  3. Certificate of name amendment issued by State of Indiana.
  4. One year conditional approval subjected to successful verification test.

*Ishaq I. Chanda*

Ishaq I. Chanda, P.E.  
Product Control Examiner  
NOA No 09-0209.05  
Expiration Date: April 29, 2010  
Approval Date: May 06, 2009

# SERIES 9K CYLINDRICAL LOCKSET

## GENERAL NOTE:

1) THE SYSTEM DESCRIBED HEREIN HAS BEEN DESIGNED AND TESTED IN COMPLIANCE WITH THE FLORIDA BUILDING CODE 2007, HIGH VELOCITY HURRICANE ZONES, AND TEST PROTOCOLS TAS 201, 202, & 203.

## LIMITATIONS:

1) THIS DEVICE IS APPROVED AS AN EQUAL ALTERNATIVE TO BE USED IN SINGLE OR DOUBLE 16ga STEEL COMMERCIAL DOORS, HOLDING CURRENT NOA. THE LOWEST DESIGN PRESSURE SHALL APPLY.

2) INSTALLATION OF THESE DEVICES REQUIRES A 16ga FORMED STEEL REINFORCEMENT PLATE (0.057" X 1.557" X 8.018") AT LOCK SIDE (STILE).

3) ELECTRICAL DEVICE INSTALLATION IS NOT PART OF THIS APPROVAL AND SUCH INSTALLATION MUST BE REVIEWED BY THE APPROPRIATE BUILDING AUTHORITY.


4) SINGLE DOOR: THIS DEVICE SHALL BE INSTALLED IN SINGLE 48" WIDE x 96" HIGH MAX COMMERCIAL STEEL DOORS. THE PANEL SHALL BE "CORE" FILLED, WITH 1-3/4" MINIMUM OVERALL THICKNESS.

5) DOUBLE DOORS: THIS DEVICE SHALL BE INSTALLED IN DOUBLE 74" WIDE x 86" HIGH MAX (37" WIDE PER PANEL) COMMERCIAL STEEL DOOR. THE PANEL SHALL BE "CORE" FILLED, WITH 1-3/4" MINIMUM OVERALL THICKNESS. THE INACTIVE PANEL OF THE DOUBLE DOOR SHALL BE SECURED WITH BOLTS AT TOP AND BOTTOM.

6) THIS PANIC DEVICE CAN BE INSTALLED AS PART OF A LARGE MISSILE IMPACT RESISTANT UNIT.

### DESIGN PRESSURE RATING (9K CYLINDRICAL LOCKSET)

SINGLE DOOR	DOUBLE DOORS
+90 PSF -90 PSF	+50 PSF -50 PSF



PRODUCT RENEWED  
as complying with the Florida  
Building Code  
Acceptance No. 09-0209-05  
Expiration Date APR 29 2010  
By Shay J. Chappell  
Miami Date Product 09/13/09  
Division

FRANK L. BENNARDO, P.E.  
# PE 046349

01/13/2009

**ENGINEERING EXPRESS®**

160 SW 12th AVENUE, #106  
DEERFIELD BEACH, FL 33442  
Ph: (954) 354-0660 Fax: (954) 354-0443  
WWW.ENGEXP.COM  
CERT OF AUTH #9885  
A FRANK L. BENNARDO, P.E., INC. INNOVATION

**STANLEY**

SECURITY SOLUTIONS  
6161 E 75TH STREET, INDIANAPOLIS, IN 46250

SERIES 9K CYLINDRICAL LOCKSET  
COMPONENT APPROVAL - LARGE MISSILE IMPACT RESISTANT  
MIAMI-DADE NOTICE OF ACCEPTANCE

DRWN	CHKD	DATE
CL	FLB	03/18/04
RKB	CL	01/13/09

REMARKS  
INIT ISSUE  
2007 FBC

07-BAS-0003




SCALE: 1/1

PAGE DESCRIPTION:

1 2

01/13/2009 - 2:37pm rbarlett F:\01 Project Files\Best Access Systems (BAS)\07-BAS-0003 9K Cylindrical Lockset (NOA).dwg

01/13/2009 - 2:38pm rbarlett F:\01 Project Files\Best Access Systems (BAS)\07-BAS-0003 9K Cylindrical Lockset (NOA)\07-BAS-0003\_02a 9K Cylindrical Lockset (NOA).dwg



B LOCKSET ELEVATIONS  
2 6" = 1'-0" TOP, FRONT, & SIDE

### MATERIAL & PARTS LIST

ITEM	DRAWING	DESCRIPTION	APPROXIMATE SIZE	MATERIAL	REQ'D
12	B25641	4 7/8" STRIKE FOR 9K	4.865 X 1.240 X .091	BRASS	1
11	A18724	#12-24/#12-12 X 3/4" UNDERCUT PFHCS	#12-24 X .750	STEEL	1
10	C55555	LARGE THREADLESS I/S LINER	Ø3.499 X .240	STEEL	1
9	B55507	ANTI-ROTATION STUD	Ø.301 X 1.137	STEEL	2
8	C55508	LARGE O/S LINER	Ø3.499 X .240	STEEL	1
7	B55007	LARGE ROSE	Ø3.499 X .788	BRASS	2
6	C54680	DEADLOCKING LATCH & FACEPLATE ASSEMBLY FOR 9K	2.248 X 1.123 X 2.626	STEEL	1
5	A25359	COMBINATION SCREW #8-32	#8-32 X .750	STEEL	2
4	A55557	CLAMP FOR 9K	#12-24 X 1.625	STEEL	1
3	C54320	9K CHASSIS ASSEMBLY "D" FUNCTION	Ø2.075 X 7.103	STEEL	1
2	D55169	#15 STYLE PLAIN LEVER HANDLE FOR 9K	5.414 X 2.095 X 1.260	ZINC	1
1	D55168	#15 STYLE KEYED LEVER HANDLE FOR 9K	5.414 X 2.095 X 1.260	ZINC	1

**PRODUCT RENEWED**  
 as complying with the Florida  
 Building Code  
 Acceptance No 09-0209.05  
 Expiration Date APR 29, 2010  
 By Ishag I. Chant  
 Miami Dade Product Control  
 Division

FRANK L. BENNARDO, P.E.  
# PE0046549

01/13/2009

**ENGINEERING EXPRESS®**

160 SW 12th AVENUE, #106  
DEERFIELD BEACH, FL 33442  
PH: (954) 354-0660 FAX: (954) 354-0443  
WWW.ENGEXP.COM  
CERT. OF AUTH. #9885  
A FRANK L. BENNARDO, P.E., INC. INNOVATION

**STANLEY**

SECURITY SOLUTIONS  
6161 E 75TH STREET, INDIANAPOLIS, IN 46250

SERIES 9K CYLINDRICAL LOCKSET  
COMPONENT APPROVAL - LARGE MISSILE IMPACT RESISTANT  
MIAMI-DADE NOTICE OF ACCEPTANCE

REMARKS	DRWN	CHKD	DATE
INIT ISSUE	CL	FLB	03/18/04
2007 FBC	RKB	CL	01/13/09

07-BAS-0003

SCALE: 01

PAGE DESCRIPTION:

2